TILLINGIUS

DE

FEBRIBUS

PETECHIALIBUS

1676

C.H.

XI/3.

R 12 124

G. 2. 6.

The Library of the
Wellcome Institute for
the History of Medicine

MEDICAL SOCIETY
OF
LONDON
DEPOSIT

Accession Number

Press Mark

1) TILING, M.
Front in Wellc. copy cropped
2) SCHARFF, B.

65862/A

c IX

Σὺν τῷ Θεῷ.

ΑΡΚΕΥΘΟΛΟΓΙΑ

ſeu

JVNIPERI

DESCRIPTIO CURIOSA,

ad normam & formam

SACRI ROMANI IMPERII

ACADEMIÆ NATURÆ CURIOSORUM,

elaborata

ET

VARIIS MEDICAMENTIS AC OBSERVATIONIBUS REFERTA

à

BENJAMIN SCHARFFIO,

MEDICINÆ LICENTIATO,

& Archiatro Sondershuſano Schwartzburgico.

JENÆ,

TYPIS & SUMTIBUS GOLLNERIANIS,

Anno M DC LXXIX.

PRÆFATIO AD LECTOREM.

PEr ſpineta ad roſeta perque aſpera ad aſtra aſcendendum eſſe verum ac tritum ſermone eſt proverbium, nemoque hoc negabit, niſi qui ipſi contradicere velit experientiæ rerum omnium Magiſtræ : Nam quis eſt, qui ignoret viam ad virtutis & eruditionis palatium primò eſſe aſperam duriſque variiſque errorum, laborum, vitiorumque labyrinthis & ſpinis obſitam, ita ut multa ferre, facere, ſudare & algere debeat is ad altiorem eruditionis gradum

eat is, ad altiorem Eruditionis gradum pertingere qui cupiat sed quis etiam est, quidem laudat virtutes Eruditionis esse jucundos! [illegible] qui [illegible] nihilquid [illegible] ita via virtutis [illegible] patiatur, nihil etiam [illegible] blandas voluptatum et vitiorum [illegible] ad quas facilis [illegible]

ſus, ſed cum prudente Ulyſſe aure
lutô muniat Sapientiæ, ne per jucun
dam hanc dulcedinem ad deteſtand
amaritudinem, per fallacia hæc roſet
ad execranda ſpineta, per voluptuo
hæc viridaria ab aſtris ad raſtra dedu
catur ignominioſa. Cum itaque
L. B. & ego *ſpinoſi & aſperi quid laborri*
Juniperum videlicet, Tibi offeram, mo
nendum te eſſe putavi, ne à *ſpinetis hiſſ*
ut videntur, vultum benevolum pri
mò ſtatim intuitu amoveas, aut ſco
mâ ipſius tenui ſatiſque aſperâ dete
rearis ab ulteriori virtutum ipſi
conſideratione, cum ſub viliori etiam
habitu ac palliolo latere interdum ſ
leat Sapientia; nec formæ, ſed poti
virtutis ſit habenda ratio, credaſque

te, propter [illegible], ab his spinetis
posse [illegible] fieri [illegible] Sanitatis
utilissimas; propterea Juniperum tam
quam vulgarem [illegible] plantam
ne contemnas, [illegible] sola admirat[illegible]
[illegible] ac prodiga [illegible] tamen [illegible]
fallentia [illegible]
[illegible] sed potius [illegible] tibi sit.
Cara quae non cara et cara [illegible]
in patria tibi nascitur [illegible]
tuo gratias agas, quod naturam
omnibus abunde [illegible]
ad salutem corporis tui [illegible]

ui pertinere videntur, cumque do-
meſticis morbos arcere liceat medica-
mentis, quid quæſo opus eſt exotica
ine cauſa tàm anxiè conquirere &
æpe talia, quæ temporis diuturnitate
c tempeſtatis injuriâ corrupta aut a-
ulterata ſunt? ſicut præclarè hac de
e loquitur *Sennertus lib. de conſenſ. &
iſſenſ. Chim. cap. 18. p. m. 664.* Tale ita-
ue tibi ſiſto in *Junipero* medicamen-
um, quod in magnis variiſque mor-
is certiſſimum eſt Aſylum domeſti-
um, tale, inquam, quod Panaceæ no-
ine reverà ſit digniſſimum, tale,
uod curioſam virtutum ſuarum di-
quiſitionem & admirationem probè
eretur: Propterea & ineffabilis *Juni-
eri* utilitas atque incomparabilis ipſi-
s dignitas me movit, ut COLLEGIO
NATURÆ CURIOSORUM NOBILISSIMO
præter meritum aſſociatus hanc præ
liis elegerim vegetabilibus deque il-
TRACTATUM CURIOSUM, hoc eſt
d normam & formam S. R. I. COL-
EGII NATURÆ CURIOSORUM elabo-
atum, conſcripſerim, quoniam hic
ocorum tàm frequens uſus eſt *Juni-
eri*, ut omnibus ferè morborum ge-
eribus debellandis tanquam univer-
le opponatur medicamentum, & hæc

etiam fuit occaſio naturam & Vir[illegible]
Juniperi partiumque illius meliùs co[illegible]
gnoſcendi, dum enim conſvetudinem
hominum ut alteram naturam imitar[illegible]
ægrisque medicamenta asſveta exhi[illegible]
bere commodum judicarem, *Junipe*[illegible]
in exhibendis medicamentis, tàm pe[illegible]
ſe, quàm aliis admixtis, inprimis ſum
uſus, quæ opinio etiam me non feſe[illegible]
lit & *Juniperus* partesque ejus ſpem [illegible]
expectationem cùm meam tùm ægro[illegible]
rum, non expleverunt ſolùm, ſed po[illegible]
tiùs, ut candidè loquar, ſuperarunt
unde tantò cum ſucceſſu, ſicut ex infr[illegible]
dicendis patebit, *Juniperinis* uſus ſum
medicamentis, nec obſervationes c[illegible]
illis effectusque propriâ finxi auctor[illegible]
tate, ſicuti falſa de Viris optimè me[illegible]
ritis Calumniatorum & Momorum
audivi judicia & inanes calumnias
vel ex proprio jam medicamentorum
excogitavi formulas cerebro, DEUS
enim τὸν καρδιογνώςην meamque te[illegible]
ſtor conſcientiam omnia non alite[illegible]
eſſe geſta & exhibita præparata vi[illegible]
meque nihil reticuiſſe aut occultaſſe
ſed omnia ſic eveniſſe prout annotat[illegible]
B. L. inveniet, quæ omnia, ut & mu[illegible]
ta alia hactenus à me nemini, nec A[illegible]
miciſſimis communicata, jam candi[illegible]

revel

revelo & communico, ſperans, quòd licet exiguus hic meus labor parùm laudis, candor tamen meus aliquid ſit meriturus commendationis Quod autem ex aliis multa addiderim Autoribus, non ad oſtentationem illud operisque prolongationem factum eſt, ſed ideò præſtantiſſima quæque ex Autoribus collegi & elegi, ut meæ de *Junipero* qualescunque obſervationes majorem fidem acquirerent & teſtimonio quaſi aliorum confirmarentur, maximò itaque B. L. rogo quæſoq́, opere, ut hoc in pejorem partem ne rapiat, ſique voto & expectationi non ſatisfaciam, cogitet

in rebus magnis & voluiſſe ſatis:

Hiſce fruere B.L. & Vale, ſique hæc placuerint meliora impoſternum expectato.

Te verò ſupplex ſuperi ô Regnator Olympi
ore animoque precor noſtris benedicere cœptis
ne dedigneris, mentem Tua gratia noſtram
inſtruat & quæ jam, Duce TE, præſente libello
illa edet faxis nunc inlaudesque decusque
nominis hæc vergant divini & plurima præſtent
commoda terrigenis, id enim noſtra unica meta eſt:

Sis porrò facilis mihi propitiusque Creator
omnibus & votis, fruſtrà frendente coborte:
invidiæ ſtimulis agitatâ, adſcribere FIAT
atque audire vocem ſervine, quæſo, recuſe
Sic nomen laudesque Tuas cantabo per a
vum,
quando diem ſerus componet veſper Olympo,
& quando ſurget lecto Tithonia conjux
ac roſeâ Lucem claram dat lampade terris.

CAP

CAPUT I.

ETYMOLOGIAM ET DESCRIPTIONEM JUNIPERI TRADIT.

NOn abſonum eſt *Plato* quod dicere conſvevit: Nominum qui gnarus, gnarus etiam eſt rerum. Notum enim eſt ex nomine alicujus rei & omen quandoque eluceſcere non contemnendum, & contrà quem

nominis latet significatio,
hinc et ipsius rei cognitionem
latere plerumque perspicimus.
Laudabilis itaque et haud in=
congrua est consuetudo ut
rem aliquam tractaturus a
nominis incipiat primordio,
ideoque hinc imitabimur et
post de juniperi Etimologia
pauca producturi antequam
vires illiusque illius pertractabi=
mus.
De onomatologia juniperi quid
primo considerandum venit, hic
memorandis auctorum opinionibus coli=
quis: non nulli juniperi verba dedu=
cunt sive esse ortam

ortam ut *Juniperus* dicatur quaſi *junio-*
res fructus pariens, quoniam ſemper n
vellos fructus pariat antiquis matt
reſcentibus, prout ſentit *Bauhinus lib.*
Pinac. Theatr. Botanic. ſect. 5. p. 488.
ned. Curtius Symphorianus lib. 29. hort
cap. 3. p. 939.

Nonnulli *Juniperum* à Græco
Latino derivari volunt, ut *Juniperus*
catur quaſi junius πῦρ, ſeu junior ignis
pro hâc ſtabiliendâ ſententiâ experien
am adducunt, quòd nempe *Juniperus*
cenſa ignem non illicò ſolùm concipe
ſed illum quoque diutiſſimè fove
ignisque vice eſſe ſoleat, notum en
eſt, quòd ſi cineribus ex ligno *Junip*
confectis carbones vivos eoſque
Juniperinos, vel etiam Quercinos adc
illiſque hos obruas, per totum anni ſp
tium gliſcere, ita ut illi in eodem p
annum ſtatu [illegible]

eat; ejus enim odorem omnia reptilia
enenata averſari & fugare dicitur, pro-
t teſtatur *Bauhinus locô jam citatô.*

Nonnulli *ἄρκευθον* derivant διὰ
ἔχειν τὰς ἀκάνθας κεκρυμμένας, quòd
inas occultas habeat, quoniã dicente
uellio lib. 1. de natur. ſtirp. juniperus ſpinâ
btius, quàm foliô, ſed herbaceâ veſti-
r, & jam citatus *Benedictus Curtius Sym-
orianus citatô locô* de *junipero* dicit, quod
i pro folio ſpina, herbacea quidem,
, prout idem *Bauhinus locô dictô* ſen-
.

Alii *ἀρκευθὶν* deducunt *ἀπὸ ἀρκεῖν*
θῶ, quod idem eſt ac rectè vel certè
cere, quoniam certô juvamine homi-
s à morborum liberat inſultibus, ſicu-
opinatur *Schrevelius in Lexico manuali
ræco Latino p. m. 202.*

Hebræi Juniperum רֹתֶם dicunt *Hebraica.*
radice רָתַם quod ſignificat ligavit
l junxit, uti legitur *Mich. 1. verſ. 13.*
eò fortaſſe, quod firmam jungat ſani-
tem cum corpore vulneraque conglu-
net & conjungat ſingularique vi polle-
emplaſticâ, & præterea abortum
ohibeat & fœtum utero materno quaſi
miter alliget, ſicuti ex uſibus illius in-
à innoteſcet.

Germanis audit Wachholder & *Germani-*
B Weck. *ca.*

Weckholderbaum / quod propè vi
creſcat, dicitur quoque Grammetbaum
à turdis, qui illam amant ejusque fr
ctibus delectantur cibique loco utunt
Nonnullis in locis dicitur Feurbaum /
rationes ſuprà de derivatione Latinâ i
latas, ut & eine Feld-Cypreſſe / quia C
preſſo ſimilis perhibetur, teſte *D. Ocy*
in XX. experimentis antipeſtilentialibus.

Fructus Juniperi Græcis dicun
ἀρκεύθιδες, Latinis Baccæ, Fructus,
Grana Juniperi, ut & Amifructus qu
Amici ſeu Amicabiles fructus, ſicuti
appellantur *à Hieronymo Brunſwig*
libro deſtillatorio p.m.89. Germanis dicu
tur Wachholderbeere / quaſi Wach' u
Hol'derbeere / quoniam ob præſta
am earum inſignem vigilandum eſt il
que diligenter colligendæ. Aliis Wach
tern dicuntur, quia ſenium vigil
non torpidum, conciliare putant
ideò ſuprà citatus *Conrad Kunrath.*
citatô illas potius Wachalterbeere app
landas eſſe cenſet, quoniam ad ſeni
integrâ valetudine perducant.

Aliô Lingvarum idiomate & c
dem Chaldaicô Juniperus dici
וִרְתְמָא, Gallicô Geneure, Italicô Ge
vro, Hiſpanicô Enebro, Belgicô G
neuer & Geneuerboom, Ungaricô Te
kes fenyo. Hæc de ὀνοματολογίᾳ.

O

ὁμωνυμίαν quod ſpectat, nomen *Juniperi* tàm majori, quam minori ejus convenit ſpeciei, ita tamen inter ſe diſtingvuntur à nonnullis, ut major dicatur *Juniperus*, minor verò *Juniperulus* & *Jupicellus*, *referente Tabernæmontanô* in Artzenei Buch. ὁμωνυμία.

Συνονυμία Juniperi tàm Græca, quàm Latina & Germanica varia eſt, variatque ratione diverſorum Generum & appellationum, ſic Græci dicunt Juniperum ἄρκευθον & ἀρκευθίν, nec non ξυλάρκευθιν & ἀρκατείδαν, Latini vocant *Juniperum* modò vulgarem, frutiloſam, bacciferam, humilem, modò arbores centem, oxycedrum à ſimilitudine cum Cedro, ut & Oxyacantham &c. prout illud infrà in differentiæ conſiderationel melius explicabitur. Germani *Juniperum* uti dictum, appellant Wach-und Weckholder Baum oder Staude/ Grammetbaum/ Feurbaum/ etliche Feld-Cypreſſe/ in Pruſſia dicunt illam Kattichbaum oder Kattichſtrauch teſte D. *Daniel.* Becker in Wacholder Apotheke. Συνονυμία. Græca. Latina. Germanica.

Synonyma fructuum *Juniperi* ex præcedente ὀνοματολογία peti poſſunt, quibus addimus quòd hos fructus Poëtæ per metaphoram nominent

--- --- --- Juniperi mora minuta
--- quæ ſunt thus ſtacte coſtusque miſelliis

Deſcribimus *Juniperum* præmiſſ
præmittendis ſequentibus.

Juniperi Deſcriptio.

Juniperus eſt planta nonnunqua altius ſurgens aque radice truncu craſſum & lignoſum fundens, nonnu quam humi repens, cortice membran ceo ſponteque ſciſſili prædita, perpetu virens, foliis anguſtis, acutis & ſpinoſ prædita, baccas partim nigras & virid partim cœruleas imò & rufeſcentes, m dò majores, modò minores, ferens, c interdum fungus muſci inſtar adnaſ tur & ex illa quandoque liquor gumm ſus, Vernix dictus, exſudat, ad uſum commmodum generis humani à Sum Creatore creata.

CAPUT II.

DESCRIPTIONEM REALI TRADITAM EXPLICAT.

DEſcripſimus *Juniperum* quòd pla ſit altius ſurgens, omnis enim arb frutex, quibus etiam à nonnullis ſuff tex additur, talis planta eſt teſte *Sp lingio lib. 7. Inſtit. Phyſ. cap. 7. p. 1042.*

Addidimus in deſcriptione, q nonnunquam à radice truncum cr ſum & lignoſum fundat nonnunqu

W

verò humi repat ob differentiam *Juniperorum*, quarum alia Major, alia Minor eſt, ſicut ex differentiæ conſideratione patebit clarius.

Perpetuò viret *Juniperus*, foliisque anguſtis (& acutis eſt prædita & ſic ad claſſem arborum anguſtifoliarum, quæ nullis foliorum defluviis ſunt obnoxia, pertinet. Cur autem arbores anguſtifoliæ foliis ſuis tempore hyberno non orbentur hanc tradere ſolent rationem Phyſici: Quòd nempe omnis arbor anguſtifolia humorem, à quo folia nutritionem accipiunt, poſſideant pingvem & calidum, quem frigoris vis non lædere poſſit quique tempore hyemis ad radices non confugiat, ideoque cum folia lectare hoc non orbentur nullamque nutritionis patiantur inopiam, in flore & rigore ſuô ſemper permanent. Quòd autem Juniperus tali gaudeat humore probatione vix opus eſt, quoniam ille gummatis ſeu reſinæ inſtar abundè exsudare videatur adque ſingulares uſus colligatur & aſſervetur, quô de paulò poſt plura docebimus. *Cauſa vigoris Juniperi perpetui.*

Cortex *Juniperum* ambit & complectitur membranoſus, ſæpius diſrumpens, qui circa radicem à trunco ſeparatur & hâc in parte corticem vitis æmulatur. *Cortex Juniperi.*

Baccæ Juniperi. Baccas ferre *Juniperum* diximu ut eluceſcat, quòd planta ſit frugife quæ ratione coloris variant, cum nec nullæ ſint virides, quæ immaturæ, nec nullæ nigræ, cœruleæ vel rufæ, quæ m turæ, inveniuntur tamen & *Juniperi* nu lis planè fructibus idoneæ. Baccæ ſecundô quoque annô matureſcun hocque præ omnibus ferè arboribus ſi gulare habet *Juniperus*, quòd fœtus os in biennium proroget, quodque ſe per fructibus ſit gravida, nulloque par ut ita loqui liceat, ab onere ſuo libere ut malus aurantia, citria. Baccæ er maturæ licet ſtirpem ſuam libentes ſerant, attamen ſemper immaturæ ſunt, quæ absque ſingulari vi ab illa parari non poſſunt. Hoc locô & tanda venit Juniperi Botrys ſeu ra mus, magnitudine & figurâ vitigineo cemo reſpondens, ex quamplurimis b cis denſiſſimè cohærentibus conſt qui Bambergâ Libavio miſſus eſt. natura quandoque ludit, *vid. Ciſt.* *Hom. p. 84.*

Fungus Juniperi. Fungus *Junipero* quandoque naſcitur & quidem præprimis m Majo, colore luteo illique muſci in adhæret: Quomodo autem Fungus generetur eleganter *Nobiliſſimus D.* *Martinus Bernhard de Berniz faſc*

2. *n*

2. medicamentorum ſecretiorum Cnöffelianor. titul. 25. p. 184. in appendice ad annum VI. & VII. Ephemerid. Medic. Phyſic. natur. Curioſ. German. ex ipſius D. D. Cnöffelii MS. ſequentibus proponit, dum *Gelatina, inquit,* ſive *Gluten Juniperinum* (teſte experientiâ ruſticorum in Styriâ) nunquam totô annô magis reperitur, quàm menſe Majo, inprimis horam unam aut duas poſt imbres nimbosve, ubi circa nodos ſeu juncturas ſtolonum annuorũ *Juniperi* inſtar candidæ interdum & flaveſcentis gelatinæ ex internodiis exudat, quemadmodum ſynovia ex articulis hominis ibique concreta adhæreſcit, non tamen ita firmiter quin vento vehementiori concuſſa decidat, aut à Solis radiis liquata defluat, quod hiſce vidi oculis. Quod ſi contingat, ut gelatinam hanc nec venti, nec imbres nec Solis radii lædant, in fungos concedit, qui vitro incluſi Solique expoſiti in limpidum liquorem reſolvuntur. Vires hujus liquoris modumque utendi ſubjungit de quibus autem infrà pluribus agendi erit occaſio.

Gummi Juniperi

Quemadmodum plantis non modò ſua caro eſt, nervus, os, vena & ſuus veluti ſangvis & humor in ſingulas plantæ cujusque partes alendas deſtinatus, ſic quibusdam perinde ac mulieribus & ſua

ſua ſunt velut menſtrua, quæ certis tem-
porum circuitibus ſuperveniunt: Vidi-
mus enim variis ex plantis varios prove-
nire liquores quantitate ipſis moleſtos:
Sicut enim ſangvis animantium urget: a
turget, ſic è plantis humor ſeu ſuccus
cui ſeu ſponte, ſeu arte detur exitus, ſ
pè ad ipſarum levamen & incolumita-
tem profluit. Talis humor è noſtr
quoque profluere ſolet *Junipero*, pingv
& gummoſus variis nominibus inſign
tus. Dicitur Latinis communiter *Ve*
nix & Vernilago, ab anni tempeſtate qu
Veris Ros *teſte Bauhino lib. 12. Theatr. B*
tan. ſect. VI. p. 500. Aliis audit *Gum*
Juniperi & Plinio lib. 18. c. 11. Juniperu
Gummi, Serapioni Sandarax, Aliis Sand
racha Arabum, Lachryma Juniperi, Vern

Ejus nomen.

ſiccus, Germanis Wachholder Gummi
Trockener Firnis. Deſcribitur à *Ba*
hino quòd *Vernix* ſit reſina majoris *Ju*
peri arida, dura, flava & maſtichi ſimi
& *Ruellius lib. 1. de natur. ſtirp. cap.*
pag. 179. Vernicem appellat liquorem th
ris odorem & colorem æmulantem. A
am breviorem & huic ferè ſimilem d
ſcriptionem tradit anonymus quid
de Naturæ Mirandis in China & Euro
p. 805. *inquiens*: Juniperus, frutex ſ
noſus, emittit menſe Majo pulverem f
vum, quem florem licuerit credere, ſi
cedu

ſcedunt bacculæ virides per ramos inter aculeos, quibus frutex undiquaque armatur, virides, breviuſculos, qualia ſunt libanotidis folia ferè. Nigreſcunt granula usque ad autumnum, & ubi maturuerint dulcem acorem præbent. Ex lapidoſo ſemine alii ſuccreſcunt frutices. Baccæ aliæ majores, aliæ oblongæ, aliæ prorſus acidæ. Reſinam fundit primò vere læſus odoratam, thus dixeris barbarum. Cortex in cinerem redactus mundat lepram illitus; Radix ſerpit in multos ramos & conclavi illata ſpirat odorem gratiſſimum, qui ex ſoculo ſalubrior eſt, trunci non eadem virtus: Bacca viridis & odorem & medicamentum præbet, ſed maturæ magnus uſus, omni pipere præferendæ, unde conficitur oleum, quod cum Balſamo Palæſtino contendit; Quin & lignum eſt oleaginoſum. Hactenus ille.

CAP. III.

DE DIFFERENTIIS JUNIPERI EJUSQUE PARTIBUS AGIT.

DIfferentiæ inter *Juniperos* dantur quamplurimæ, poſſunt tamen commodè ad tres referri claſſes, ita ut *Juniperi* inter ſe differant 1. *ratione appellationis*, *Differentia Juniperi.*

nis, 2. *ratione diverſorum generum*, 3. *ra-tione ſexus*.

Juniperus Illyrica. Germanica.

I. Ratione appellationis differunt Ju-*niperi*, quod alia ſit & dicatur *Juniperus Illyrica*, alia *Juniperus Germanica* teſſi *Tabernæmontano lib.* 3. *Herbar*: *part.* : *cap.* 10.

II. Ratione diverſorum generum dif-ferunt J*uniperi*, quorum ſeptem recenſe *Bauhinus in Pinaci Theatr. Botanic. lib.* 11 *ſect.* 5. *ſub titulo* J*uniperi*, quæ tamen bre-viùs ita diſtingvi poſſunt, quod Alia Ju-*niperus* dicatur *Major*, alia *Minor*.

Juniperus Major

Major J*uniperus* dicitur, quæ majo-ra, duriora, latiora & accuratiora foli habet *minori ſeu vulgari*, quæq; in tanta nonnunquã aſſurgit molẽ, ut & celſam vaſtam arborem imitetur, baccas illa fe quoque majores, partim cœruleas, par-tim rufeſcentes, ut & magnitudine ga lis non cedere videantur, uti ex inferiori bus patebit.

Major hæc juniperus diſtingvitur *arboreſcentem* & *fruticeſcentem*. *Arbo-reſcens* dicitur, quæ arborum magnitu-dinem æmulatur; quâ de ita diſſer *Cluſius lib.* 1. *hiſtor. plant. rarior. cap.* *Ea* J*uniperus, cui ſpina pro folio eſt*, *vix* *tâ reperitur Luſitaniâ, Caſtellâ verò non admodum frequens eſt*; *Sed ea præſerti quæ celſior & arboreſcens ſupra Segoviam*

qu



JUNIPERUS MAIOR ARBORESCENS. p. 18



quâ inde Madritium itur, ut iſthic trabes & ædium contignationes incolæ ſibi fabricent, ut non immeritò Plinius lib. natur. hiſtor. 16. hanc in Hiſpaniâ vaſtam naſci dixerit: De hujus ligno ait *Hieronymus* factas à Rege Salomone fuiſſe templi Hieroſolymitani januas, ad quem Hiram Regem Tyri miſiſſe ligna ἀρκεύθινα legitur *lib. 2. paralipom. cap. 2. v. 8.* allegante hoc *Urſino arboret. biblic. cap. 18. p. 277.* Cur autem de hoc ligno templi Salomonis oſtia facta ſint eleganter tradit *Hieronymus*, inquiens: Quia Chriſtus, per quem ad Patrem accedimus, hanc habet naturam, ut ſemper, *Juniperi* inſtar, floreat, ſemperque novos afferat fructus & nunquam virorem ſuum deponat, quamobrem cum *Junipero* optimè poſſet comparari unigenitus DEI Filius.

Ita & Sagunthi Templum Dianæ, Autore & ſvaſore *Hannibale*, ex trabibus *Juniperi* extructum fuiſſe teſtatur *Plinius lib. 16. hiſtor. natur. cap. 14.* ut nempe eò diutius durare & aëris injurias absque noxâ & corruptione tolerare poſſet.
Præterea ex hâc [illegible]
ticas, quas vu[illegible]
alias res, ut can[illegible]
alia talia parari[illegible]
Beckerus in [illegible]
Magn[illegible]*us* D. I[illegible]

Phyſicus Northuſanus meritiſſimus in li[…]
ris d. 10. Maji ad me datis ita: Sic e[…]
ipſe habui, cum apud Sereniſſimu[…]
Principem Marchionem Badenſem F[…]
dericum ſacratiſſimæ memoriæ Med[…]
Provincialis officio in Marchiona[…]
Hochburgenſi & Dynaſtiis Rötelenſi[…]
Badenvveilenſi fungerer, dolium ex[…]
gno Juniperino omnimodò confectu[…]
tantæ capacitatis, ut ferè dimidium a[…]
phoræ teneret. Aſſulæ, circuli, fun[…]
operculum, epiſtomium nil niſi ex *Juni-*
pero erant.

Vocatur hæc *Juniperus* aliô nom[…]
ne *Oxycedrus*, ut & *Juniperus Cedria*[…]
Theophraſto, dicitur & *Cedrus Phœnic*[…]
Tabern. Matth. Cedrus minor & *Cedru*[…]
Geſner. hort. Caſt. Oxyarceuthis quoq[…]
audit teſte *Bauhino loc. ſupr. allegat.* C[…]
drus autem ſeu *oxycedrus* ideò dicitu[…]
quod pauci ſint, notante *Matthiolo ep*[…]
tom. plant. p. 30. qui non putent *majore*[…]
Juniperum eſſe Cedrum, adeò ut pleriq[…]
illam ab hac neſciant diſtingvere, q[…]
de ita *Cluſius lib. 1. plantar. rarior. hiſto*[…]
p. 26. Junipero ferè ſimilis eſt Oxycedru[…]
[…] *contortô ut illa caudice, t*[…]
[…] *e cortice, folia habet junipe*[…]
[…] *ntia, aliquantulum t*[…]
[…] *ra ſemper circa ram*[…]
[…] *in Junipero.* Cu[…]
hc[…]

[h]oc etiam conſentit *Ruellus lib. 1. de na-[tu]r. ſtirp. cap. 90.* dum, *Cedro,* inquit, *pene [ſi]milis eſt, tùm effigie, tùm natura Juniperus,* [&] *Benedictus Curtius Symphorianus in lib. [1]9. hortor. cap. 3. p. 639. dicit de Junipero: [A]rbor eſt Cedro ſimilis, ut foliis tantùm di-[ſp]are credatur.*

Verùm haud imperitè *Joh. Reno-[d]æus lib. 1. de mater. medic. ſect. 11. cap. 31.* [n]otat diſtinctionem ſatis claram eſſe in-[t]er *Juniperum* & *Oxycedrum*: quamvis e-[n]im, inquiens, *Junipero* & *Oxycedro* aliàs [C]*edrus Phœnicea* dictæ, caudex ſit tortuo-[ſ]us, foliola acuta, ſemper viridia, bac-[c]æ parvæ & rotundæ, multum tamen in-[t]er utramque eſt diſcriminis: Nam *Oxy-[c]edrus* planta eſt exotica, cujus baccæ [f]ulvæ ſunt, odoratæ & ſvaves, ligniq́ue [m]ateria rubeſcit, *Juniperi* verò baccæ [n]igræ ſunt ejusq́ue lignum ſantali citri-[n]i inſtar flaveſcit.

Distinctio à Cedro.

A nonnullis etiam *Major hæc Juni-[p]erus Cupreſſus ſylveſtris* dicitur, ob ma-[g]nitudinem ſuam Cupreſſos æmulan-[t]em, quô de ita *Bellonius lib. 2. Obſervat. [c]ap. 110.* dum Juniperum frequentem ſi-[b]i viſam teſtatur altitudine Cupreſſi, [f]ructu dulci nucis ferè magnitudine [G]allæ quodammodò ſimili, quo veſcun-[t]ur indigenæ, quod ex nucleis hinc inde [c]ollectis obſervavimus, quos, qui pul-pam

Differentia à Cupreſſo.

pam exederunt, abjecerunt, ii ſunt lo
gitudine & craſſitie nuclei olivæ, ad
duri, ut,niſi mallei ictu, frangi nequea
quô de quoque videri poteſt *Bauhin*
locô ſæpius citatô.

Arbor Americana

Aliud adhuc genus *Juniperi ma*
ris arboreſcentis annotavit *Bauhinus &*
Arbor Americana oxyacanthæ ſimilis ex cu
ligno incolæ ignis vi reſinam eliciun
quâ picis locô utuntur. Hæc an affirm
ſit *arbori Ettalch* in Africa naſcenti, cuj
Johann Leo in deſcriptione Africæ m
minit, dubitat *Cluſius*, referente *Bauh*
nô locô jam ſæpius allegatô.

Arbor Ettalch.

Juniperus major fruticeſcens.

Juniperum Majorem fruticeſcente
ita deſcribit *Cluſius lib. 1. hiſtor. plant. r*
rior. c. 25. quod ſit frutex humanam alt
tudinem rarò ſuperans, caudice conto
tô, non rectô, multis ramis præditô, ſc
brô cordice, folia habens carnoſa &
continuâ quaternorum foliorum mutu
connexorum ſerie compoſita, quema
modum Cupreſſus, flores *junipero* vu
gari & oxycedro ſimiles flavos, ſed e
tremis foliis inſidentes, ut in cupreſſo
Thuja, quibus ſuccedit fructus bacca
rum myrti magnitudine rotundus, pr
mùm viridis, deinde ad phœniceum co
lorem tendens, qui maturitate nonnih
molleſcit ſapore & odore *juniperi* bacci
ſimili, qui tria aut quaterna, vel etia
plur

JUNIPERUS MAJOR FRUTICESCENS. p. 22.



Juniperus Minor Arbuscula Seu Frutex.	Juniperus Minor Humi Repens.





lura grana oblonga & ſtriata habet, medullam albam & reſinam olentem continentia.

Juniperus Minor diſtingvi poteſt in *fruteſcentem & humi repentem*: *Fruticeſcens* dicitur, quæ ad magnitudinem fruticum imò & *arbuſcularum* accedit, & vocatur *Juniperus vulgaris fruticoſa*, quâ de ita *Cluſius loc. ſæp. citat.* In Belgio & plerisque Germaniæ locis vulgarem *Juniperum* in juſtam ferè arboris magnitudinem excreſcere obſervabam, præſertim in hortis & locis cultioribus ſatam. *Juniperus minor fruticeſcens.*

Juniperus minor humi repens dicitur, quæ in ſingularem altitudinem non excreſcit, ſed virgulti inſtar humi repit, & vocatur aliô nomine *juniperus minima Geſner. hort.* ut & *juniperus minor montana, Alpina, teſte Bauhino loc. citatô.* *Juniperus minor humi repens.*

Elegantem & huic ferè ſimilem *Juniperum* pungentibus foliis in Auſtriacarum Alpium quibusdam jugis obſervatam denotat *Cluſius locô ſæpius allegatô*, cubitalem nimirum altitudinem non excedentem, ſed quæ depreſſa eſt & quaſi humi ſpargatur, multoque craſſioribus & levioribus conſtans ramis quàm vulgaris, folia habens latiora, breviora craſſiora nec minus quàm illa pungentia, creſcit in ſcopulis Dürrenſtein & Etſcheri. *Juniperus Auſtriaca Cluſii.*

Utra-

Utraque hæc Juniperus minor bac[illegible] fert piſi magnitudine, & in noſtris v[illegible] gariter creſcit regionibus; quæ diff[illegible] rentiæ ergo nonnullis audit *Juniperulus* [illegible] *Jupicellus*.

Differentia à ſexu. Oritur quoque differentia in[illegible] *Juniperos ratione ſexus*, & ſiç alia dici[illegible] *Mas*, quæ nullas baccas profert, alia *Fœ*[illegible] *na*, quæ fructibus ferendis eſt idonea, ſi[illegible] teſtatur *Mauritius Hofmannus P. P.* [illegible] *catalog. Flor. Altorfin. anno* 1660. *edit.* & [illegible] *catalog. Flor. Altorfin. Sylv. anno* 1662. [illegible] *vulgat.* & cum illo omnes monti[illegible] Tyringiacorum accolæ.

An plantis ſexus competat? Et quamvis haud imperitè *Helmont*[illegible] 4. *pharmacop.* & *diſpenſator. modern.* [illegible] cum illo *Langius tit.* 27. *Miſcell. Cur*[illegible] *p.* 75. plantis ſexum non competere [illegible] cant, cum illæ ex ſe ipſis concipiant [illegible] pariant, non verò ex congreſſu vel co[illegible] munione ſeminis ſpeciem ſuam per[illegible] tuent, ideoque propriè loquendo ne[illegible] quam differentiam plantis ratione ſe[illegible] convenire probent, niſi per ſolam m[illegible] taphoram, quapropter & *Helmontius* [illegible] xum herbarum ſcenicum, & *Langius* t[illegible] picum appellat, attamen ſi cum uſu [illegible] *quem penes arbitrium eſt & vis & nor*[illegible] *loquendi* loquamur & diſtinctionis ſaltem gra[illegible] hâc utamur differentiâ, tàm abſurd[illegible] eſſe non equidem arbitramur.

Ba[illegible]

Baccæ Juniperi quoque inter ſe differunt duplici modô, *quantitate* videlicet & *colore*: *Quantitate*, quòd nempe aliæ ſint & dicantur *Majores & majori* provenientes *Junipero*, & hæ magnitudinem ..barum & nucum corylinarum æmulantur, quales inter peregrinandum in ..piâ provenire ſe vidiſſe in agro Neapolitano maris Tyrrheni aſſerit *Crollius* .. *de ſignatur. p.* 57. Imò & Baccas junipe.. Gallarum magnitudine dari *ex Bellonio* ..mjam adduximus. Aliæ ſunt & dicuntur *Minores*, quæ ortum ſuum à minori deducunt *Junipero* piſi magnitudinem non excedentes. *Differentia baccarum Juniperi.*

Singularis quoque fructus juniperi meminit *Tabernæmontanus lib. 3. Herbar. part. 2. cap. 10.* quem *à majori Junipero Germanicâ* ortum ducere dicit, ..ſumque fructum magnum & verrucoſum depingit.

Coloris ratione differunt *baccæ juniperinæ*, quòd aliæ inveniantur *colore cœruleo* præditæ, à *Junipero Majori Illyricâ* provenientes, prout *Lobelius p. 629. obſerv.* ..tumat. Aliæ *rubro* ſint inſignitæ *colore* à *Junipero majori*, *Oxycedro* vulgariter ..ctâ, provenientes, teſtantibus Autoribus ſupra citatis; aliæ *nigræ* inveniantur & hæ maturitatem acquiſivêre in noſtris

ſtris regionibus, aliæ *virides*, quæ ad m[aturitatem] turitatem nondum pervenerunt.

Differentia Gummi Juniperini. Tandem & *Sandaraca ſeu Gummi Juniperinum* notatu dignam præbet di[f]ferentiam, cum *duplex* detur *Sandaraca* *una Græcorum, altera Arabum. Græcorum Sandaraca* ſignificat Icibum apu[d] quô, dum operantur, utuntur, qui ſæ[pe] invenitur in favorum inanitatibus [re]poſitus, amari ſaporis vel cerugin[oſi] mellis genus teſte *Ariſtot. 9. hiſtor. 40.* *Plin. lib. 11. cap 7.* 2. ſignificat quoq[ue] *Sandaraca* apud Græcos *Auripigmentum* exitioſum venenum metallicum. A[pud Ara]bum verò *Sandaraca* hujus eſt loci[...] *gummi denotat Juniperinum.* Ne q[uis]

Nota de præſcriptione Sandaracæ. itaque vocum affinitate decipiatur, op[ti]mum eſt, ut in formulis medicorũ di[ffe]rentiæ ergo, quoties *Gummi Juniperin[um]* ſub nomine *Sandaraca* præſcribitur, [ad]datur *Sandarac. Arab.* ne ab imper[itis] error maximè noxius perpetretur & [pro] *gummate Juniperino Auripigmentum* [ex]hibeatur, cùm notum ſit, quod Aurip[ig]mentum primas ferè inter venena ten[eat] & malignitate ſuâ vitæ noſtræ balſa[mo] inſidietur, ut non modò intùs aſſumt[um] ſed extrinſecus adhibitum horrenda[ex]citet ſymptomata, quo de triſtiſſima [ex]tant exempla apud *Salam in Ternar.* *Zoard. Salmuth. Cent. 2. obſerv. 96. Ha[...]*

ſtec[...]

eter. Decad. 9. obſervat. 2. p. 210. D. Am-ann. Med. Crit. caſ. 60. p. 306.

CAP. IV.

OCUM NATALEM, CULTURAM ET TEMPUS JUNIPERI OSTENDIT.

Um non omnis ferat omnia tellus, meritò in locum natalem *Juniperi* in-uirimus. Provenit *Juniperus tàm Ma-r, quàm Minor*, variis in locis. *Major* ræcipuè naſcitur in ASIA, GALLIA, ITA-A, præcipuè ad *mare Tyrrhenum*, ut & ter *Calpen & Malacam*, *Bœticæ* item & *alliæ Narbonenſis* ora maritima, ſicuti am ibidem obſervavit *Cluſius loc. ſupr. at. & Crell. loc. ſupr. cit.* In Galliâ eam æcipuè obſervavit *Ruellius*, ita enim *. 1. de natur. ſtirp. cap. 90.* inquit: Mon-s amat, in planiſſimis naſci recuſat. erique colles in Galliâ montiumque ga junipero pubeſcunt &c. In HISPA-A vaſtam naſci Juniperum teſtis eſt *inius.* GERMANIA noſtra incompara-li hoc Theſauro quoque largiſſimè eſt ædita, & in ejus provinciis ubique ferè copiâ inveniuntur *Juniperi*, cum in *ptentrione* etiam *Juniperos* naſci præter nos medicos hodiè celeberrimos te-tur quoque *Olaus magnus Gothus lib. 1. gentib. Septrional.* Unica *ſylva Hercynia*

Locus natalis Juniperi.

Juniperum non poſſidet, de quo ita *Ma-gnific. & Experientiſſ. D. D. Frommannus Conſul & Phyſicus Northuſanus meritiſſimus* in literis ad me datis: Non memini me vidiſſe *Juniperum* in montibus Hercyniæ, neque *Johannes Thalius* Medicus quondam & botanicus noſter percelebris in herbario ſuo ullius facit mentionem. Cauſa hujus eſſe poteſt, quia *Juniperus* referente *Matthiolo pag. 53. epit. plantar. ex Plin. lib. 6. cap. 18.* inprimis feliciter creſcat in collibus & montibus, arido præſertim tractu, jam verò montes Hercyniæ pingvi gaudent tellure quod ex uberrimo graminis & paſcuorum proventu ſatis colligi poteſt, ſicc ob abundantiam alimenti ibidem feliciter germinare fortaſſe nequeunt, proventus *Juniperorum* ab exhalationib9 metallicis ſummè noxiis, qvæ ab in latentibus mineralibus proveniunt, impeditur.

Juniperus non viſa in montibus Hercyniæ.

Variis quoque aliis in locis & Provinciis *Africanis, Aſiaticis & Europæis*, i & *Americanis* provenit *Juniperus* & p ca terrarum loca ab uſu ejus excluduntur, ex quo ſumma Summi Creatoris e ceſcit Sapientia, ut vitæ hunc incom rabilem Theſaurum non parcè, ſed bundè omnibus propemodum mort bus, ob tam varia ſtupenda & admira

cc

commoda conceſſerit. Inprimis & THURINGIA noſtra hôc πυλοχερήςῳ ſuperbit decore, ubi in ſylvis & montibus inculta copioſiſſimè provenit *Juniperus*, ita ut multa dentur *juniperета* ſatis ampla, ſicque aliis uſum *Juniperorum* deſiderantibus pro voto inſervire queat, hîc verè quadrat dictum Salvatoris noſtri: Accurrite mortales & ſine pecunia emite & colligite.

Cur autem plantæ incultæ felicius creſcant quàm quæ maximâ adhibitâ diligentiâ excoluntur, rationem non incongruam ſequenti incluſam ſimili *Æſopus* tradidit, *inquiens*: Sicut mater liberos à ſe prognatos majori amoris cultu proſequi ſolet quàm privignos, licet illi optimè commendentur, cum amor innatus & naturalis στοργὴ ſemper prævaleat, ſic & terra plantarum ſponte provenientium mater eſt, illarum verò quæ illi inſeruntur noverca, propterea ſemper curam gerit majorem ſponte provenientium, quàm aliarum illi inſertarum, ideoque & illæ felicius creſcunt parum licet diligentiæ ſi adhibeatur. Ex illarum numero & noſtra eſt *Juniperus* filiusque naturæ audit proprius inculta feliciſſimè creſcens & progerminans. In hortis tamen quandoque *Juniperus* colitur, cùm ob uſum medicum, tùm ut ar-


Plantæ incultæ felicius creſcunt quam ſativæ & Cur?

matâ quaſi vi manuque delicatu[...] plantas ab incurſu animalium nocen[...] tium defendat, ſepis loco viridariis ci[...] cumvallata, ibique tunc ſatis felicit[...] imò in arbuſculæ vel fruticis mol[...] jucundo creſcit ſpectaculo, ſicut in Ho[...] TO ILLUSTRISSIMÆ AULÆ SONDERSH[...] SANÆ, multis raris plantis refertô, [...] quo etiam ante XV. annos rariſſim[...] ALOES AMERICANÆ flos conſpici lic[...] tales *Juniperi* inveniuntur.

Aloë Americana Sondersbuſana.

Sed cum de ALOE jam dictâ n[...] vel parùm literarum monumentis co[...] gnatum ſit, lubet hîc inſerere depict[...] & ære excuſſam ipſius delineatione[...] ſequentem ſubſcriptionem, quæ in m[...] pâ, in qua delineata eſt, videtur. A[...] AMERICANA. Flos hic admirabilis & [...] roicus in *Horto aulæ Illuſtriſſimæ Sond[...] buſanæ* cum aliis raris & exoticis p[...] tis conſpici potuit, qui XL. & quod [...] currit annos in jam laudato horto lo[...] tenuit. Tota ejus ætas L. fuit anno[...] *Anno 1662. de die XVI. Maji uſque a[...] nem Septembris* in tantam excrevit [...] gitudinem, ut altitudo ipſius *XXIV.* [...] *des digitosque duos* æquaverit. *XII.* [...] caudex uſque ad primum ramum l[...] fuit, altera longitudo usque ad fi[...] etiam *XII. pedes & duos digitos* [...] tinuit. Foliorum longitudo ma[...]

ALÖE AMERICANA, QUÆ SONDERSHUSÆ, anno 1662. Floruit pag.30.



p.231.

d *VI. Pedes cum dimidio*, minima *à duo*-*us ad tres* ſe extendit *pedes*, numerus il-lorum fuit LX. exceptis illis, quæ inter-dum periêre ob tempeſtatis & aëris inju-rias, ramorum tàm magnorum quàm parvorum fuit XXXV. ex quibus lon-giſſimus *duos pedes cum dimidio* in longi-tudine ſe extendit, Florum numerus pro quantitate ramorum fuit CL. CLX. CLXX. usque ad ramos minores, quo-rum nonnulli LXX. vel LXXX. continue-bant, ita ut tota Summa omnium in hâc *Aloê* contentorum floſculorum 3500. fue-rit. Et hæc eſt vera de ALOE SONDERS-HUSANA narratio.

Aliam adhuc *Aloën* florentem vi-dere nobis contigit in *pago Schlewen* dicto, non procul ab *Academiâ Salanâ* ſi-to, de cujus ſucco, qui in floribus conti-nebatur & ſaporem melleum & amarum ſecum ſe ferebat obſervavimus, quod ex vino epotus & aſſumtus (quantitas ejus ℥iß ad ℥ij ſe non extendebat) ter qua-terve alvum leniter moverit, unde vis purgans tali ſucco non denegenda vide-tur. *De Aloë Slewizenſi obſervatio.*

Sed redeamus ad noſtram *Junipe-rum*. In locis Orientalibus in tantam aſſurgere molem Juniperos, ut & ædibus ſtruendis ſint idoneæ, ſupra jam dictum eſt. O invidendam felicitatem!

Tempus Juniperi. TEMPUS *Juniperi* quod concern[it] viret illa æſtate & hyeme, inprimis au[tumnum] tem, referente *Nobiliſſimo & Experientiſſ[i]mo D. D. Andrea Mackio, diverſorum Principum ut & Archiatro Rudolphopolitano Schwartzburgico meritiſſimo* in liter[is] *d. 31. Maji* 1677. ad me datis, notatu d[i]gnum eſt, quòd per integrum licet an[num] vireat hæc arbor, *menſe* tamen *Ma*[-]*jo* potiſſimum vigere animadvertatur.

Floris Juniperi. FLORERE dicitur *Juniperus*, cum ru[di]menta exigua baccarum formâ oblon[ga] & colore luteo apparent, qui color[e] avolet ſuccedunt & videri poſſunt bacc[æ] minutiſſimæ, colore viridi, licet hîc co[n]tradicat *B. D. D. Hofmannus*, qui junip[e]rum fructus ferentem non florere di[cit] *lib. 4. Clav. Pharmaceutic. Schröderi* *§. 192. pag. 492.* Hoc enim ipſi cont[ra]riatur experientiæ, floret enim tàm *M*[are] quàm *Fœmina*, ſed nullæ poſt florem [in] *Junipero Mare* apparent baccæ, ſicuti [h]quilibet in *Junipero* ſpectare poteſt.

Ligni Juniperini colligendi. LIGNUM JUNIPERINUM ad uſ[um] medicum ſi expetatur, cædendum il[lud] jubent Autores menſe Martio, tunc[que] odorem pollicentur ſvaviorem.

Baccæ quando colligendæ. BACCÆ JUNIPERI colligantur m[a]turæ, tempus colligendi optimum eſt [cir]ca medium Auguſti & finem Sept[em]bris, ſeu ut alii dicunt exiſtente Sol[e]

ſi[

gno Virginis, quo pleræque maturita-
m acquiſivêre & ad elaborationem
edicamentorum idoneæ exiſtunt.

Fungi.

Fungi cum potiſſimùm menſe Ma-
Juniperis adnaſcantur, ideò & tunc
mporis colligendi ſunt & ad uſum aſ-
rvandi.

Gummi juniperini.

Gummi Juniperinum, quoniam æ-
atis tempore effluit & ſenſim indu-
ſcit, colligi poteſt, quando aliquam
quiſivit duritiem & quidem eâdem
ſtate, quâ ex *juniperis* effluxit.

Modus colligendi.

Circa *modum colligendi* nihil ſingula-
obſervandum, *juniperus* enim leviter
rulâ percuſſa, libens dona ſua commu-
unicat abſque ullo periculo, niſi fortè
rtunâ aculeis ſuis incautos lædat, vul-
re tamen haud periculoſô; atque ita
n metuendum eſt periculum, cujus
entionem *Ereſius* in collectione Hel-
ori, innocentis tamen hâc in parte,
cit *lib. 9. hiſtor. plantar. cap. 9.* dum eo-
m numero adſcribit Helleborum,
μὲν ἐπισινεῖς αἱ δυνάμεις: Ἐξάπτειν γὰρ
εσὶν, ὥσπερ πῦρ καὶ κατακαίειν τὸν ἐλ-
βορον, ἐπεὶ καὶ ταχὺ καρηβαρεῖν ποιεῖ,
ὐ δύναται πολὺν χρόνον ὀρύττειν: ἐὰν
ρ ἡμέρας καὶ ὁ φθῆτις ὑπὸ δρυοκολάπτου
μὲν καρπὸν ἀπολέγων, κινδυνεύει τοῖς
θαλμοῖς, τὴν δὲ ῥίζαν τέμνων, ἐκπίπτει
ν ἕδραν. *Helleborum inc naere & ignis*

 inſtar

inſtar urere ajunt. Mox ille caput aggr[…] vat, nec diu illum effodere poſſunt: Nam[…] interdiu fructum & à pico Martio collig[…] quis videatur, oculis periclitabitur, Rad[…] cem autem ſecanti ſedes procidit.

Tale periculum hîc non metu[…] dum eſt, ſed collectio ſine noxa fieri […] teſt, pro colligentis lubitu cum […] luptate.

CAPUT V.

QUALITATES ET VIRTUT[…] JUNIPERI EJUSQUE PA[…] TIUM CONSIDERAT.

JUNIPERI *qualitates* nunc attingere[…] dinis poſtulat ratio, quoniam v[…] *Juniperus* diverſas partes conſideran[…] habet, & diverſimodè illæ conſidera[…] veniunt.

Ligni qualitates. *Lignum Juniperinum* calidum […] ſiccum eſſe gradu tertiô, omnes […] conſentiunt Botanici, id quod & *Gal[…]* *affirmat lib. 6. de ſimpl. med. facultat[…] m. 1072.*

Baccarum qualitates. *Baccarum Juniperi* temperam[…] tum *Schrödero lib. 4. Pharmacop. A[…] Chym. p. 88.* calidum eſt gradu tertiô […] ſiccum gradu ſecundô, *Galeno* verò […] *locô* ut & *Sennerto lib. V. Inſt. part. 1. ſ[…] cap. 3.* ſiccum gradu primo.

Gumma- *Gummi Juniperinum, Sandarac[…]*

ra-

…um ſeu *Vernix* dictum, calidum itidem …iccum eſt *Schrôdero* gradu primo, *Ma-* …*lib. 2. promptuar. mater. med. cap. 3.* …. 1. & 3. calidum eſt gradu ſecundo & …cum gradu tertio. *Sennerto locô allegatô* …idum eſt & ſiccum gradu quarto, Aliis …idum & ſiccum eſt gradu ſecundo. …tantum de *qualitatibus.* *tis qualitates.*

De VIRTUTIBUS *Juniperi* ejusque …rtium acturi unde ordiamur neſci…s, ubi finiamus ignoramus, cum illa…n tot ac tantæ ſint, ut pro merito illas …mmendare vix licitum ſit, non enim …ùm ſedentibus requiem, ſed & ve…ntibus ſaturitatem, major præſertim …*iperus*, imò ægrotantibus ſanitatem, …mortuis incorruptibilitatem conci…re conatur, ut proinde *Panacea*, licet …em dari à multis dubitetur, haud in…mmodè dici mereatur. Si enim Di…tivum expetas, ſi Diaphoreticum …tes, ſi Diureticum cupias, ſi Bezoar…cum deſideres, ſi cephalicum, ſi oph…lmicum, ſi oticum, ſi pectorale, ſi ſto…chicum, ſi hepaticum, ſi … …ephriticum, ſi anti… …nentũ efflagite… …atium & au… …ndibili no… …oque & J… …tione non… *Vires Juniperi.*

vires ſuas & virtutes tentare & exper
qui cupit, judicio relinquam, cum &
ſequentibus patebit, quantis poll
viribus *Nobiliſſima noſtra Juniperus*, id
verè *Ambroſius, allegante Urſino*

Commoda Juniperi ſunt plurima, at om
Chriſtus
Janua, menſa, quies, Vis, medicina, ſal

Arboret. Bibl. cap. citat.

Inprimis autem conſideratione
gnum eſt, quòd *Juniperus* quanta qua
ſit, nil niſi utilitas ſit, cum nihil plan
illâ inveniatur, quod uſibus hum
non ſit accommodatum.

Fruticum Juniperinarum Vires.

Sic in totâ ſubſtantiâ *frutex* ſ
tuum loco uſurpatur, ſicut illâ regna
peſtilenti contagio *Venerandus ſenex*
pocrates uſus eſt in *Inſulâ Coo*, ubi j
ut incolæ illius ubivis locorum Juni
frutices colligerent, combureren
mneſque plateas domique partes
perfumarent, id quod tantæ oper
nis fuit, ut in toto hujus Inſulæ diſt
nemo hac lue fuerit infectus aut m
us. Sic & hodiè quoque integri
[illegible] ad ſuffitus crebrò adhi
[illegible] jucundum ſolùm præ
[illegible] ſed in aëris etiam
[illegible] datione commo
[illegible] mnendum, qu
[illegible] alia venenata f
&

fugare aſſerat *Tabernæmonanus* in Arg- Buch *p. m.* 561. Hinc etiam nonnulli ea ſunt opinione, ut putent, *Draconem*, *Cuſtodem aurei velleris*, remedio ex *ramo Juniperino* confectô ſoporatum fuiſſe, hincque tradit rationem ſæpe *citatus Ur-* cur Medea *Juniperi ramo* uti voluecontra *Draconem*, non quòd venenaſit *Juniperus* aut ſoporifera, ſed quòd venenis reſiſtat, ſicque Jaſonem à venetutum conſervaverit.

Cortex *Juniperi* ſingularis prædiur efficaciæ & adſtrictionis, unde præſentaneam in nimio menſium fluxu præſtare operam teſtis eſt jam citatus *peramont. lib. cit. p. 385. & 414.* *Corticis Juniperini Vires.*

Lignum Juniperinum pluribus ſcautilitatibus, in genere dicitur eſſe cephalicum nervoſumque genus inſiiter roborare, unde raſura ejus in cuphis haud infrequenter adhibetur, reente *Schrödero loc. citato.* & præparata ligno, quorum multas exhibet formu-, in dictis affectibus præſentaneam præſtant operam, quin & quajaci virtun æmulari dicat J. *C. Claudinus d. in- ſ. ad infirm.* *Ligni Juniperini vires.*

Baccas *Juniperi* quod attinet eam virtus nobiliſſima eſt & variè ab toribus commendantur in quamrimis corporis humani affectibus. *Baccarum Juniperi Virtutes.*

Sper-

Sperlingius lib. 7. Inſt. Phyſ. cap. 7. p. 10.. *Juniperi*, inquit, *baccæ* ſtomacho uti.. ſunt, ſiccant & calefaciunt & contra p.. ctoris vitia, ut tuſſim & inflationes v.. lent.

Johannes Renodæus lib. de mater. m.. ſect. 6. cap. 31. p. 260. ita de illis diſſer.. *Baccæ Juniperi* calefaciunt, ſtomac.. proſunt, urinam movent, craſſos & vi.. dos humores expurgant, contra in.. tiones, tormina, ſerpentum ictus, tuſſi.. pectoris vitia utiliter dantur & anti.. tis convenientiſſimè admiſcentur.

Inprimis *Baccæ Juniperi* inſign.. uſum obtinent in maligno & peſtif.. aëre indeque natis affectibus adhib.. tantique pretii æſtimatæ, ut juxta *Bell.. Dialog. de balſamo cap. 6. pag. 75.* Vene.. omnes pharmacopolas conſilio Gra.. ſiſſimi atque Excellentiſſimi Coll.. Medicorum in componendâ Theriac.. Mithridatio pro veris balſami fructi.. ſubſtituerint, id quod etiam confir.. *Georgius Melichius Auguſtanus & Ph.. macopæus Venetus* ſeque aliosque *loco .. pobalſami baccis juniperinis* uſos fi.. affirmat in pomposâ ſuâ Theriacæ a.. 1573. confectione in urbe Venetia.. inſtitutâ *Commentar. de rect. medicam.. parandi ration. p. 83.* Præterea, præ o.. bus verè excellunt *baccæ juniperin..*

lendo calculo & urinis ſimplici modô
rpatæ. Hinc notum eſt DUCEM
RTENBERGENSEM in conventu Smal-
dico docuiſſe B. D. LUTHERUM gra-
ſimè ex calculi doloribus decumben-
præſentiſſimum eſſe remedium, ut
eret recentem ollam *Juniperi* bac-
recentibus ad dimidium usque im-
tam ac cum vino & aqua ad tertiæ
tis conſumtionem coqueret, hujus-
decocti hauſtum unum vel alterum
eret. Similem vim *Aſſuerus P. P. olim*
ochienſis vidit in *Johanne Domanno,*
ium Hanſeaticarum quondam Syndico
erali ac Roſtochienſis Civitatis ſpeciali,
cum omnem uſum medicamento-
internorum reſpuiſſet, externa verò
torum generum fruſtrà eſſent admo-
andem ex ſolius & ſimplicis infuſi
carum juniperi cum vino Rhenano
hauſtu baccisque aliquot dentibus
tritis & deglutitis hoc obtinuit, ut
ulos cum urinâ rejecerit tàm multos
m magnos, quorum nonnulli ma-
udine piſum adæquarent, nonnulli
m ſuperarent, & præterea calculoſæ
ranoſæ materiæ & ſabuli copiam pro-
incredibilem, ſicut videri poteſt in
utatione *Dni. Aſſueri de calculo cap. 15.*
. Crollius in libro de Signaturis ſingu-
n *Juniperi baccis* attribuit uſum di-
citque

citque experientiam demonſtrare, qu
proſint maximoperè à Spiritibus m
gnis obſeſſis & hancce vim illarum im
tæ attribuit cruci, quæ in ſingulis bacc
præſertim majoribus conſpicitur.

Noxa Juniperi. Quemadmodum maculæ tubo
tavo in medio etiam Solis diſco quam
que apparere conſpiciuntur, quæ tar
notante Voſſio *lib. 2. Idiololatr. cap*
p. 313. non ſunt in Sole, ſed ſub ſole,
nâ tamen ſuperiores, & videntur p
venire coaleſcentibus pluribus cor
ſculis opacis, ſic & has recenſitas ali
plures eximias virtutes poſſidet quic
Juniperus cum ſuis partibus, vitiis
men nonnullis arguitur, ideoque
inquit *Galen. lib. XI. meth. med. cap*
ὧν δυσχερεςάτων ἐ͂ναι εὑρεῖν τὸ βοήθ
τοιοῦτον, ὃ μηδὲν βλάπτον ὀνήνησι
γάλως *Difficillimum eſſe invenire re*
dium tale quod citra ullam læſionem &
xam magnificè proſit. Et ſic in *Juni*
reprehenditur quòd *Virgilius* umb
illius cantantibus vel cunctantibus
vem appellet, & credatur umbram ju
peri caput gravare & ſomnos induc
quo de videri poteſt *Sc. Zoner. N*
liſs. Dn. Præſidis p. 123. unde letha
dici ramum à *Valerio Flacco lib. 8. verſ.*
refert Urſinus in arboret. Bibl. cap
p. 276.

Imò & in quibuſdam *Codicibus Dioſcoridis* legi teſtatur *Ocyorus in XX. Experimentis antipeſtilentialibus* ramenta ligni Juniperini devorata aut epota homines interimere, quod tamen falſum eſſe docet *Matthiolus.* Quin potiùs Decoctum ramentorum ligni Juniperini ad podagram commendet *Solen. in ſuis conſiliis p.* 439.

Galenus lib. 2. de aliment. p. m. 383. & laudes & vitia *baccarum Juniperi* his verbis delineat: *Juniperi fructus acris admodum eſt cum exiguâ dulcedine & minori adſtrictione, habet autem aromaticum quiddam, unde conſtat, quod calefaciat, omne enim aroma calidum. Hepar autem & renes purgat, ſuccos craſſos, & lentos tenuat, unde medicamentis ſalubribus admiſcetur. Caeterùm alimentum praebet exiguum, at largius ſumtum mordet ſtomachum, caput calefacit ob idque ipſum replet infeſtatque doloribus, ventrem nec proritat nec cohibet, urinas tamen mediocriter vacuat.* Noxae Olei Juniperini videantur *in anno ſecundo miſcell. Curioſ. p. 27.*

Cum autem *vitia* haec *Juniperi* recenſita partim planè falſa, partim verò ſecundum quid ſaltem vera ſint, ſi nempe nimio uſu in abuſum vertatur, quamobrem etiam *D. Bauhinum* uſum, ſeu potius abuſum decocti juniperini ex baccis

confecti improbaſſe *legimus cent. 6. obſerv.* *Fabric. Hildan. obſ. 51.* ideò tamen tantu Theſaurus ob has rationes non reform dandus, ſed potiùs imitemur, ut aliàs ſſ lemus, incolas Galliæ, de quibus dicitu quòd Circio vento Regionem illorum in feſtanti, licet ædificia illorum conqua ſaverit, gratias tamen egerint, quonia ſalubritatem cœli ſui huic vento debe olim autumabant, id quod & Auguſtu Imperatorem movit, ut Circio ven templum, cùm in Galliâ moraretur, voverit & fecerit, teſtante *Senecâ lib.* *Q q. Nat. cap. 17.* Sic & nos levibus hi terroribus ab uſu *Juniperi* ejusque par um deterrere non patiamur, cùm ab mnibus periculis, mediocritatem ſi c ſervemus, non ſolùm tutiſſimi eſſe po mus, ſed ampliſſimis quoque ipſius v tutibus frui queamus, quoniam va inſervit medicamentis præparandis ſuſtentationem ſanitatis neceſſariis *niperus* & multas eorum formulas par illius ingrediuntur, quas hûc referre j non licitum, ſed ex infrà dicendis clar patebit.

Coronidis loco addere lubet en mium ſequens, quô *Juniperum ejus* *baccas* deprædicat *D. Johann. Jo.* *Becherus in Parnaſſ. Med. Illuſtrat. part* *p. m. 43.*

Wa

Wachholder Holtz erwärmt/ und
ſtärckt die Nerven ſehr/
Der Dampf davon der thut der
Peſt ein Gegenwehr/
Den Harn befordern ſie/ die Beer-
lein/ öfnen auch/
Im Blehungen des Leibs ſind ſie
offt im Gebrauch/
Wacholder Oel iſt zu den lahmen
Gliedern gut/
Es ſtärckt und reiniget das Hertz
und auch das Blut.

Conſideratô *Juniperi* & partium ex quibus conſtat uſu, nunc ad illas *Juniperi* partes, quæ illi adnaſcuntur, vel ex illâ proveniunt, accedimus harumque uſum etiam ſpectamus.

Fungi Juniperini uſus.

Fungum, qui *Junipero* adnaſcitur, aquæ inſervire ophthalmicæ dicit *Schröderus loc. ſæpius allegat. Tabernæmontanus* in Artznei Buchs *part. 1. cap. 12. p. 108.* aquam ex eodem fungo manuum tremorem, ſi illæ hâc crebrius laventur, tollere teſtatur *Nobiliſſimus D. D. Martinus Bernhard de Berniz faſcicul. 2. medicament. ſecretior. Cnöffelianor. titul. 25. p. 184. in appendic. ad annum ſextum & ſeptimum Ephemerid. Med. Phyſ. Natur. Curioſior. in German.* de Liquore ex fungo *Juniperino* ita diſſerit: Liquor iſte virtute eâ eſt

præditus, ut membris paralyticis (jun-
ćturis quotidie bis inunćtis) applicatu
omnem contraćturam perfećtè ſane
quod certè ſummum eſt arcanum, ip
etiam ſignaturâ præbente argumentum.
Quare etiam ab arthritide confećtos a
ticulos eundem liquorem reſtaurare
corroborare neceſſe eſt. Experime
tum dićtis faciet fidem.

Sandaracæ efficacia.

De *Sandaraca* Virtutibus mul
paſſim apud Autores occurrunt, inp
mis verò *Gummi* hoc diſcutit & conde
ſat utileque eſt in capitis, dentium, p
ćtoris, uteri, nervorum & catarrhoſis
fećtibus internè & externè adhibitu
quin & viribus ſuccinum æquare &
hujus defećtu illi ſubſtitui poſſe, ſi du
videlicet illius quantitas recipiatur, a
tumat *Lonicerus in herbario ſuo p.m.91.*

CAP. VI.

PRÆPARATA EX LIGNO J NIPERINO RECENSET, E QUE, EX CORTICE E FUNGO JUNIPERI QUÆ PARANTUR, AD-JUNGIT.

Præparata ex ligno Juniperi.

CUm *Juniperi* uſus tàm nobilis & m
tivarius ſit, ideoque ex illa ejusq
partibus & multa variaque præparant
mec

medicamenta & aliorum ingrediuntur compoſitiones ſeu formulas, de quibus nunc agendum. Sed cum omnia præparata *Juniperina* uno hoc complecti capite nimis prolixum foret, ſatius eſſe putavimus hôc ſaltem includere capite *ea preparata ex ligno, cortice & fungo Juniperino* quæ conficiuntur, de reliquis in ſequente capite tractaturi.

Ex *ligno Juniperino* octo diverſa Præparatorum oriuntur genera, ut 1. RASURA, 2. DECOCTUM, 3. INFUSUM, 4. SPIRITUS, 5. OLEUM, 6. EXTRACTUM, 7. MELLAGO, 8. SAL.

Arte Mechanicâ quoque ex hoc ligno parantur *pyxides odoriferæ*, quibus poma ambræ includi poſſunt, ut & *pocula* ſingularis uſus in diverſis affectibus. De ſingulis nunc dicendm.

RASURA ex ligno quomodo paretur & lippis notum & tonſoribus, ideò de modo parandi nihil monendum. Uſus hujus *raſuræ* varius eſt, variasque ingreditur medicamentorum formulas. Inprimis verò in *ſuffimigiis* ad aërem purificandum & alterandum crebrò adhibetur. Paradigmatis locô exhibemus ſpecies ſequentes ſuffimigiis domeſticis idoneas, quas in catarrhis & tempore peſtilenti adhibendas ſvadet *Conrad. Kunrath. Tractat. 20. Medull. deſtill. p. 425.* *Raſura ingreditur*

Suffitus. ℞. *Succin. citr.* ℥iv. *Gumm. Junip.* ℥iii
Maſtich. *Storac. calam.*
Thur. ãã ℥j. & ℥ij.
Raſur. lign. juniper. ℥iij. *Santal. citr.* ℥
Bacc. Juniper. ℥ij. *Fl. roſar. rubr.* ℥ii
Craſſiusculè contuſ. & conciſ. Miſc. pt
Spec. ad Suffit. S. Rauch-Pulver.

Ad ſuffitus pertinent quoque Can-
delæ pro fumo, quarum formulas tàm li-
gnum, quam baccæ & *Gummi Junipe*-
ingrediuntur, quarum variæ dantur de-
ſcriptiones in diſpenſatoriis, ex quibus
præ reliquis arridet ſequens, terno utpo-
te juniperi partium uſu nobilitata, de-
ſcriptio, in aëris impuritate corrigen-
ſingularis efficaciæ.

Candelas pro fumo. ℞. *Lign. juniperin.* *Cupreſſ. Aloës* ãã ℥
Gumm. Juniper. ℥ij. *Thur. Maſtich.*
Succin. ãã ℥ß. *Storac. calam. Benz.* ãã ℥
Ladan. ℥j *Bacc. juniper. flor. anth.* ãã
Carbon. tiliæ ▽. *lavend. irrorat.* ℥iv.
Subtiliſſimè pulveriſata Miſc. & cu
Mucilagin. Tragacanth. ▽. roſar. fa
qſ. F. l.a. Candelæ pro ſuffitu.

Cucuphis quoque *raſura ligni juni*-
Cucuphas. *rini* ſæpiſſimè additur, quoniam ſingu-
res obtinet vires in cerebro nervoſoc
genere confortando. Formulæ eor
ſunt notæ. In dolore capitis cum v
tig

gine ſequentia cum ſucceſſu applicare
on ſemel vidimus.

℞ *Fol. majoran. rut. verben. ſerpill.* ãã pii
Flor. anthos. prim. ver. lil. conv. ãã pi
Rad. rhod. ℨij. *Lign. Juniperin.* ℥ß.
Storac. calamit. benz. ãã ℈ij.
Camphor. ℈j.

Craſsè contuſ. & conciſ. Miſc. D. in chart.
S. Species zum Häublein.

DECOCTA ex *ligno Juniperino* extant ſimplicia & compoſita, *Simplex Decoctum* in dentium doloribus, capillorum vitiis aliiſque affectibus commendatur. Compoſitis Decoctis variè admiſcetur. **Decoctum lign. juniperi.**

Singulare Decoctum Hydropicum deſcribit *B. D. D. Schenckius P. P. Jenenſis meritiſſimus, Præceptor olim meus honoratiſſimus, in Syntagmate præſcrib. & componend. medicament. cap. V. p. m. 124.*

℞ *Lign. Gvajac. raſpat. Juniper.* ãã ℥iij.
Rad. Sarſaparill. ℥ij. *Fol. Veronic.* Mß.
Paſſular. minor. ℥ß.

Infund. in 🜄. fontan. ℔iij. ſtent per ℞ & ☌, poſtea ebulliant ad conſummationem dimidietatis, Colaturæ ℔iß. adde

Tr. Violar. c. Spir. 🜔 *li parat* ℥ijß.
Eſſent. liquid. ſcord. ℥ß.

Miſc. S. Schwitztranck auf etzliche mahl
Doſis ℥iv. pro unâ vice.

Reſidentiæ iterùm affund. ▽. fontt
℔v. coqu. ad dimidietat. conſum
Colatura detur pro potu ordinario. Ed
coretur vino granator. ribium &c.

Infuſa ex ligno juniperino.

INFUSIS variè inſervit *lignum* J*uniperinum* inprimis vino vel cereviſiæ *gni juniperini ramenta* ſi infundantur, res illis integras conſervare & ab ii aciditatem & corruptionem arcer multis dicitur & per experientiam probatur.

Vinis & Cereviſiis medicatis idem *gnum* ſæpe admiſcetur, ſicut ex infer ribus patebit ideò infuſis diutiùs im rari nolumus.

Spiritus ligni Juniperini.

SPIRITUS ex *ligno Juniperino* el tur ſequenti modo:

℞ *Lign. Juniperin. raſpat. vel cr concíſ. q. v.* Retortæ vitreæ vel terreæ bè lutatæ committe illique recepta lum magnum & amplum adjun ignis gradibus rectè adminiſtratis pri exſtillat phlegma, quô apparente igr aliquatenus auge & ſequentur Spir nebuloſi magno cum impetu, ita, u moderaminis ignis fines transgre fueris, Vas recipiens à Spiritu diſrum tur. Cautè itaque procedendum: I clarè enim monet *Renatus des Cartes* *4. Princip. Philoſoph. p. 182.* quòd ignis

is in omnibus ſit obſervandus, eô
nim variatô ſemper aliquô modô effe-
us variatur. Ita multa corpora lento
rimùm igni, ac deinde gradatim fortio-
admota ſiccantur & varias particu-
s exhalant, quales non emitterent, ſed
otius tota liqueſcerentur ſi ab initio
alidis ignis gradibus torquerentur.

Cum autem phlegma Spiritui ſit
dmixtum, ſeparatione eget, modus au-
m ſeparationis in hoc conſiſtit, ut Spi-
itus cum phlegmate miſtus per alembi-
um iterùm deſtilletur, tunc primò ex-
illat phlegma. Quod ſi guttæ ſapore
piritu oſô præditæ ſequantur, tunc ab-
inendum eſt ab opere & Spiritus ad
ſum reſervandus.

Spiritus hic indolem matris ſuæ ge-
t & in affectibus capitis partiumque
ervoſarum adhiberi poteſt.

Oleum ligni Juniperini.

OLEUM ex ligno Juniperino triplici
odô præparatur.

I. Eodem modo paratur ac Spiri-
us, de quo tamen notandum, oleum po-
tremò in deſtillatione Spiritus proveni-
e, quoniam olea, *teſte Renato des Cartes
art. 4. Princ. Philoſ.* omnium difficilli-
nè ex duris & ſiccis corporibus exha-
ant, idque non tam △ vi, quâm arte
uadam perfici debet: Cum enim eo-
um particulæ tenues ſint & ramoſæ ma-

magna vis eos frangeret atque diſcer-
ret, priuſquam ex iſtorum corpo-
meatibus educi poſſent, ſed iis affun-
tur aqua (ſicuti hoc in ſecundo proc-
videri poterit) copioſa, cujus partic-
læves & lubricæ, meatus iſtos pervad-
tes, paulatim illas integras elicium-
ſecùm abripiunt, hactenus *Carteſ.* Qu-
do itaque in deſtillatione Spiritus g-
quædam liquoris craſſi inſtar poſt Sp-
tum egreſſum apparent, tum ignis-
gendus eſt, ut fundus retortæ in-
deſcat, quô factò oleum odoris fo-
craſſum pro voto exſtillabit.

II. Aliô & quidem meliori m-
oleum ex lignis quibuſdam confici d-
Schröderus in lib. 2. Phamacop. Med. C-
cap. 70. ſi nempe illud per veſicam d-
letur, quod ita fieri poteſt:

℞ *Lign. Juniperin. minutiſſimè raſpa-*
ſeparati q. v.

affund. ▽. fontanæ ſ. q. maceretur
dies aliquot, deinde deſtilletur per -
cam, deſtillationem per aliquot dies-
gendo & continuando, ut tandem ol-
prodire cogatur.

Oleum hoc, ut & omnia alia
modô præparata, volatiliora ſunt &
btiliora reliquis aliâ præparatione
fectis.

III

III. Per deſcenſum quoque oleum parari poteſt ſequente *εγχειρέσει*
Rec. lign. juniperin. minut. conciſ. q. v. imple novam ollam vitreatam, il- impone alii vacuæ ollæ in terram oſſæ, ſubductâ laminâ perforatâ, ut li- particulis in ſuperiori ollâ contentis tus ad inferiorem ollam præcludatur, cturis optimè clauſis & lutatis, ita ut veſtigium fumi penetrare videatur, am ſuperiorem igne circumda illum- e continua, donec putaveris oleum ne eſſe exſtillatum, ſic ob calorem li- um in ollam inferiorem oleum fundet copioſum.

Hi ſunt tres illi modi deſtillationis i ex ligno juniperi, ſequitur nunc ſe- atio & rectificatio.

Oleum hoc cum Spiritu ſi permi- m ſit ſeparatur vel per tritorium, vel r chartam bibulam, per goſſypium im propter craſſitiem ſuam ægrè tran- Modum ſeparationis vide capite uente.

Rectificatio olei inſtituitur vel ex curbita, vel ex veſicâ, ſi illud aff... uâ iterùm deſtilletur ... en, præſertim ſi ... rtam arenæ mi... Vires & uſus ... tibus videlic...

tebunt, inprimis tamen commenc
à Tabernæmontano lib. 3. part. 2. h
cap. 10. & Conrad Kunrath. tractat. 2
dull. Deſtill. ad Contracturam, Spaſm
Epilepſiam, Apoplexiam, Torminaa
tris omnesque à causâ frigidâ excit
affectus & *D. Johann. Erneſt. in*
de oleis Chimicè deſtillatis Praxi Chim
D. Hartmanni annexô pag. 424.

Extractum ex ligno Juniperi.

EXTRACTUM & quidem gum
ſum ex cortice & ligno Juniperin
gulari methodo ac viâ educit *Quer*
nus in Pharmacop. dogmatic. reſtitut
26. p. 843. hoc modô.

℞ *Ligni Juniperin. part. ij.*
Cortic. ejusd part. j.

Omnia in raſuram redacta in
tur in plura alembica vel vaſa v
magna, capacia, colli oblongi, affu
do optimam aquam vitæ, vini, v
dromelitis vinoſi q. ſ. Clauſis vaſ
quid exſpiret, fiat digeſtio in baln
poroſo calidiori per XII. vel XV.
quo tanto temporis ſpatio menſt
melius rubeſcat & imprægnetur
tincturis. Omnem liquorem cal
cola, feces autem prælo fo
ime, tunc egredietur
dus & oleaginoſus,
nge. Omnibus

alembicum vel cornutam cum ſuo re-
iente inditis fiat deſtillatio , donec
teria in fundo maneat conſiſtentiâ
llis, & bulliendo bullas emittat non
us ac mel ipſum. Tunc calentem
teriam effunde in patinam terream
reatam, aquam frigidam continen-
n, & ſtatim coagulabitur aloës aut
mmi inſtar, quam manu exemtam
ſterges & ſervabis tanquam remedi-
pretioſiſſimum.

Extractum hoc exellens prædicat
loriferum & bezoardicum adverſus
ilepſias, peſtes, affectus contagioſos &
nenatos *citatus Autor.*

MELLAGINES medicamenta ſunt, *Mellage ligni Juniperini.*
quit *B. D. D. Schenckius Syntagmat.*
ſcript. Claſſ. 4. Sect. 1. cap. 3. conſiſtenti-
& ſaporem mellis præ ſe ferentia, &
nc ipſis appellatio MELLAGO, ex *ligno*
iperino ita paratur:

Lign. juniperin. minutiſſimè raſpat. q. v.
fund. ▽æ vel Vini totidem, ut 3. vel
digitos emineat. Macerentur in
acido colore per ♀ & ♂ poſtea co-
antur. Decoctum coletur cum vali-
expreſſione, & Colatura ad △ ſen-
n evaporet, ut mellaginis tandem ac-
irat conſiſtentiam, cavendo ἐμπυ-
ρευμα.

SAL

Sal ligni Juniperi-ni. SAL ultimum præparatum eſt e
gno Juniperi. Deliteſcit in hoc ligno
⊖ volatile, quàm fixum. ⊖is vo
lis præſentiam oſtendit principium
ſtillationis, ubi veſtigia illius obſer
poſſunt. Fixum ⊖ poſt deſtillatio
Spiritꝰ & olei excapte mortuo ad a
dinem calcinatô præparari poteſt pe
xiviationem modô vulgari & conſ
quo de in ſequente capite fuſiùs.

Ex *ligno Juniperino* additis aliis
getabilibus ⊖ compoſitum cephali
parare docet *Illuſtris poſt fata qu*
Rolfincius, Præceptor olim meus fideliſſ
in lib. V. Chym. Sect. 1. cap. 16. p. m. 29
298. quod tale.

℞ *Herb. ſalv. majoran. pentaphyll. prim*
rut. tormentill. ãã Mvi.
rosmarin. hort. Mij. *ſylveſtr.* Mx
Rad. pœon. ireos flor. tormentill. caryoph
valerian. hort. vincetoxic. ãã ℥x.
zedoar. ſarſaparill. ãã ℥ij.
Flor. pœon. lil. convall. til. ſambuc. ãã
origan. hyſſop. cum cimis.
Sem. pœon. ſinap. ãã ℥vi.
Bacc. laur. juniper. ãã ℥vi.
Lign. ſanct. juniper. ãã ℔j.
quern. ℔iv. *corylin.* ℔vi

Igne apertô comburantur. Ex c
ribus ⊖ proliciatur vulgari modô.

V

Vires Cephalicæ ſunt, cerebri tu-
lam ſuſcipiunt ejusdemque affectibus
edentur: Doſis ℈ß. in Specificis liquo-
bus exhibetur.

PYXIDES ODORIFERÆ & PO-
ILA ex *ligno Juniperi* torno parantur, quomodo autem fiant peritis in hâc re linquimus. Uſus harum pyxidum non ntemnendus eſt, cum per ſe jucundô ô odore Spiritus vitales & animales creent & pauperioribus loco pomi nbræ inſerviant, multoque magis per-ratæ odorem pomorum ambræ extol-nt & adaugent. — *Pyxides odoriferæ ex ligno junipero & pocula.*

Uſus poculorum hominem à ve-no præſervare dicitur & refert *Angu-nus d. Bois in deſcriptione* des Egeriſchen ōde Säuerlings *anno 1670.* editâ, aci-las Egranas à permultis ex vaſis ſeu culis juniperinis ebibi ad nephriti-m, ſicuti ſplenetici ex fraxino potare erent.

Ex *cortice Juniperi* præparatur DE-CTUM & INFUSUM ad menſium nimi-n fluxum, *Extractum* fit cum ligno. — *Præparata ex Cortice & Fungo Juniperi.*

Ex *fungis Juniperi* AQUA paratur, æ fit, dum vitro incluſi ☉is radiis ex-nuntur, tunc fungi in liquorem abe-t limpidum & clarum ad varios affe-us haud inidoneum.

CAP.

Caput VII.

PRÆPARATA EX BACCIS GUMMI JUNIPERI PRO PONIT.

Præparata ex Baccis & Gummate Juniperi.

EXplicatis, quæ ex *ligno, cortice &* *go Juniperi* præparantur, medicam tis, nunc ad *baccas* & *gummi Juniperi* cedimus & quæ ex illis parantur m camentorum genera videmus.

Ex *Baccis Juniperinis* XVI. e gunt diverſa Præparata, ut 1. Suffi gia, 2. Decocta, 3. Aceta, 4. Medicata, 5. Aqua, 6. Spiritus, 7. um, 8. Extractum, 9. Essentia, 10. ctura, 11. Elixir, 12, Syrupus, 13. ctuarium, 14. Rob, 15. Sal, 16. M sterium.

Suffimigia ex baccis.

Suffimigiorum locô ſæpè *baccæ peri* in ſubſtantia adhibentur, eo que formulis admiſcentur, ſicuti pa ex capite præcedente clarum, parti inferioribus quoque patebit.

Decocta & Infuſa.

Decoctis Et Infusis variè que inſerviunt *Juniperi Baccæ.* modo autem *Decocta* parentur n eſt, ideò hîc diu morari nolumus, & plebei in Bohemia decoctum ex cis juniperi pro potu ordinario freq ter utantur.

I

Infuſæ Baccæ Juniperinæ Aceto egre- *Acetum Juniperinum.*
ium præbent *Acetum Prophylacticum*
im ad internos quàm externos uſus in
ëris vitioſâ conſtitutione maximè pro-
cuum. Cùm enim *Acetum* per ſe ipſum
enenis adverſetur & ſecundum *Celſum*
b. 6. cap. 27. adverſus ipſos ſerpentum
nò aſpidum ictus ſingulare ſit remedi-
m, multò magis virtutes illius exalta-
unt baccæ juniperinæ, eaque propter
m variè aceta ingrediuntur compoſita,
Acet. Theriacal. Aug. & Mynſicht. ut &
ithridatic. & Zedoartic. ejusd. Sect. 23.
rmament. Chymic. p. 362. & ſeqq. deſcript.
cet. inſuper Bezoard. F.F. Bezoard. D.D.
Spinâ Acet. prophylactic. D. D. Weickar-
, Acet. Rutac. comp. ſeu antipeſtilentiale
F. quorum deſcriptiones videantur
ud *Schröderum & Quercetanum*, qui eti-
m ſingularem *aceti hellebor ati* deſcripti-
nem tradit *cap. X. Pharmacop. dogm. re-*
tut. p. m. 691.

Hellebori alb. ſelect. trit. ℥iij. *cinamom.* ℥j.
granor. Juniper. ℥ß. ✝ti ℔ij.

aſis in cinere poſitis deſtillentur. Pri-
um quod exit candidiùs colligatur ſe-
ſim, ut & ſubſequens ſeorſim colloce-
r.

Primum aperit viſcerum obſtru-
iones, efficax eſt in febribus longis à
legmate vel bile atrâ ſubortis. Item

in uteri & lienis obſtructionibus m
biſque capitis à materiâ craſsâ, viſcid
frigidâ. Secundum plus habet viri
aceti, quàm hellebori, poteſt etiam
in morbis à bile, penetrationem e
promovet. Dantur per ſe ad ℥ß
cum Saccharo vel cum Syrupo m
prorſus moleſtiâ.

Oxymel Juniperinum. OXYMEL JUNIPERINUM co
cere cui volupe eſt & huic liberum
poſſetque ita parari:

℞ *Acet.* Juniper*in.* ℔j. *mell. depu*
℔iß. *Coqu.* ad perfectam mixtione
conſiſtentiam.

Vinum Juniperinum VINUM JUNIPERINUM du
citer vel è muſto, vel è vino defœ
paratur, utrumque viribus eſt e
lens, deque illo honeſtiſſimè f
Quercetanus in Pharmacop. dogmat.
cap. 680. Vinum, inquit, juniperi
mirè cor, cerebrum reliquasque p
nobiles corroborat. Modum par
cùm *B. D. D. Möllenbroc* ſub Exe
Cochleariæ *cap. 9. Cochlear. curioſ.*
nolumus attingere, cumque eodem
modô & Cereviſia medicata pa
plura hîc non addemus, formulas
Decoctorum quàm Infuſorum in af
bus quibus inſerviunt tradituri.

Claretum Juniperinum. *Claretum Juniperinum* ita præ
Mynſicht. Sect. 12. Armamentar. Cl
p. 355. ℞

℞ *Spir. Vin. Juniperin.* ℔iij.
∇. *Rad. Enul. camp. Tuſſilag. Loch.ſan.* ā ℔j.
Cinamom. acut. ℥ij. *caryophill.* ℥ß.
ntund. per aliquot dies, poſteà per ma-
icam Hippocratis deſtilla & ſacch.cand.
b. ℥xvi. edulcora.

AQUA quoque præparatur ex *baccis* *Aqua Juniperina.*
uniperi. Hanc aquæ præparationem
omines ipſa docuit natura & neceſſi-
s: Cùm enim hominis vitæ principi-
n, *ſecundum Hippocratem*, aqua & ignis
(per aquam autem humidum radica-
& per ignem calidum innatum intel-
xit) & ipſius hominis conſervatio à
mperatâ calidi & humidi hujus con-
tutione dependeat, humidum hoc ut
nſervetur & calido aliàs nimis luxuri-
ti frenum injiciatur, humidâ eget ma-
riâ, quâ alatur & ſuſtentetur. Talem
teriam aqua præbet naturalis, &
amvis ex aquâ, teſtante *Pergameno*
4. de uſu part. p. m. 218. nulla corporis
rticula nutriri poſſit, non tamen quod
triturum eſt poteſt diſtribui ex ventre,
i deducatur à quopiam liquido, imò
e ſangvis ſine aqua, quæ ſerum appel-
ur, non poſſe ſubſiſtere, ſed illâ vehi-
li locô uti, teſtatur idem *Galenus loc.*
Et ſic rectè diximus, quòd ipſa na-
ra homines docuerit & neceſſitas

aquam tàm potûs, quàm medicam
locô adhibere.

Qualis autem aqua tàm ad alim
ta, quàm medicamenta ſit adhibe
diſpiciendum, varia enim datur a
ut fontana, fluviatilis, pluvia & ciſte
Aqua Electio. na, ideò eligenda aqua dulcis ſeu in
da, quæ nempe nullam habet ſa
manifeſti qualitatem, motui obn
motus enim animæ inſtar aquæ eſt, c
limpida, levis, non limoſa nulloque
traneô odore vel colore maculata,
alienis qualitatibus, ut 🜔e, ⴲo,
aliisque rebus permixta, eaque ve
viatilis vel fontana.

Proba. Singularem aquas probandi
dum tradit. *Avicenna de diſpoſit. a*
quô bonitatem, quæ ipſi in levitate
ſiſtit, aquarum cognoſcere docet, *i*
ens: Diverſis aquis imbuantur
panni linei ejusdem ponderis, e
mantur benè & perfectè exſiccentu
inde ponderentur & illa aqua,
pannus erit levior, erit melior. H
verò aquæ per deſtillationem pr
tur, infunditur enim Cucurbitæ ve
ſicæ aqua probanda, & ad ſiccitate
ſtillatur, tunc remanet in fundo
excrementum cui permiſta eſt, e
de notis ipſius plerumque judicar
teſt.

Sed redeamus ad aquam deſtillatam: Diximus in præcedentibus aquam naturâ eſſe neceſſariam ad hominem ſuſtentandum & humidum ejus nutriendum. Cum autem humores, qui aquæ locô ſunt in corpore, nonnunquam alienam & malam qualitatem induant; & vel corrumpantur, vel à calore excedente accẽdantur & minuantur, ut & exſiccatio metuenda ſit, & aqua ſimplex his malis debellandis non ſufficiat, Medici naturæ imitatores & Filii viam excogitarunt, ut naturæ labanti ſuccurratur, & tale humidum ex vegetabilibus aliisque, morbis contrariantibus, præparârunt, quod non ſolùm naturale humidum conſervare & confortare, ſed morbos etiam profligare valeat, unde aquæ exſultarunt deſtillatæ, quæ in humido radicali conſervando morbisq́ue variis avertendo ſingularis ſunt efficaciæ, licet ſint, qui contendant, aquas deſtillatas ſimplices nullius eſſe efficaciæ, ſed phlegma ſaltem inutile & inſipidum, uſus tamen & experientia aliud comprobant, cùm non ſint ſusque deque habendæ tales aquæ, inprimis, ubi Spirituoſæ ob calorem internum adhiberi minùs tutæ exiſtunt, ſed meritò ad uſum medicum adhibendæ.

Aqua baccarum Juniperi. *Aqua ſimplex* ex *Baccis Juniperi* i paratur:

℞ *Baccar. juniper. recent. & matur. q.*
Conquaſſa illas & medicâ ▽æ affuſio deſtilletur per Alembicũ in Bal. Mar. v in Veſicâ.

Aquas compoſitas quamplurim ob virium excellentiam ingrediu tur hæ Baccæ, ita ut vix aqua Ceph lica, Pectoralis, Stomachica, Ute na, Antiſcorbutica, Antinephritica, v Antiarthritica reperiatur, cui baccæ j niperi non admiſceantur, uti ex ſeque tibus clariùs patebit.

Quemadmodum aër inter aqua & ignem, ita Spiritus inter aquam & o um quodammodò ambigit, ideoque, loquitur *Sennertus lib. 5. Inſtitut. part. ſect. 3. cap. V.* hæc nomina ſæpe confu duntur, ita ut Spirituum nomine ver ant aquæ, Oleorum nomine Spiritus, ſic vice verſâ.

Spiritus Juniperi ex baccis. Cùm itaque de Aquâ Juniperi dictum & de *Spiritu Juniperino* nunc c cendum, qui nihil aliud eſt, quàm aq *baccarum Juniperi* Spirituoſior, volatil or & ſubtilior beneficiò fermentation exaltata & prolecta. Hæc enim fermen tatio, teſte *Quercetan. in pharmaco dogm. reſt. cap. 6. p. 621.* attenuat omne ſubſtantiam eamque ſolvit à ſuo corpo & impuritate terreſtri, ut apta fiat, poſte

a

d verum balſamum radicale & Spiri-
um vivificum. Paratur autem SPIRITUS
UNIPERINUS ita :

℞ *Baccar Juniper. qv.* Contunde
llas & affunde ▽m ferventem, macera
er aliquot dies in vaſe clauſo & additis
ini aut cereviſiæ fecibus iterùm per di-
s 4. digere, deinde per Veſicam deſtilla,
ic prodibit Spiritus & oleum.

Nonnulli baccis Vinum, vel Spir.
in. loco aquæ affundunt, ſed monet
chröderus lib. 2. Pharmacop. Med. Chym.
ap. 81. maximam partem Spiritus hos
pir. Vin. debere, ideoque tales cogno-
inare putat Spir. Vin. adjectô nomine
eſtillati, unde parati ſunt, & ſic hoc lo-
o talis *Spiritus, Spir. Vin. juniperinus* eſſet
ppellandus.

Si adhuc ſubtilior deſideretur Spi-
tus, poteſt ille rectificari, ſeu deſtilla-
oni iterùm ſubjici cum vel ſine additi-
ne materiæ poſt primam deſtillationem
elictæ, vel baccarum recentium pro cu-
svis lubitu.

Spiritum Juniperinum ſequenti di-
natur Elogio *B. D. D. Rolfinccius lib. 3.*
hym. ſect. 1. art. 2. cap. 14. Calefacit ven-
riculum, calculum minuit, antipeſtilentia-
m vim obtinet.

OLEUM ex *Juniperi baccis* parari & *Oleum baccarum Juniperi.*
um Spiritu prodire ſupra dictum, mo-
uſque parandi idem eſt ac Spiritus.

Singularis in oleo baccarum Ju-
peri præparando eſt *Uffenbachius*, qui
lud per deſcenſum parat *lib. 4. Antido*
ſect. V. cap. 3. Proceſſus cùm à comm
deſtillationis modo nihil differat, ex
perioribus peti poteſt.

De olei præparatione notand
I. quòd ſi oleum in majori expetas
piâ, tunc baccis non vinum aut Spir.
ſed aquã addas, quoniã oleoſa ſubſta
à vino ejusque Spiritu valdè minuit

Olei triplex ſeparatio.

II. Oleum, quia cum Spiritu
ſtum, ſeparandum ab illo eſt. Hæc
paratio triplici modô perficitur.
mus modus dicitur ſeparatio per Ti
rium, & fit cùm ▽ vel Spiritus, cui ol
admixtum eſt, in vitrum anguſtô c
cio in fundo præditum, Vitrum ſep
torium vel hypoclepticum dictum
funditur & inferior exitus digito vel
quâdam materiâ obturatur, hinc
oleum reliquô utpote liquore leviu
premum occupare locum cernimus
ferius orificum obturatum aperit
▽ vel Spiritus ſeorſim effluere perm
tur, oleum verò reſtans retinetur
peculiare vaſculum colligitur.
modus vocatur ſeparatio per Goſſy
ſeu filum laneum, & fit cum vitrum
ſeu Spiritu, cui oleum innatat, ad
mum usque impletur, & poſteà g

ium vel filum laneum craſſius imponi-
ur, quod oleum ſupernatans attrahit &
nſubjectum vaſculum humilius de-
nittit. Tertius modus appellatur Separa-
o per chartā bibulam, & fit, cùm chartā
ibulam vitreo infundibulo immittimus,
uncque per hanc aquam vel Spiritum
anſire permittimus remanente in illa
leo.

Triplex hæc Separatio in oleo à Spi-
itu Juniperino ſeparando locum habe-
e poteſt, duo tamen priores modi præ-
alent poſteriori, utpote qui craſſiori-
us oleis ſeparandis, e. g. oleo ex ligno
uniperino, magis convenit.

Quemadmodum alia olea deſtilla-
a magnarum ſunt virium & *teſte B. D. D.*
Rolfinc. lib. 3. Chym. ſect. 2. Artic. 1. cap. 1.
rim gerunt earum rerum unde emana-
unt, ſed coacta combinataque parvâ
nole ingentem ſpirant poteſtatem, ita
t minima olei guttula ſæpe manipuli
romatum compendium exiſtat, ſic & Vi-
es olei Juniperini ſunt excellentes,
quas jam citatus *Nobiliſſimus Autor p.*
179. lib. 2. citat. ita deprædicat: Caleſa- *Vires hujus olei.*
cit, incidit, urinam ciet & menſes, con-
ortat nervos & ſtomachum, colicæ
paſſioni auxiliatur. *Libavius part. 1. Al-*
chymiæ pag. 78. ingentem virtutum olei

hujus ponit farraginem, ita ut illi univ
ſalis ferè medicamenti locô ſit, dum
unus reperietur morbus, cui non co
trariari dicat. Idem facit *Conrad K*
rath tractat. 20. medull. deſtill. D. D.
neſti libell. de oleis deſtillat. Praxi Ch
atr. Hartmann. annex. p. 422. hoc
quenti extollit laudum præconio: O
um ex baccis Juniperi deſtillatum &
omni ſuâ ſeroſitate & ſordibus ſepa
tum ac rectificatum omnibus aliis o
facilè antecellit, & ea propter ob imm
ſas ſuas facultates & varias virtutes
balſamo naturali meritò haberi deb
Omnes enim carnóſitates, venas, n
vos & oſſa penetrat, quæcunque vu
ra & ulcera ad ſanationem diſponit
nô calido aut juſculô manè & veſ
ſumtum, à naturâ ipsâ ad omnibus
tibus opitulandum ordinatur homin
que in omnibus adverſitatibus ſan
& incolumem conſervat. Hæc om
fuſiùs explicat, *locô citatô* videnda.

Nobiliſſimus atque Experientiſſi
Dn. Johannes Rhetius, Medicinæ Licen
tus & Phyſicus Arnſtadienſis meritiſſim
Academ. Natur. Curioſ. Caſtor de oleo
baccis Juniperi ita in literis V. I
Martii 1677. ad me datis: A multis
trò annis in morbis malignis, ca
rhis, tuſſi à causâ frigidâ, calculo, ret
ti

one urinæ, doloribus colicis magnô
m ſucceſſu adhibitum fuiſſe compertũ
bemus. In meâ praxi plurifariè ole-
n in ſuppreſſione urinæ, incipiente
drope, tumoribus œdematoſis pedum
gutt. V. ad IX. omne tuliſſe punctum
ræmiſſis tamen artificioſis evacuatio-
bus ſeu catharticis:) reliquiasque
rbi benignâ diaphoreſi & Urinæ pro-
tione ſolviſſe, obſervavi.

Unum notatu dignum eſt, quod eum hoc non facilè tingi poſſit & ex iis tincturam non eliciat, quo de ita m laudatus *L. Rhetius*: Ne à quoli-t Agyrta oleum hoc cognoſceretur, o amygdalar. amar. cum rad. Anchu- quod ſtatim tincturam elicit, tinxi & ſimilibus affectibus in duplo adhibui. are autem ol. Juniperi ex hâc radice isque e. g. tormentill. rubiæ tinctor. n. ſantal. &c. tincturam non eliceat; ſan reſinoſitati, quæ non niſi Spir. n. ac ✝to colorem communicat, ad- ibendum puto. Et certè multum noſitatis tàm baccæ, quam oleum iperi continent, id quod ex tenaci tinoſitate, quâ digitis tenaciter adhæ- t facilè colligi poteſt, & oleum vetu- e rancidum, tenax & craſſum factum am ferè oſtendit reſinoſam ſubſtan- m. *Oleum hoc non tingitur aliis.* *Cauſa.*

Pro-

Propter excellentiam ſuam tàm
riè oleum hoc alias medicamento
formulas ingreditur. Inprimis ex
tur ad *Balſamum* 🜍*is juniperinum*
ternum tàm *ſimplex*, quàm *compoſit*
cujus duplicem tradit deſcriptio
Rolfincius lib. 4. Chym. ſect. 1. art. 4.
3. p. 223. Utrumque Viribus ſuis ne
non eſt notum.

Balſamum 🜍is Juniperinum.

His etiam procul dubio perm
Crollius ſingulare ſecretum contra
ſtem, *Elixir antipeſtilentiale* dictum,
ponit & deſcribit in *Baſilic. Chimic.*
286. & 87. juniperi baccis inſignitu
oleo. Paratur ita:

Elixir antipeſtilentiale Croll.

℞ *Flor.* 🜍*is Spagyricè præparat*
affund. *Ol. deſtill. è baccis junip*
eminent. 3. digitor.

Ol. Sucin. ter rectificat. part. II
ſpect. Ol. juniperin.

Stent in igne Cin. vel Ar. 1
movendo, ut flores ſine aduſtion
vantur & liqueſcant. Poſtea

℞ *Theriac Venet.* ℔j.

Extrahe cum Spir. Vin. tinct
Spir. vin. iterùm ſepara & cum e
extrahe Tincturam ex

Radic. Eleni, Angel.
Bacc. juniper. ā ā ℥iij.

Hanc Tincturam miſce cum Ti
Theriacæ, ac affunde *oleum junip*
&

& ſuccini floribus 🜄is eſſentificatum ac per chartam bibulam prius filtratum. Omnia miſta circula lentiſſimo Cin. calore per 14. dies & ad uſum reſerva. Doſis eſt ad præſervationem 1. vel 2. gutt. ad curationem à ℈j. ad ij.

Ad BALSAMA quoque extexna, tàm prophylactica quàm confortantia oleum hoc adhibetur ſæpiſſimè, ut & ad Unguenta & Emplaſtra, de quibus autem infrà, ubi ad uſus externos juniperi perveniemus, agendi erit occaſio. Paradigmatis loco addimus *Balſamum Polychreſtum Rolfincii lib. 4. ſect. V. cap. 3.* deſcriptum, quod tale: *Balſamum Juniperi.*

℞ ⚬⚬ *Moſch. expreſſ.* ʒj. *ol. baccar. junip.* ʒj.
majoran. rut. caryophill. angelic. āā ℈ß.
ſuccin. ℈j. Miſc. D. in pyxide munda S.
Balſamum polychreſtum.

ELÆOSACCHARUM ſi quis deſideret & huic parando oleum baccarum Juniperi inſerviet, commendamus ſequens, quippe quod capitis, pectoris, cordis, ventriculi, curam gerit & malignitati optimè reſiſtit. *Elæoſaccharum juniperi.*

℞ *Sacchar. Canarienſ. albiſſ. pulveriſ.* ℥iij.
Ol. baccar. juniper. deſtill. gr. XVI.
angel. anthos āā ℈ß.
citr. cinamom. caryophill. āā gr. V.
Miſceantur omnia exactiſſimè. Doſ. gr. VI. ad ℈ß. in vehiculo convenienti.

PILU-

PILULIS ſæpiſſimè addi, Ol. ex b
cis juniperi deſtillatum, hinc inde im
torum monumentis legimus, & i
quoque videbimus. Cur autem
deſtillata pilulis tàm frequenter add
tur, hæc eſt ratio: Notum eſt plera
purgantia multis noxis *obnoxia* eſſe;
noxia & inimica ventriculo obque ſt
lentiam, quâ prædita ſunt, ventris c
tare tormina, ideò, ut ventriculi to
conſervetur & tormina avertantur,
deſtillata ſtomachica & carminati
qualia ſunt aniſ. fœn. *juniper. &c.* in
guâ doſi adduntur pro correctione p
gantium.

Oleum Juniperi coctum & expreſſum. De *oleo juniperino* cum jam ſe
ſit, huc etiam referendum *oleum co*
& expreſſum. Utrumque licet in p
macopoliis rarò præparatum e
& præparetur, his tamen præpara
nibus *baccæ juniperi* ſe non ſub
cunt, ſed ex illis oleum tàm coct
quàm expreſſum parari poteſt ad
mam aliorum expreſſione & cocti
quæ parantur oleorum, cum ſenſibi
in ſe contineant oleoſitatem *baccæ ju*
peri, quæ facilè per expreſſionem e
poſſet. Si tamen coctione parand
eſſet oleum, oleo omphacino *Spiritus*
niperinus eſſet addendus, quò reſin
vis eò facilius extrahatur. Utrumq; c

m viribus non deſtituitur & adhibetur, bi oleum deſtillatum propter acrimoiam locum habere non poteſt, ut in lyſteribus &c.

EXTRACTA cum optimæ ſint rerum ſentiæ à craſſiori ſuo corpore per idoeum menſtruum ſeparatæ, meritò & de is præparandis ſollicitus eſſe debet edicus. Sunt autem *Extracta* varii geeris, *Liquida* vel *Spiſſa*. *Liquida* dividunr in *Tincturas*, *Eſſentias* & *Elixiria*.

TINCTURÆ dicuntur *Extracta liidiora* egregium colorem inprimis rurum ſeu ad rubedinem inclinantem ræ ſe ferentia, à quibus nihil menſtrui t abſtractum.

ESSENTIÆ, cum quibus *Elixiria* omnibus ferè conveniunt, niſi forſin *Elixiria* ex compoſitis conſtare dixes ut plurimùm, ſunt Extracta liquida, à uibus ſaltem aliqua menſtrui portio per vaporationem eſt abſtracta.

EXTRACTA autem propriè dicta nt *Eſſentiæ* ad ſpiſſitudinem abſtractô enſtruô redacta.

Menſtrua ad Eſſentias extrahendas ommendantur varia, quæ accommoantur ad naturam rei extrahendæ, & c aquoſis aquoſa, ſulphureis ſulphuea, ſalinis ſalina competunt menſtrua, e quibus fuſiùs videri poteſt *Diſſertatio*

de

de menſtruis Nobiliſſimi D. D. Wedelii ...ctu reverà digniſſima.

Extra-ctum bacc. Juniperi.

Ad *Extractum Baccarum Juni*... menſtruum *à Quercetano cap. 23. Ph*... *macop. dogmat. reſtit.* proponitur vin... vel hydromel vinoſum, at à pleriſq... eligitur Spir. Vin. Nos Extractum ... paramus cum *Spiritu Juniperi* ſequ... modo.

℞ *Baccar juniper. matur. recent. q.* ...
Spir. Juniper. rectif. q. ſ.

Contuſis baccis affundatur Spiritus ... eminentiam 3. digitorum, digeratu... ni calore Bal. Mar. donec optimè ti... tur, tinctus Spiritus decantetur, &, ſi... cuerit, ter vel quater recentibus ba... reaffundatur & ſemper idem ordo ... cedendi obſervetur, tandem exhale... abſtrahatur ad juſtam extracti ſpi... dinem ſeu conſiſtentiam.

Beguinus lib. 2. Tyrocin. Chym. c. ... Extractum hoc parat cum aqua plu... deſtillata, illudque maximè extoll... ſpecificum variorum affectuum me... mentum, ut etiam illud Theriacam ... manorum dicere non vereatur. ... veremur, ne partes reſinoſæ aquæ ... viali obtemperent & extrahi ſe per... tant.

Ejus Vires.

Extractum Baccarum juniperi m... præſtat commoda in variis affecti...

℈ß. ad ℈i. vel ʒß. exhibitum. De illo
honeſtiſſimè ſentit *Fabric. Hildanus Cen-
tur. 1. Epiſt. 73.* Ich ſchick auch etwas
von dem *Extracto Juniperino*, welches ſo
wohl in Bruſt-Kranckheiten/als Verſtop-
fungen der innern Glieder ein vortreffli-
ches und nicht unannehmliches Mittel
iſt/ daß man daſſelbe leichtlich wird brau-
chen können.

Extractum compoſitum magnarum *Extractum compoſitum.*
virium ita præparat *D. Grammannus*
part 3. der Chymiſchen Reiß-und Hauß-
Apotecen *cap. 1.*

℞ *Extract. bacc. Juniper.* ℥ij.
Ol. calam. arom. ʒj. *macer.* ʒß. *caryo-*
phil. ℈j.

Miſc. Doſ. quantitate nunc. moſch. ma-
nè & veſperi.

TINCTURAM JUNIPERINAM ſi expe- *Tinctura Juniperina.*
tas, eodem procedere potes modô, ut
de Extracto dictum, tuncque non opus
eſt ut Spiritus tinctus abſtrahatur, ſed
qualis à baccis decantatur talis ad uſum
reſervatur, ſub nomine *Tincturæ Junipe-*
rinæ.

Tincturam compoſitam Juniperino- *Compoſita.*
Nephriticum ita componit *Mynſicht. ſect. 2.*
Armamentar. Chymic. p. 47.

℞ *Bacc. Juniper. recent. contuſ.* ℔j.
Sem. aniſ. ℥iv. *Radic. Angel.* ℥j.
Lign. Nephrit. ℥ß. *Macis elect.* ʒij.

Mixta infund. in ℔vij. Vin.
vat. ſtent in infuſione per 14. dies,
tidie aliquoties movendo, poſteà
Bal. Mar. deſtillentur & cum hoc d
lato liquore Tincturam extrahe,
filtretur & parùm edulcorata ad u
ſervetur. Doſin & uſum ſubjungi
cit. Autor jam laudatus.

Eſſentia Juniperi ex baccis.

ESSENTIA JUNIPERINA ſi delec
eadem præparandi obſervetur m
dus, ut in Tincturæ confectione,
nihil differt, niſi ut leni evapora
pars aliqua tincti Spiritus avocetu
ræque communicetur.

Malvaticum Juniperinum.

Singularem *Eſſentiam Juniper*
ſub nomine *Elixiris vel Malvatici J*
rini deſcribit *Rolfincius lib. 4. Chym.*
Art. 1. cap. X. quæ componitur e
Juniperin. ℥iij. & Vini Malvatici c
ſem. Miſta in vaſe terreo piſtillô
moreô, digeruntur leni calore, tin
percolata per linteum cum expre
ſervatur ad uſum. Vires huic ape
di, ſangvinem attenuandi tartareu
& ſabuloſum coagmentum circa u
rum tubos & carunculas renum
ctum diſgregandi & expellendi, à
℈j. in vehiculo convenienti ſi aſſ
tur, adſcribuntur.

Aliud *Elixir* deſcribit *Beccherus in Parnaſſo Medic. illuſtrat. part.* 2. *p.* 44. *quod ex baccis Juniper.* conficitur hoc modô: *Elixir Juniperinum*

℞ *Baccar. Juniper matur. ac elect.* ℥v. Contundantur craſsè, digerantur affusâ aliquâ aquâ diureticâ, hinc exprime & abſtrahendo inſpiſſa ad conſiſtentiam mellis. Poſtea

℞ *Hujus mellis juniperini cochlear.* 12. Miſce optimè cum *Spiritu Juniperino*, digere aliquamdiu leniſſimô calore ☉is usque ad uſum repone.

Vires huic medicamento admirandas tribuit *his Autor* ut & *Schröderus lib.* 4. *Pharmacop. Med. Chymic. p.* 89. in calculo, atque inſuper ſtomachicum inſigne, diureticum & polychreſtum audit. Sic *Deckerus in notis ad Praxin Barbett. p.* 18. idem extollit medicamentum eique rob Sambuci adjungit, magnâque valere ait efficaciâ.

Horum extractorum variæ ſpecies, cum aliis compoſitis & inprimis Miſturâ ſimplici miſceantur, emergit exinde medicamentum mediæ inter liquida & ſolida naturæ, quod MISTURA, à baſi ſuâ & præcipuo ingrediente *Miſturâ ſimplici*, dicitur, eſt enim Miſtura ſimplex maximè veneranda & ſalutaris Medicina, quæ in quamplurimis affectibus *Miſtura.*

præſentaneam præſtat operam, præci
ſi virtus illius per additionem uniu
teriusve ſpecifici ad locum affectum
ducatur & exaltetur.

Talium *Miſturarum* deſcripti
accuratiſſimus tradit *B. D. D. Rolfi*
lib. 4. Chym. Sect. IV. à pag. 254. usque
268. è quibus multæ *Extracto* Junip
ſunt decoratæ; quorum autem for
las infrà in affectibus, quibus conv
unt, trademus.

Morſuli antinephritici.

Extracta Morſulis quoque & R
ſæpè adduntur. Morsuli cui in
ciis ſunt, illi ſequentes damus:

℞ *Tragea antinephrit. Quercet.* ℥iij.
Trochiſc. d. Alkekeng. ʒj.
Conſerv. Cynosbat. ℥iß.
Extract. Juniper. *è bacc.* ℈iv.
Sacchar. in ▽ Juniperi *ſine vino*
ſolut. qſ.

Miſc. F. l. a. Morſuli. S. Stein-Morſ

Rotulæ præſervantes

Rotulæ ſequentes commer
merentur, quippe quæ me meosque
menti DEI auxiliò, ab inſultu & c
gio febrium malignarum hactenùs
nuè defenderunt, parantur ita:

℞ *Extract. angel. elenu. juniper.* ãã
Ol. deſt. juniper. rut. ãã ℈vi.
Sacchar. in ▽ *ſcorzoner. ſolut. qſ.*

Miſc. F. l. a. Rotulæ. S. Præſervir-K
lein Doſ. num. 1. vel ij in ore manè c
nendo.

Su

Succus ex baccis Juniperi expreſ-us vel poſt deſtillationem relictus & ad mellis conſiſtentiam inſpiſſatus, ROB ſi-e MEL JUNIPERINUM vocatur. Para-ur ſequenti modo: *Rob Juniperinum.*

℞ *Bacc. Juniper. matur. & recent. qv.*

Coquantur in ▽. ſimplici, hinc ex-rimantur & per ſetaceum ſuccus ex-reſſus trajiciatur, & tandem ad mellis onſiſtentiam inſpiſſetur.

Mel hoc juniperinum hîc locorum tam requens eſt, ut nulla ferè domus ſit, quæ bi de illo non proſpiciat & quando vi-atim portatur & venditur ſibi non omparet, quô ad omnis generis affectus tuntur. Id quod me movit ut *Rob uniperinum purgans* tale compoſue-im: *Rob Juniperinum purgans.*

℞ *Fol. Senn. ſ. ſ.* ℥iij. *Cort. Rad. Eſul. præparat.* ℥ß.
Rad. Gialapp. ℥ij. *Rhabarb. opt.* ℥ß.
Hellebor. alb. & nigr. ãã ʒvi.
Scammon. crud. ℥iß. *Gumm. gutt.* ʒv.
Trochiſc. Alhandal. recent. diſpenſ. ʒß.

Singula ſeorſim minutim conciſa & con-uſa ſeorſim infundantur, & quidem Fo-lia Senn. & Rhabarbarum ▽æ Endiv. Cort. Eſulæ & Fibr. Hellebor. utriusque Vino, Rad. Gialapp. Scammon. Gummi gutt. Trochiſc. Alhandali Spir. Vin. di-gerantur & extrahantur, tincturæ omnes

conjungantur & in leni calore ad di[...] tiorem mellis conſiſtentiam exhale[...] Tunc porrò

℞ *Extracti hujus purgantis comp[...] ti quantum eſt,*
Rob. *Juniperini* ℔ij.

Miſce exactiſſimè atque uſui reſerva. D[...] ſis ʒij, ℥ß, ad ʒvi. pro circumſtantiar[...] varietate. Vires habet panchyma[...] gas, humores peccantes cujuscun[...] ſint generis è corpore humano leni[...] educit, ob frequentem uſum *Rob Ju[...] perini* inventum, ut eo aſſveti & per il[...] commodè purgari & illud ſine nau[...] aſſumere poſſint.

Syrupus SYRUPI JUNIPERINI mentionem [...] cit *Fiorovantus lib. 2. Phyſic. cap. X.* ej[...] que compoſitionem ita tradit

℞ *Baccar. Juniper. nigreſc.* ℔iv.

Contundantur & per ℞vi. infund[...] tur in ſ. q. vini albi, infuſioni adjicia[...]

Mellis opt. ℔ij. *Cinamom.* ℥j. Miſc[...]

Deſtillentur & per deſtillationem [...] aquæ abſtrahantur, quô factô reſidu[...] per pannum lineum torculari expri[...] tur, filtretur, aqua per deſtillation[...] abſtracta iterùm adjiciatur & cum. [...] ſachari coquatur ad Syrupi conſiſt[...] tiam:

Syrupus compoſitus. SYRUPUM de *granis Juniperi Pa[...] enſium compoſitum* tradit *Uffenbacc[...] lib. 1. Antidotar. Sect. 2. cap. X.* qui

℞ C[...]

℞ *Granor. Juniper elect.* ℔j.
bulliant in aquæ q. v. per duas horas, ſeu ad conſummationem humiditatis, Colaturæ adde

Sacchar. ℔i *Zinzib.* ℥j.
Maceris ʒij. *Cubebar.* ʒi.

Exponantur ☉i vel alii loco calido, donec ſpiſſeſcat.

Electuaria è baccis juniperi parantur quamplurima, quorum formulas ex Autoribus ſi colligere & huic diſſertationi inſerere vellemus, totum volumen conſcriberemus, cum vix ullum extet *Electuarium*, quod baccæ Juniperi non ingrediantur, ideò unicum hic addimus, quod *Theriacam Germanicam* appellat & in peſte aliiſque morbis magnificè commendat *Quercetanus cap. 23. Pharmacop. dogm. reſtit. p. 784.* *Electuaria.*

℞ *Granor. Juniper. matur. quantitatem magnam, à* ℔vi. *ad* x.

Hæc infuſa & macerata in vino albo generoſo vel hydromelite vinoſo ad ignem parùm bulliant, deinde conquaſſentur & per ſetaceum trajiciantur, & Fiat Extractum:

Extracti hujus ℔j. adde *Pulv. Rad. Angel. Dictamn. Cinamom* āā ℥ß.
Terr. ſigillat. Corall. præp. Perlar. præp.
CC. præparat. āā ʒij.
Spec. Elect. d. gemm. Diambr. āā ʒiß.
Croci ʒj. *Camphor.* ℈ij. Redu-

Reducendo omnia cum aquâ cq
dam Theriacali in formam Electu
mollis.

Aliud *Electuarium* eodem nom
inſignitum *Tabernæmontani* tradit
nertius lib. 4. de febrib. cap. 7. p. 908. &
ribus Theriacam æquare aſſerit.

Plura ejusmodi *Electuaria* de
bit *Quercetanus loc. citat.* ut *Electuar*
ovo Maximiliani Imperatoris. Elect
de ovo majus & minus, Antidotum M
rem & Minorem contra peſtem &c. qui
omnibus *baccæ juniperi* admiſcen
poſſunt videri *locô citatô.*

Salis laus

SAL quoque ineſt *baccis Juniper*
magnarum virium, eſt enim Sal Cor c
ſi & anima vegetabilium, quod cor
ſuum non relinquit, niſi planè deſtrua
& maximâ cogatur vi, ut ab illo ſe
retur, eaque propter optimô jure
poteſt, primum vivens & ultimum m
ens. Vis enim illius & in tenerrimis pl
tulis eorumque rudimentis à primò
tim ortu apparet, quippe quæ illi ſap
ſuum & efficaciam debent, quod ex
plo Urticæ, Aronis & ſimilium prob
haud difficile eſt, cùm in illis vix ex u
ro magnæ matris egreſſis ignea quaſi
pareat vis, cutim exurens, quam uti
ab acri ejus ⊖e cuti ſe promptè inſi

a

nte eamque adurente provenire arbi-
ramur, ut verè quadret illud:

Urit maturè quod vult urtica manere.

mò à ⊖e facultatem mirabilem res
iſtas à putredine defendendi, diſſol-
endi, coagulandi, detergendi & eva-
uandi omniumque rerum ſoliditatem,
eterminationem, ſaporem aliasque in-
nitas virtutes dependere teſtatur *Be-*
vinus lib. 2. Tyrocin. Chym. cap. 2. Et Lan-
ius §. 30. Miſcell. Curioſ. Med. in Sale re-
um robur vitale, medicamque ſalutem,
mò princeps vel vitale feliciter meden-
i robur latere ſatis eleganter & proli-
è demonſtrat, cum quibus in quamplu-
mis conſentit *Sennertus* & fusè, quomo-
o & quousque hæc aſſertio ſtare poſſit,
ſtendit *lib. 1. de conſenſ. & diſſenſ. Chym. c.*
alen. à pag. 303. ad 311.

Sal hoc corpori ſuo tàm firmiter
dhæret, ut ab illo non, niſi maximâ &
enitus deſtructivâ vi, ſeparari poſſit:
uamdiu enim res aliqua quæ ⊖ con-
net res eſt & dicitur, tamdiu ⊖ fovet
lique ineſt & prius ab illâ ſeparari ne-
uit, quàm ſi planè deſtruatur & in cine-
bus quoque firmiter inhæreat, ut ab
lis non niſi ſingulari arte & actu, per
ixiviationem videlicet, impetrari poſ-
t, quin & poſt mortem, ut ita loquar, &
paratione m indolem matris & corpo-

 ris,

ris, è quibus evocatum eſt, imitetur,, demque affectibus contrarietur eosdl que ex corpore humano expellat.

Cum autem ⊖ium magna ſit dl rentia, & teſte *jam laudatô Sennertô loco* neque ex plantis qui eliciuntur Sa planè ſimplices videantur, ſed ex p mis compoſiti, quoniam in plant animalibus variè alterantur & miſc tur Sales, & plantarum aliæ plus S aluminoſi, aliæ ⊖lati, aliæ urticaliss piperini, aliæ plura genera Salium m contineant, quarum differentiarum gentem copiam tradit *Mouſettus in ſtolis Chymicis à Sennerto allegatis*, I promanare putamus, quòd in aliis p tis Sal volatile, in aliis Sal fixum p valeat.

Utroque *Sale baccæ juniperi* tàm quàm *volatili* ſunt condecoratæ, *Vola* licet exiguum, ſub Spiritu deliteſcit, *xum* autem ſatis copiosè præbet modô parandum.

Sal Juniperi ex baccis.

℞ *Capit. mort. baccar. in præparat Spiritus relict. Vel Bacc. Juniper recent.* Combuſtione redigantur in cineres quibus fiat lixivium cum ▽ ſimplic pidâ modo vulgari, quæ elixiviatio t diu continuetur, donec aqua effluat lius ſaporis. Lixivium hoc comm ter coctione ad ſiccitatem redigitu

coa

pagulatur, Præfert tamen *B. D. D. olfincius*, ut lixivium plumbeo vaſi ommiſſum lento igne exhalet & apparente cremore albicante in locum frigium reponatur, & ſic in fundo apparere t Sal Cryſtallinum ulteriùs exſiccanum.

Salia hoc modo parata plerumque urificari & dealbari ſolent variis mos, è quibus præcipuos collegit *Sennerus lib. V. Inſtit. part. 3. ſect. 3. cap. 15.* ibi dendos.

Salium purificatio non adeò neceſſaria. At cùm ob vehementem calcinationem ſæpiusq; reiteratam ſolutionem & agulationem, multum tàm à quantitate molis, quàm à quantitate virtutis dedere videatur, conſultiùs, ſalvô tamen iorum doctiori judiciô, duceremus, dealbatio iſta omitteretur, & magis rtutes, quàm ſplendor medicamenti onſideraretur.

Salium puricandi modi optimi. Quod ſi tamen Sal quoddam nimis npurum ſit, ita ut nauſeam ægris excire vereatur, & ideò neceſſariò purificao quædam inſtituenda, purificari poſt vel hâc ratione, ut Sal à primâ coaulatione paratum teratur, & latæ taulæ vitreæ vel marmoreæ inſpergatur, ita per deliquium in cellâ ſolvatur, quor ſolutus per filtrationem purificeur, atque iterùm in tigillo vitreato lentô

lento △e ſuper carbones coagule
quemmodum præ omnibus eligit
nertus locô ſæpiùs citatô & Sal hoc m
puriſſimum evadere teſtatur.

Vel poſſet Sal cum Sulphure p
ficari ad mentem & normam *Nobil*
D. D. Fehrii, Academ. Natur. Curri
Præſidis & Argonautæ graviſſimi, q
tradit in *Hierâ picrâ ſeu Abſinth. e*
p. 161. quoniam teſtatur cum Sulphu
mnem Salis impuritatem absque c
noxâ deflagrare, imò & Sulphur vo
litate & tenuitate ſuâ potius Salia
tare quàm deſtruere.

Vires Salis Juniperini. VIRES Salis *juniperini* ſunt diure
balſamicæ & diaphoreticæ, & in v
affectibus feliciſſimè exhibetur in v
culo convenienti. Nullum auter
Salia convenientius eſt vehicul
quàm juſcula ſine additione Salis
muni parata; In his enim Salia ſi exh
antur, acrimoniâ ſaporis guſtum no
fendunt, & ſic etiam homines ab
medicamentis planè abhorrentes
modè decipi illisque medicament
geri poſſunt, ſicuti & nobilem quar
Perſonam, haud ita pridem Eryſip
graviter decumbentem & ab omn
medicamentis planè abhorrentem
Salium uſum dum cibis illi inſciæ
miſcebantur ſalia, feliciſſimè, Deo fi
& brevi reſtituimus.

Compoſita Salia tàm *baccæ Junipe-*
ri, quàm *Sal Juniperinum* ingrediuntur,
illorum multas tradit formulas *Myn-*
ſichtus in Armamentario Chymico viden-
das.

Spiritum quoque *Sal Juniperi-* *Spiritus Salis Juniperini.*
num fundit penetrantiſſimum, ſi partes
ejus II. cum boli albi vel rubri partibus
I. miſceantur, exinde globuli formen-
tur, & per retortam, obſervatis ignis gra-
dibus, pellantur. Præterea ex *Sale Junipe-*
rino cum Spiritu Salis vel ⊖li MAGI-
STERIUM, aliô nomine *Spiritus Salis vel*
⊖lis balſamicus coagulatus dictum, para-
tur ſequenti modo:

℞ *Salis Juniperin. qv. Spiritus Salis vel*
⊖li q. ſ.

Sufficit autem, quando vel nulla amplius
ebullitio, Spiritus ſi affundantur,
percipitur, aut ſapor acidus præ Sa-
lino animadvertitur, quô factô Sal cum
Spiritu miſtum leni ignis calore coagu-
la. Vires easdem cum Sale poſſidet,
Doſ. ℈ß.

Et hæc de *præparatis*, ex *baccis Juni-*
perinis quæ proficiſcuntur, ſufficiant,
cum ex ſequentibus plura, quibus in-
ſerviunt, præparata peti poſſint. Acce-
dimus nunc ad *Gummi Juniperinum* ejus-
que præparata.

GUMMI JUNIPERINUM præbet 1. DECOCTUM 2. INFUSUM 3. OLEUM.

Decoctum Juniperini gummi.

DECOCTI mentionem facit & ex unciâ ſemis *Gummi Juniperini* cum Rhenani ℔j, vel alterius optimi ℥VIII. coctum *componit Schönbornius Manual. Med. Pract. p. 50.* cujus colaturam, calidè ſi in ore detineatur, ad dentium dolores à causâ frigidâ, commendat.

Infuſum: Vernix liquidus.

INFUSUM præbet *Vernicem liquidam* qui fit, ſi *gummi* hoc oleo lini infundatur & in moderato calore ſolvatur. præter uſus Mechanicos commendatur ad ambuſta & hæmorrhoidum dolores leniendos à *Schrödero lib. 4. Pharm. Med. Chym. p. 88.*

Oleum ex gummi Juniperino.

OLEUM ex *gummate Juniperino* paratur ad modum, quô ex aliis gummibus oleum elicitur, vel per Veſicam, vel per Retortam, indolem matris ſuæ referens.

Unguenta, Emplaſtra & Suffimigia gummi hoc ingreditur.

UNGVENTA præterea & EMPLASTRA tàm *oleum* hoc, quàm *gummi Juniperinum* ingreditur varia, & in ſubſtantia quoque *Suffimigiis* aliiſque medicamentorum formulis adhibetur, quas tamen infrà commodiùs, nimiam prolixitatem hujus capitis fugientes, ſumus tractaturi.

CAPUT IIX.

USUM SPECIALEM JUNIPERI IN AFFECTIBUS CAPITIS DECLARAT.

I. DOLOR CAPITIS.

DOlente & langvente capite corpus *Dolor capitis.*
univerſum dolere & langvere notiſ-
mum eſt, ideoque capiti ſuccurrendum
Medico, dolorque tàm mitigandus
uàm aufferendus eſt. Sed non unô
olet modô Regia mentis ſedes: Jam
nim pars illius exigua dolore atrociſſi-
o, ac ſi *clavus* ibi eſſet infixus, corripi- *Clavus.*
ur, ideò & talis affectus *Clavus* in foro
edico dictus eſt, jam dimidia ſaltem
pitis pars ab *Hemicraniâ*, dolore mi- *Hemicrania.*
m in modum torquente, qui & tactum
rre recuſat, vexatur, jam *Cephalalgia* *Cephalalgia.*
tum caput excruciat; jam quoque
phalæa illud invadit & antiquam *Cephalæa.*
uandam ſibi adſcribit poſſeſſionem, &
grè ex hoſpitio cedit levique occaſione
vertitur, tantâ ſtipata moleſtiâ, ut &
nnia quaſi homini adverſa ſint.

Hiſce omnibus generosè ſe oppo-
t *Juniperus*: Si enim dolor ab humori-
s, cujuſcunque ſint generis, proveni-
, tunc illi præmiſsô aliquô medica-
mentô

mento præparante quale commem... *Rolfincius lib. 2. Conſultat. 2.* evac... poſſunt *Rob. noſtr. purg.* ℥ß. Medica... tum præparans tale eſt:

Internè. ℞ *Cryſtall.* ♀i ℈i.

Sal. majoran. juniper ãã ℈ß.

Miſc. divide in duas partes in chart... ſtinctis S. zwey Kind-Pulver, Hôc f...

℞ ▽. *Verben. majoran. beton.* ãã ℥ß

Rob. Juniperin. purgant. ℥ß.

D. ad Vitr. S. Purgirent Haupt-Tr... lein auf einmahl.

Si à pituitâ dolor oriatur, ad... tum illa præparari & digeri pote... quente, quod commendat *Gryl...* *part. de ſecund. Univerſal. Evacuat.* ... *re p. 64*

℞ *Spirit. deſtill. ſuccin.* ʒiß.

Eſſent. rorismarin. flor. pæon. ãã ʒj.

Extract. gran. juniper. rut. ãã ℈j.

Caſtor. g̃ VII.

Spir. ⊕*li* ℈i. *M. D. S.*

Digerirende Haupt Eſſentz. Doſ. gt...

Internè inter alia commen... *Aqua baccarum Juniperi ſimplex*, ut ... qua vitæ compos. minor. *D. Rivi...* talis:

℞ *Granor. juniper contuſ.* M. IV.

▽. *vitæ vel Spir. Vin. aut Spir.* ...

per Menſ. j.

nfund. per 3.dies poſtea deſtill. per Bal. ar. deſtillato adde

Fol. ſalv. iv. *arthet. puleg.* ãã Mj. *croci* ʒij. eſervetur in benè clauſo vaſe ad uſum, oſis cochl. ſem. ad. 1.

œminæ dolore capitis à Catarrhis laboranti *Nobiliſſimus & Excellentiſſimus* . D. *Johann. Arnold. Friderici P. P. Jenſis famigeratiſſimus, Præceptor meus honoratiſſimus* νῦν ἐν ἁγίοις ſequens præripſit, teſtante hoc *Protocollo medico MSS.* quod ex ſingulari humanitate & enevolentiâ Viri *Maximè Reverendi que Excellentiſſimi Dn. Joh. Chriſtfried gittarii SS. Theol. Doctoris & Ducatus tenburgici Superintendentis Generalis meiſſimi* poſſideo, qui illud poſt obitum *D. D. Friderici* mihi communicavit:

Elix. Juniper ʒiij. *Eſſent. ſuccin.* ʒiß.
▽*æ ſalv. lil. convall. prim. ver.* ãã ℥j.
iſc. D. S. Miſtur wieder das Hauptweh.

Pilulas ſeqventes in Viro 40. annorum, Vietori hujus loci, hemicraniâ fiecto, egregium præſtitiſſe adjumenm obſervavimus: *Obſervatio.*

Extract. juniper. majoran. verben. ãã ℈ß. *opii* gr. VIII.
Eſſent. lil. convall. q. ſ. Miſc. F. Pilulæ S. llen wieder das Hauptweh auf 4. mahl.

Externè quoque *Juniperus* ejusque rtes in doloribus capitis ſæpè adhintur. Sic *Externè.*

℞ *Bacc. juniper. cochl. 1. Nucl. perſi*
num. XX. Thuris alb. parùm

Contundantur omnia ad pultis co
ſtentiam & temporibus applicetur. '\

℞ *Majoran. virid.* Mij.
Bacc. juniper. cochl. ij.

Minutiſſimè conciſ. & contuſ. irro
tur ▽. roſar. trajiciantur per ſetace
ut arilli remaneant, tunc adde alb. o
num. ij. Aceti roſac. & △. roſar. c
capiti applicetur. *Conrad. Cunrath.*
dull. deſtill. p. 428.

In dolore capitis Scorbutico
doariam & *Baccas Juniperi* cum a
Sambuci, Verbenæ, Betonicæ admo
ſvadet *Drawitz tit. 5.* vom Scharb
ſchen Hauptweh.

II. VERTIGO.

Vertigo. MUlta ſunt & non videntur, & n
videntur & non ſunt, elegans eſt
verbium, id quod maximè quadr
vertiginoſos, quorum oculis multa
runtur aliâ ſub ſpecie, quàm reverà
eosque multa etiam ſubterfugiunt
adſunt, interdum enim omnia qua
tantia ac ruinam minitantia in g
verti ab illis conſpiciuntur, inter
etiam viſu prætereunt res ſatis conſ
as, id quod variis ex cauſis, ut ſang
craſſitie, vaporibus, capitis imbe

tate, ♀e immodicâ aliiſque rebus motum Spirituum animalium inordinatum reddentibus evenire ſolet. Hunc quoque affectum opprimunt & abigunt medicamenta juniperô inſignita.

Aquam ſequentem *Sennertius lib. 1. Med. Practic. part. cap. 4.* efficacem deprædicat. *Internè.*

℞ *Herb. ſalv. menth.* ãã Mj.
majoran. Mß.
Flor. lavend. Mij. *rut. roſmar.* ãã Mß.
Nuc. moſch. macis, caryophill.
Gran. paradiſ. cinamom.
Gran. Juniper. Sem. pœon. ãã ℥ß.
Infund. in ſ. q. Vini Rhenani vel Malvatici, poſteà deſtillentur.

Aquam Cephalicam *D. Hartmanni Beieri* hìc maximè proficuam deſcribit *a Uffenbach. in appendic. Antidotar. p. 591.*

℞ *Fl. lil. convall. paralyſ.* ãã ℔j.
Fol. ſalv. rut. roſmar. majoran. ãã Mj.
Bacc. Juniper. ℔ß. *Gran. Paradiſ.* ℥iij.
Rad. dictam. alb. pœon. ãã ℥iv.
Nuciſt. zedoar. zinzib. ãã ℥j.
Vini generoſi qſ. pro Confectione,
Macerentur per menſem, poſtea deſtillentur.

Elixir Cephalicum non ad Vertiginem ſolùm, cui tamen maximè contrariatur, ſed alios etiam affectus capitis proficuum, tradit *Hofmannus in Theſaur. Pharmaceut. p. 59.*

℞ *Rad. acor. pæon. viſc. quercin.*
Lign. alôes, bacc. juniper. āā ℥ß.
Sem. pœon. ℥iij.
Cinamom. Caryoph. macer. cardam.
Fruct. anacardin. āā ℈IV.
Flor. anthous, ſalviæ, prim. ver. pæ
calend. beton. lavend. ſtœch.
lil. convall. euphrag. tiliæ āā

Affund. Spir Vin. opt. qſ. digere ☉ VI. ad extrahendam Eſſentiam, ſtea fiat deſtillatio, Deſtillato adde

Ol. deſtill. lavend. quant. velit imbi
⊖is juniperin. Spir. ⊕ li impræg
Extract. Lign. Alôes ℥ß.

Reliqvum in fundo adde & Miſce. F lixir.

Spiritum Vini Cephalicum, qu *baccæ Juniperi* quoque nobilitant, m mè ad vertiginem extollit *Mynſichtus* 18. *Armamentar. Chymic. p. 274.*

Extractum Cephalicum *Que tani* ut & Elixir vitæ majus & mi *baccæ Juniperi* ingrediuntur, & ad ve ginem maximoperè commendantur.

Externè. Externè *Oleum Juniperinum* baccis Vertiginoſis adhibet *Conrad* *rath medull. deſtill. p. 445.* & naribus ſuque illinere jubet.

Sequentem ſuffitum Vertigi præſcribit *Rolfincius, lib. 2. Conſultat.*

℞ *B*

℞ *Benz. ſtorac. calamit.* āā ℨij.
Caryophill. ℨiij. *gran. juniper.* ℥ß.
Flor. lavend. ℨij. Miſc. F. Pulvis:
carbonibus inſpergatur pro ſuffitu.

III. APOPLEXIA.

QUemadmodum Glacies pro materia aquam & vaporem habet, ita Apoplexia & Paralyſis ex iisdem proveniunt cauſis, humoroſis videlicet & vaporoſis, & differunt ſaltem hi affectus ratione majoris & minoris, & quamvis in ambobus lædatur motus & ſenſus, major tamen adeſt læſio in Apoplexia, ibi enim cum ſenſu & motu reſpiratio quoque nonnunquam cum pulſu aboletur & ratio, in Paralyſi verò motus tantùm & ſenſus hujus vel illius corporis partis tollitur ſine rationis læſione. *Apoplexia.*

In utroque affectu *Juniperina* excellunt medicamenta. Inprimis in Apoplexia maximoperè commendantur injectiones Clyſterum, qui Spiritus animales excitare valeant, & ſic talem commendat *Sennertus lib. med. Pract. part. 2. cap. 33.*

℞ *Rad. ireos, angelic.* āā ℨiij,
Fol. rut. calaminth. puleg. hyſſop. cent. min. laur. āā Mj.
Flor. ſtœch. Arab. lavend. āā Mß.
Fol. ſenn. Sem. cartham. āā ℥ß.

Bacc. juniper. ℥iij. *agaric. alb.* ℥ij.
Pulp. colocynt. *in petiâ ligata*,
hujus locô in humore melancholic
Hellebor. nigr. ℥j.
Coqu. ſ. q. Hydromel. Colatur. ℔j. add
Elect. hier. ſimpl. ℥vj. *hier. logadi.*
Benedict. laxativ. āā ℥ij.
Pil. cochiar. ℈j. *ol. rut.* ℥ij.
Mel. roſat. vel anthoſat. ℥j. ⊖ *gem*
℈iv.
Miſc. F. Clyſter.

Inter interna aquæ excellunt A plecticæ dictæ, quarum paucas repe formulas juniperi baccis orbatas, uti dere licet *apud Sennert. loc. cit. Que tan. Langium, Vid. Vidium. Euonymu Weckerum, Mynſichtum, Timæum à G denklee in Caſ. Med. & alios,* quarum f mulas omnes & ſingulas addere no non eſt inſtituti.

Internè.

Singularem Miſturam Antapop cticam deſcribit *Rolfincius lib. 4. Chim. ſ. 4. cap. 2.* quæ talis:

℞ *Miſturæ* ⊕*latæ*, ♀*iſatæ*, *theriacalis*
Spir. CC. ⊖*e volatili imprægnati*
lil. convall. ſangvin. human. āā
Extract. Granor. juniper. rorisma
ſalv. betonic. ſerpil. āā ℥j.
Eſſent. lavend. lil. convall. āā ℥ß.
Syrup. fl. lavend. pœon. āā ℥iij.
Miſce omnia exactè; ſtent in digeſti
ig

gnis lenti, ſpatio ♂ ℞iij in cucurbitâ, donec in fundo vaſis appareat hypoſtaſis ſeu ſedimentum ſpiſſum craſſumve, reliquum verò clareſcere incipiat & rubeſcere rubini aut vini inſtar rubri. Purum ab impuro ſeparetur per inclinationem. Quod ſi quid in digeſtione exſtillaverit per alembicum ſuprapoſitum, adde Colaturæ, quæ iterùm coletur. Colatum ſervetur in vitro benè claudendo. Doſis ℈i, ℈. ℈ij.

Quercetanus cap.9. Pharmacop dogm. reſtit. tale vinum Apoplecticis ordinat & dicit, quòd unum vel duo cochlearia illis exhibita, ſubitò Apoplecticos reſtituant & tanti mali tyrannidem arceant:

Flor. lavend. Salv. Anth. ãã *p.IV. vel V.*
Bacc.juniper. ℥ij.

Infund. vitro, affundatur Vinum optimum, occlusô vaſe macerentur in Bal. Mar. tepidiſſimo per 4. vel 5. dies, Colentur.

Simile Vinum medicatum *juniperi baccis* nobilitatum, Apoplecticis præſcribit *Deckerus in notis ad Prax. Barbett. cap. d. Apoplex. ibidem* videndum.

Sal Apoplecticum tale exhibet *Mynſicht. Sect. XI. Armament. Chymic. pag. 194.*

℞ *Sem. eruc.* ℔ij.
Rad. lil. convall. pyrethr. caryoph. ā̄ā̄
Ceraſor. nigr. ſylveſtr. exſicc. ℔ß.
Bacc. juniper. laur. ā̄ā̄ ℥iv.
Herb. iv. arthet. majoran. roſmar.
origan. hyſſop. ſalv. acut. ā̄ā̄
Flor. calend. lavend. prim. ver.
ā̄ā̄ ℥ij.

Miſc. F. l. a. Sal candididiſſimum.

Loquela amiſſio in Apoplexia. In loquelæ amiſſione Apoplecticc… ſequens maximis extollit laudibus… *lippus Müllerus l. V. Miracul. Chymic.* p…

℞ *Granor. Juniperi* Mij.
Aqu. Vitæ. Menſ. 1.

Contund. & macerentur in Aqua V… per triduum & colentur per pann… Imponantur deinde ſalvia, pulegiu… naſturtium & croci ʒj. Detur pat… & ſtatim loquelam recuperabit.

Singulare quoque medicame… ad amiſſam loquelam recuperanda… *Juniperis* concinnat *Conrad Kunra…* *466. medull. deſtillator.* quod *locô* … videri poteſt.

Externè. Inter externa ſequentia Capiti a… cat in Apopl. *Sennertus loc. ſupra alleg.*

℞ *Fol. ſalv. majoran. puleg. rut.* ā̄ā̄
Flor. chamomill. ſtœch. Arab.
lot. ā̄ā̄ Mß.
Rad. calam. aromat. Sem. aniſ.
Bacc. juniper. ā̄ā̄ ʒß.
Nuc. moſch. cubebar. ā̄ā̄ ʒij.

C…

coqu., in vaſe clauſo cum ſ. q. Vini, Cola-
ura pro fomento capitis Detur. Si præ-
ictis ad mollitiem coctis & contuſis ol.
utæ vel irinum addatur, Cataplasma
t capiti applicandum. Vel

℞ *rutac. nardin.* ãã ℥iß.
deſtill. bacc. juniper. ʒiij.
Pulv. caſtor. ʒj. *euphorb.* ʒß.
era. qſ. F. Linimentum, Capiti & Spi-
ali medullæ applicandum.

In deſperatis Apoplecticis *Horſti-
m* capiti raſo ſummo cum fructu ap-
licuiſſe ſequens Emplaſtrum teſtatur
rylingius lib. 1. Med. Practic. part. cap. VI.

℞ *Myrrh. elect. ſtyrac. calamit.*
Bdellii Benz. Ladan. ãã ℥ß.
Sandarac. Ar. ℥iß. *Lap. lazul.* ʒß.
Oſſ. cran. human. præparat. ʒijß.
um ſ.q. Styracis liquidæ F. Emplaſtrum.

IV. PARALYSIS.

QUamvis recenſita medicamenta & in paralyſi quoque magnoperè proſint, *Paralyſis.*
lbet tamen & alia quædam ab Autoribus
ecificè ad Paralyſin commendata ad-
ere ut Virtus *Juniperi* eò magis omnibus
noteſcat.

Præclarè monet *Quercetanus p. 665.*
armacop. dogmat. reſtitut. adverſus Pa- *Internè.*
lyſes hydroticum eſſe parandum ex

ligno juniperino cum floribus Calendu[illegible] Lavendulæ & Roſmarini magnâ cop[illegible] addendo ſingulis hydroticis ſuos Sa[illegible] in majorem utilitatem, nec non liq[illegible] rum acidorum ex ♀is & ⊕li Spiriti[illegible] aliquot guttulas.

Sebizius part. 2. Specul. Med. Pr[illegible] ſect. 2. cap. 13. Aquam è baccis Juniperi Paralyſin internè ſingulariter comm[illegible] dat.

Miſturam ſequentem, capiti [illegible] pote confortando apprimè conveni[illegible] tem ægro Paralytico præſcripſit *Ro[illegible] tius lib. 2. Conſultat. 20. p. 295.*

℞ *Aqu. ſalv. prim. ver.* ãã ℥ij. *S[illegible] CC.* ℈ß.
Extract. juniper. ℈ß. *caſtorei* ℈i[illegible]
Syr. cinamom. ℥ß. *ambr. gryſ.* g[illegible]

Miſc. Doſ. cochlear unum vel dimidi[illegible]

Vel

℞ *Miſtur. ſimpl.* ℥VIII. *Spir. lign. qu[illegible]*
Liquor. CC. ãã ℥j.
Extract. bacc. juniper. ℥ß. *CC.* ℈i[illegible]
prim. ver. calendul.
calam. aromat. majoran. ã[illegible]
Eſſent. ſalv. anthous ãã ʒß.
Moſch. ambr. ãã ℈ß.

Miſc. optimè, digerantur ut clarifi[illegible] tur; Colentur & uſui reſerventur. ℈j. ʒß. ad ℈ij. in liquore conveni[illegible] *Geyling. lib. 1. med. Pract. part. 1. c. 7[illegible]*

Externè. Externè à medicamentis quo[illegible]

1[illegible]

ultum auxilii Paralytici ſibi promit-
nt. Talia medicamenta externa quam-
urima extant apud *Sennertum loco ſu-
à allegato*, quæ omnia *juniperi baccis*
nt inſignita.

In Spiritu Vini Paralytico *Myn-
ti* primum ferè tenent locum *baccæ
iperinæ*, ſicut ex deſcriptione ipſius
t. 18. Armament. Chymic. p. 284. vi-
ndâ liquet. *Idem* Balneum Artificia-
ubi Thermæ naturales deſunt, parat
que *baccas juniperi* ad ℥vij. adjungit &
s vires ad membra paralytica recre-
da parteſque nervoſas calefaciendas,
iccandas, roborandas, priſtinæque
tioni reſtituendas extollit *Sect. 28. cit.
. p. 411.*

*Grembſius p. 173. arbor. integr. & rui-
homin.* hanc tradit inunctionem.

Lumbricor. terreſtr. bacc. juniper.
Sem. eruc. ãã ℥ij.
Rad. angel. pyrethr. arõn. ãã ℥j.
Flor. lavendul. roſmarin.
Piperis long. allii recent. ãã ℥ß.
Maſtich. ſuccin. citr. euphorb. caſtor.
ãã ʒiij.

affunde Spir. Vin. rectificat. ℔iij. Co-
ura ſervetur ad uſum, quâ cum mem-
paralytica ſæpius inungantur.

Poterius fotum ex pede bovino, ad-
is Fol. rorismarin. ſalv. menth, praſs.
alb.

alb. calamenth. origan. ãã M℔. B…
laur. *Juniper* ãã pj. quæ mixta in aqu…
Vino coquebantur, Paralytico profu…
obſervavit, uti refert *in Centur. 1. Obſerv…*
Curatione 45.

Sequens ſemicupium, adhibiti…
additis aliis quibusdam idoneis re…
diis, alium Paralyticum reſtituiſſe …
teſtatur *Poterius Cent. 2. Obſervat. Curat…*

℞ *Bacc. juniperi* ℔ij. *laur.* ℔j.
Fol. roſmarin ſalv. menth. major…
abſinth. calamenth. origan. r…
chamomill. melilot. ãã M IV.
Flor. Stœch. Ar. roſar. anthous ãã…

Coqu. in Vino & aqua pro ſemicupi…

Balſamum Antiparalyticum ſi…
larem deſcribit *Schröderus lib. 2 Pha…*
cop. med. Chym. cap. 41, cui *Baccæ Ju…*
ri ad ℥j. admiſcentur.

Nec jam citatus *Mynſichtus* …
gvento ſuo Paralytico, *ſect. 35. Arma…*
Chym. deſcripto, oleum Juniperinum a…
voluit, ſed illud ad ℥j. eidem adju…

Obſervatio Noſtram ſi adducere liceat ex…
entiam puellam Paralyticam in Ci…
Heringenſi 14. annorum hiſce re…
mus.

Præmiſſis medicamentis pu…
tibus diaphoreticum tale ordinavi …

℞ *Lign. ſanct. juniper.* ãã ℥j. *ſaſſafr…*
Rad. ſarſaparill. ℥iij.

oqu. in ſ. q. ▽ fontanæ, Colaturæ adde
Rob Juniperin. ℥ß. *Syrup. fl. pæon.* ℥iß.
ſc. S. Schwitztränckſtein auf 4. mahl.

Inter alia adhibuimus ſequens
æoſaccharum magnarum certè virium
omnibus capitis affectibus frigidis:

Ol. anthos. rut. lavend. juniper. ãã ℈ß.
ſuccin. gvij. *apoplect. ab aquâ apoplect.* ℈j.
Succin. alb. præparat. cran. human. præp. ãã ʒj.
Cinnab. nativ. ℥ß. ♁ij. ʒj.
Sacchar. Canariens. opt. ℥ij. l. iij.

ſc. exactè F.l.a. Elæoſaccharum D. S.
uptſtärckendes Zucker-Oel.

Præterea addidimus ſequentem
turam:

Spir. CC. cum ⊖e volat. ʒj.
Eſſent. juniper. caſtor. ſuccin. ʒß.

ſc. in vitro S. Schlag-Eſſentz.

Externè membra paralytica pan-
aſpero ad rubedinnm usque fricari
imus & poſteà oleo ſequenti inungi:

Ol. d. laterib. ſpir. ſuccin. juniper. ãã *deſt.* ʒß.
caſtor. euphorb. lumbricor. ãã *coct.* ʒij.

ſc. DS. Euſerliche vermiſchte Oele zu
erſtarcten Gliedern.

Ad Paralyſin à Variolis excitatam *Paralyſis à Variolis*
poſt illas relictam ſequens commen-
dat

dat Ungventum *D. Gregorius Hoo*[illegible] *Tractat. de febr. malign. edito à D.* [illegible] *el Horſtio p. 141.*

℞ *Pingved. tax. vulpin. anat.* [illegible]
ãã ℥i.
Ol. abſinth. chamomill. rut. ãã
bacc. laur. juniper. ãã ℥ij.
Flor. chamomill. ſalv. ãã Mj.
Vin. malvatic. ℥iij.

Miſc. F. l. a. Ungventum, quô [illegible] dorſi & membra Paralytica inunga[illegible]

Paralyſis Scorbutica.

A Scorbuto nonnunquam Pa[illegible] ſin ortum ducere ſæpius obſervatu[illegible] quæ Paralyſis dicitur Scorbutica, [illegible] jus initiis ſequens profuiſſe teſtat[illegible]

Externè.

verinus Eugalenus Tractat. d. Sc[illegible] *p. 70.*

℞ *Herb. beton.* MIV. *Bacc. juni*[illegible] Coqu. in ℔viij. Aquæ ad modum [illegible] Coletur & exprimatur, addatur Sa[illegible] ℔ij. Coqu. ad ſyrup. conſiſtentiam [illegible] ab igne remoto adde Zinzib. ℥ij. [illegible] ris, Calam. aromat. Cubebar. Fol. [illegible] ãã ℥ß Miſc. F. Electuarium. Doſ. c[illegible] ante & poſte cibum.

Sic in eâdem Paralyſi Decoc[illegible] ligno Saſſafras, Rhodio, Quajaco[illegible] dic. Sarſaparillæ, Chinæ cum *baccis* [illegible] *peri* aliisque antiſcorbuticis comm[illegible] *Drawizius* von der Scharbockiſche[illegible] mung *p. 163.*

Præterea jam *citatus Drawizius p.* *70. & ſeqq.* ſequentia in Paralyſi ſcorbutica laudat Diaphoretica:

℞ △. *Enul.* ℥iß. *prim. ver* ℥j.
Extract. bacc. Juniper ℈ß.
Galang. gr viij.
Spir ♀*i rectificat.* ℈j. *piperit.* ℈ß.
Eſſent.caſtor. gr VI.
Manus Chriſti cum ⚯ *ſuccin. parat.* ʒiij.
Miſc. F. Potio.

Vel

℞ *Rob. Juniperi* ʒj. *Sambuc.* ʒß.
Succin. alb. præp. gr XII.
Pulv. ſem. cochlear gr VII. *hyperic.* gr V.
Ol. lign. ſaſſafras gr ij
♀*i ter Spir. Vin. rectific.* gr ij.
Sacchari q. ſ. Miſc. F. Bolus.

Linimentum poſtea externè concinnat *Externè.* vide p. 174.

Rad. pœon. galang. ãã ʒiij.
Summit. ſalv. hyſſop. beton. ãã *p.* ij.
Flor. chamomill. rom. pœon. ãã *p.* iij.
Fol. origan. rut. recent. ãã Mß.
Bacc. laur. Juniper. ãã ʒiij.
Caſtor. ʒiß.

Inciſ. & contuſ. Coqu. in Ol. lumbricor. ℥ß & Vini ℥iij. ad vini exhalationem, poſtea adde

Ol. nuc. moſch. expreſſ. ʒij.
Succin. roſmarin. deſt. ãã ℈j. Miſce.

Vel

Vel

℞ *Sapæ bacc. ſambuc. Mell. juniperi*
Reſin. pin. Ol. lilior. alb. ãã ℥ij.
Gumm. Ammoniac. in ſucco ſummit.
ſambuc. depurat. ℥j.
Herb. chamæpytid. meliſſ.
Flor. chamomill. ãã ℥j. & ʒij. lav.
♀i ad nigred. calcinat. ʒß.
Miſc. F. l. a. Emplaſtrum.

Hactenus Drawizius.

Hartmannus p. 87. *Practic. Chymiatric.* ſequens commendat ad membra reſoluta:

℞ *Summitat. origan. fol. querc.*
Bacc. juniperi ãã M IV.
Conor. abiet. num. IX.
Coqu. cum ▽ communi ad craſſit. quô decoctô membra foveantur dum frigeſcat.

V. EPILEPSIA.

Epilepſia. SI Epilepſiam cum PIESTERO, gentium quondam Deaſtro, æneis hîc fi[…] depictô, comparemus, rem faciemus […] ingenio acuendo idoneam, quàm […] rei veritate conſentaneam.

PIESTERUS imago eſt ænea, inc[…] nec adhuc, brachium licet hanc ob[…] ſam illi ſit avulſum, cognitæ æris ſp[…] hominis ſedentis ſtaturam præ ſe fe[…] capite magnô perforatô, ore perf[…]

an[…]

PIESTERUS
EJUS FORMA ANTERIOR



PIESTERI FORMA POSTERIOR.



mploque ventre prædita, aſpectu ter-
bilis & tota cava. Hæc ſi adimplea-
ur aquâ aliisque rebus diverſarum qua-
tatum & ſupra ignem, obturatis fora-
inibus in capite & ore ligno firmiſſi-
è, collocetur, paulò poſt cum inca-
ſcit humor tranſudat ſudoris inſtar.
ccedente verò tempore & accreſcente
lore obſtacula foraminibus intruſa &
mota maximo cum impetu rejicit, ma-
oque cum fremitu & boatu igneam
omit flammam maximo cum terrore
mmaque admiratione adſtantium.
anc antiquam & de Gentilium adhuc
perſtitione teſtantem Imaginem aſſer-
t *Illuſtriſſima Aula Sondershuſana*
hwartzburgica, olim poſita fuit in
onte Rotenburgo altiſſimo propè Kel-
am ſito, & eâ uſi ſunt Sacerdotes
hnici ad lucrum excitandum & ſacrifi-
adaugenda, dum Majoribus noſtris,
um neſcientibus, perſvaſerunt, Deum
ſterum eſſe iratum & præ iræ ardore,
lorem illum emittere, ideoque neceſſe
e, ut donis placetur. Hoc ſi factum,
nem ſuggeſtum abſtulerunt & ſudor
anuit, ſin minus, ignem auxerunt &
c ſecuti ſunt fremitus & boatus
isque violenta egeſtio, quibus viſis &
ditis, imperita & ſuperſtitioſa cohors

H attulit

attulit quæ poſſedit, ira Pieſtri ut placc-
tur. O ſuperſtitioſam dementiam!

Sed ad Epilepſiæ comparatione
accedamus. Sicut *Pieſterus* ipsô aſp
ctu imago eſt terribilis, ita & Epi
pſia affectus eſt terroris plenus, ita ut
Romani Comitia, ſi quis repentè ll
morbô correptus concidiſſet, dirim
rent.

Sicut etiam *Pieſterus* ſudorem em
tit, fremit & boat, ignem evomit &c.
ab Epilepticis ſudores quandoque tra
ſpirantur mephitici, fremunt illi n
nunquam & miſerandô clamore om
bus horrorem incutiunt, dentibus ſt
dent, & licet ignem non evomant, eff
tamen ex ore illorum ſpuma horrend
abominabili cum aſpectu.

Sicut etiam recenſitos hos effe
in *Pieſtero* non ab incantatione, ſed a
miâ repletione aque contrariis & i
cem inter ſe pugnantibus rerum ill
rum qualitatibus, necnon ab acri
volatilibus & ſulphureis exortis va
ribus & excitatâ effervefcentiâ, ut &
obſtructione foraminum ligneis cu
conciliatâ provenire putamus, ita
pilepſiam vel à nimiâ & vitioſâ tàm
gvinis quàm aliorum humorum re
tione & abundantiâ, inque non acr

ùm & mordaci ſed ſingulari etiam ho-
ſtilitate & nervoſo generi infeſtâ quali-
ate conſiſtente, vel ab acrioribus & aci-
is vaporibus, effervеſcentibꝰ à cerebro
el inferioribus partibus, obſtructione
borantibus, excitatis, vel à quavis re
apiti & nervis inimicâ provenire autu-
amus, & ſic non imperitè *Pieſterus* cum
pilepſia comparari poteſt.

In terribili hoc affectu *Juniperus*
pem petentibus, operam & auxilium
on denegat, ſed atrocem hunc hoſtem
extrâ felici ſæpe fugat & propellit.

Quercetanus Epilepſiæ Elixir Vitæ *Internè.*
ajus ℥ij *baccarum juniperi* clarum, ut &
quam Theriacalem Cephalicam ℥j *ea-*
ndem baccarum honeſtatam, nec non
quam Antepilepticam Majorem ℥ß *ea-*
ndem nobilitatam opponit, & inprimis
hoc affectu ſequens Decoctum Hy-
roticum deprædicat *cap. 8. pharmacop.*
gmat. reſt. p. 665.

Raſur. lig. bux. ℥ijß. *lign. Juniper.*
Rad. pœon. viſc. quern. ãã ℥iß.
Raſur. lign. Rhod. C. C. ãã ʒvi.
eboris, rad. chinæ ãã ʒß.
Sem. card. bened. cort. citr. ãã ℥j.

acerentur per 24. horas in ℔viii. aquæ
ntanæ tepidæ, Deinde Coqu. ad unius
rtiæ conſummationem addendo ſub fi-
em Decoctionis flor. tiliæ & lil. convall.

ãã p. ij. Fiat Colatura per manicam Hi-
pocratis cujus Doſ. ℥v. ad vi. in potu.

Grülingius lib. 1. Med. Pract. part. *cap. V.* ad Epilepſiam commendat *Electuarium Juniperi* cum Magiſterio Smaragdi.

Externè. Externè in paroxyſmo Epilep... cervicem illinere monet *Hofmannus meth. med. cap. 19. oleo ex ligno juniperi.* *Sennertus lib. 1. Med. Pract. part. 2. cap.* oleo ſequenti membra ut inungantur convulſa ſvadet.

℞ *Ol. lil. albor. chamæmel.* ãã ℥ß.
Pingued. human. ʒij. *Ol. juniper.*
ʒj. Miſce.

Linimentum ad nares tale in paraxy... idem commendat Autor *loco citato*:

℞ *Extract. rut.* ℈ij. *caſtor.* ℈j.
Ol. deſt. rut. ſuccin. ãã ℈ß.
Gran. juniper. majoran. ãã gr.
Camphor. gr v. *Theriac. antiqu.* ʒ...

F. Linimentum ad nares

Simile Balſamum Epilepticum ... cinnat *Hofmannus Theſaur. Pharma...* *p. 35* & eodem nares & verticem ca... bis vel ter in die inungit, quamvis ... *Juniperi* ſpinæ dorſi illitum idem pr... re indicat *Conrad Kunrath medull.* ... *p. 446.*

Cucupham ſequentem æg... ſalutarem pronunciat *Rolfincius* ... *Conſult. 12. p. 107.* ℞

℞ *Flor. lil. convall. prim. ver. pœon.* ãã Mj.
Rad. acori, valerian. fraxinell. ãã ℥ß.
Sem. aniſ. fœnic. ãã ʒij, *fol. major.* MIV.
Reſin. tacamahac, junip. hederæ ãã ℥ß.
Succin. ℥j.

Contuſis & conciſis adde ol. anthous, rhodin. ãã ℈ß. conſuantur in ſyndone lubrâ.

In Epilepſia infantum ſpinam dorſi & membra quæ contrahuntur ſequentibus remediis illinire jubet *Verzaſcha l. 1. Obſer. Contract. cap. 8.* — *Infantum Epilepſia.*

℞ *Aqu. ſalv.* ℥ij. *aqu. vitæ cum caſtor. & maſtich.* ℥j.
Spir. lil. convall. juniper. ãã ℥ß.
Ol. deſtill. ſuccin. ℈j. Miſce.

Vel

℞ *Ol. vulpin.* ℥j. *caſtor.* ℥ß. *rut.* ʒij. *deſtill. è bacc. juniperi* ʒj. Miſce.

VI. CONVULSIO ſeu SPASMUS.

DE Ebriis haud imperitè Comicus ita loquitur. Neque manus neque pedes faciunt officium, ſed veriùs in Convulſos illud quadrat, quibus nulla corporis pars convulſa remanet in officio; at huic malo ſtrenuè ſe opponit *Juniperus*, internè & externè adhibita. — *Convulſio.*

Internè ad convulſionem Syrupum de pyrethro compoſitum ʒiij. *baccarum* — *Internè.*

carum juniperi clarum exhibet *Mynſ-tus ſect. 16. Armament. Chymic. p. 262.*

In Spaſmo maligno & epidemico ... no 1596. & 97. graſſante potum è Rad... bus helenii, pœoniæ, Herb. ſalviæ, ru... *baccis juniperi* in uſu fuiſſe ægrotis te... tur *Sennertus lib. 4. de febr. cap. 14.*

Externè. Externè ſequens Unguentum ... Spaſmo ex *Paræo* extollit *Fabricius Hil-nus cap. 24. Tract. de Gangræna*:

℞ *Herb. ſalv. chamæpit. majoran. menth. rut. lavend.*
Fl. chamomill. melilot. aneth. hyp... ãã Mß.
Bacc. laur. Juniper. ãã ℥ij.
Rad. pyrethr. ʒij.
Maſtich. Benz. ãã ℥iß *Therei... Ven.* ℔j.
Ol. lumbricor. aneth. catellor. ãã ... *Therebinth.*
Axung. human. ãã ℥ij. *Vin. mal...*
Ceræ q. ſ. Miſc. F. l. a. Ungvent...

Notum & celebre quoque eſt Balſa... Spasmaticum *Mynſichti*, quod ita ſe... *Armament. Chym. pag.* 475. parat:

℞ *Pingved. angvill.* ℥j.
Ol. galban. cum Spir. therebinth. de... lumbricor. lil. albor. ãã ʒiij.
ſuccin. alb. rectif. roſmar. angel. ...
Bacc. juniper. chamomill. origan... laur. ãã ʒj.

Caryophyll. lavend. ſalv. rut. ãã ℈j.
Miſc. & cum Ol. Moſch. expreſs. & Ceræ lb. ãã qſ. F. l. a. Balſamum.

Sic & Ungvento ſuo Spaſmatico idem Autor *Spiritum Juniperi* ad Uncias tres adjungit, *ſect. 35. pag. 490. libr. citat.*

Balneum tale commendat *Verzacha lib. 1. River. Contract. cap. VI.*

℞ *Rad. alth.* ℥ij. *lil. albor.* ℥j.
Fol. beton. malv. parietar. ſalv. chamæpit. ãã Miij.
Sem. lin. ℥iß. *fœnu græc.* ℥ß.
Bacc. juniper. ʒvi. *laur.* ʒiij.
Inciſa & contuſa coquantur pro Balneo.

Curavimus elapsô annô juvenem in hâc civitate 14. annorum, motibus convulſivis in manu & pede ſiniſtri lateris obnoxum, ſequentibus; *Obſervatio.*

Præmiſſis purgantibus & vomitoriis idoneis Diaphoreticum tale ordinavimus:

℞ ⊖ *C. C. volat. ſuccin. volat.* ãã gr. XVI.
juniperin. fix. ℈j.
Flor. ✱ci ℈ß.
Miſc. Divid. in 4. æquales partes S. Vier Schweißtreibende Pülverlein.

Hiſce adhibitis ſudavit per horam ſingulis vicibus in laconico, in quo ſedens artus convuſos inungere juſſimus Spiritu ſequente.

℞ *Spir. lumbric. terreſtr.*
Bacc. juniper. āā ℥iij.
Lign. juniperin. ℥j.
✱ci ℥vi.
Miſc. S. Vermiſchter euſerlicher Spiri
Ex laconico egreſſus ſpinam cd
ut & manum & pedem in latere ſimi
inunxit oleo ſequenti:
℞ *Ol. vulpin. de caſtoreo* āā ʒij.
deſt. laterin. juniper. āā ʒß.
ſuccin. ℈j.
Balſ. ♁*is juniperin.* ℈ß.
M.D.S. Euſerlich Krampf-Oel.
Quibus adhibitis, DEO ſi ll
convaluit.

VII. AFFECTUS SOPOROSI

Ὕπνον τοῦ θανάτου ἀδελφὸν qui dix
vero non aberravit, experiunt
lud ægri affectibus ſoporis obnoxii
mortuis magis ſimiles apparent q
vivis.

Sunt autem affectuum ſopor
Lethargus. rum potiſſimum quatuor. I. dicitur
thargus & eſt inexpugnabilis dormi
neceſſitas cum febre, qua tamen
excitari & ad interrogata ut reſpon
adduci poteſt, licet ſtatim in ſom
Carus. iterum relabatur. II dicitur *Carus*,
adhuc profundior ſomni neceſſitas
febre, ex quo æger vix excitari pote

d interrogata non reſpondet. III. voca-
ur *Catalepſis,* quæ eſt ſomni profunditas *Catalepſis.*
anentibus oculis apertis & perſeve-
nte corpore in eo ſtatu & figura, quâ
ger correptus fuit. IV. *Coma ſeu Cata-* *Coma.*
pora appellatur, & eſt ſomnus quoque
rofundus, à quo tamen æger excitari
oteſt, ut oculos aperiat & vocatus re-
ondeat, in quem autem mox iterùm re-
bitur. Proximè accedit ad Lethar-
um, à quo tamen differt, quòd absque
bre hominem corripere ſoleat.

Et in hiſce affectibus *Juniperus* præ-
o eſt manu auxiliatrice, ut ex ſequenti-
us patebit.

In omnibus ſoporoſis affectibus *Internè.*
ecoctum reſolvens capiti applicat &
achia, manus, pedes, & crura illo
care jubet *Riverius lib. 1. med. Pract.*
p. 2.

Rad. pæon. ℥ß. *angel.* ʒij.
Fol. beton. ſalv. rut. ãã Mj.
Flor. majoran. lavend. anthos ãã pj.
Bacc. juniper. ʒiij. *laur.* ʒij.

oqu. in vin. alb. veter. & aceti opt. ãã
j, Colatura Detur ad Vitrum & appli-
tur.

Tinctura Diaphoretica ſequens in
nibus morbis ſoporiferis proponitur
Schrödero lib. 2. Pharmacop. med. Chym.
p. 85.

℞ *Rad. zedoar. angelic. calam. arom*
galang. ſarſaparill. ulmar.
Macer. zinzib. cinam. gran. parr.
Piper. nigr caryoph. lign. ſaſſafr. ãã
Aloës, maſtich. myrrh. thur. (
phor. ãã ℥ß.
Moſch. ℈j. *Spir. Vin. Aqu. roſ. moſchat.* ã
ut Superemineant digitos 4.

Adde ad maturandam putrefa[c]-
nem :
Spir. ♀*is. per camp.* ℥ß.
⊖*is juniper.* ℥j.

Stent in loco calido per 14. dies. D[e]

In *Lethargo* liquorem hunc
bet *Sennertus lib. 1. Med. Pract. pa*
cap. 20.

℞ *Extract. granor. juniper.*
angel. zedoar. ãã ℥j.
Theriac. antiqu. ℈ij.
Syr. d. ſcord. acetoſit. citr. ãã ℥v.
▽. *rut.* ℥vi. *cinamom.* ℥ij.
Spir. ⊕*li gutt.* ix. Miſc.

De quo cochlear unum vel alteru
pius exhibendum.

In eodem affectu Decoctum
rans tale præſcribit *Rolfincius lib.*
ſultat. V. p. 94.

℞ *Rad. pæon. fœnic. caryop. helen.*
Fol. beton. roriſmar. ſtœchad.
lavend. cum flor. ãã Mß.
Flor. anthos, lav. ſalv. lil. conval.

Lign. juniper. rhod. ãã ʒiij.
Nuc. moſch. num. ii. *Sem. aniſ. fœnic.* ãã ʒj.
[C]oqu. in ſ. q. ▽æ fontan. in vaſe clausô [c]olaturæ ℥ix. adde
Syrup. d. ſtœchad. ℥iß. *d. pœon. anthos,* ãã ℥j.
Succini catarrhal. ʒj. *Sacchar. cand. qſ.*
[M]iſc. F. Potio D. in fictili S. Haupſtärcken[d]e Tranck auf 3. mahl.

Idem *Autor* ad eundem affectum [B]alſamum ſequens ita concinnat *loc. cit.*
℞ *Ol. deſt. lavend. caryophill. cinamom. majoran. lil. convall.* ãã ℈ x.
Succin. ℈j. *juniper.* ʒj.
Nuc. Moſch. expreſs. qſ. ad balſami conſiſtentiam.
[M]iſc. D. S. in pyxide ſtanneâ vel argenteâ [H]aupt-Balſam.

Externè quoque *Sennertus locô jam [ci]tato* Lethargicis, caput ut hiſce Deco[ct]is illinant, ſvadet. *Externè.*
℞ *Herb. beton. ſalv. roſmarin.*
Flor. ſtœch. Ar. ſpic. noſtr. ãã ʒij.
Bacc. laur. juniper. ãã ℥ß.
Sem. pœon. rut. fœnic. ãã ʒj.
Rad. Pyrethr. ʒiij.
[C]oqu. in vaſe duplici, vel locô calidô [di]gerantur. Colaturâ expreſsâ caput [i]llinatur.

Vel

Vel

℞ *Bacc. laur. juniper.* ā ā ℥iß.
Rad. angel. zedoar. imperator. ā ā
Herb. roſmarin. ſalv. beton. ā ā M
rut. ſalurej. majoran.
Flor. lavend. ā ā Mß.

Inciſa bulliant in ſ. q. ✝i, in quo dec-
cto ſpongia vel linteum madefiat &
piti calidè applicetur.

Timæus à Güldenklee lib. Caſ. me
21. ſequens decoctum ad Cari Cura-
nem præſcripſit:

℞ *Coſt. Ægyptiac. ver.* ℨvi.
Rad. pœon. ☽ *decreſcente collect. fl*
acor. ver. angel. cyper. enul.
ā ā ℨiij.
Herb. roſmarin. beton. mel. ß. ſalv
majoran. thym. ā ā Mß.
Fl. prim. ver. lavend. lil. con
ſtœch. Ar. ā ā pj.
Bacc. laur. juniper. ā ā ℨiij.
Sem. aneth. fœnic. rut. ā ā ℨiß.
Lign. ſaſſafras odoriſ. ℨvi.

Inciſ. & conquaſſat. Coqu. in ſ. q. ▽ ſ
Colaturæ ℔iij. adde
Syrup. d. hyſſop. d. ſtœchad. d.
ā ā ℥iß.
de beton. ℥ij.
Oxymell. ſimpl. ℥ijß.

Mixta clarificentur cum albumin
D. in fictili S. Decoctum.

VIII. ΑΓΡΥΠΝΙΑ ſeu VIGILIÆ NIMIÆ.

DE Argo Vigilace ita pulchrè *Ovidius lib. 1. metamorph. fab. XVI.* canit. *ἀγρυπνία*

entum luminibus cinctum caput Argus habebat,
de ſuis vicibus capiebant bina quietem
etera ſervabant, atque in ſtatione manebant.

d oculi Argi non omnibus conceſſi, eò,

uod caret alternâ requie durabile non eſt.

roinde ℞ *Bacc. Juniper contuſ. q. v.*
Ol. lini qſ.

oveantur ſæpe, coquantur vaſe operto temporibus refrigerata applicentur. *nrad Kunrath. medull. deſtill. p. 429.*

Celebre eſt Emplaſtrum hypno-m *Mynſichti*, quod ita *ſect. 36. Arma-ent. Chym.* parare docet:

Ungvent. popul. ceræ citr. āā ℥iij.
Opii ſpagyr. præp. Ol. nuc. moſch. expr. āā ℥iß.
Tacamahac, maſtich. Sandarac. āā ℥j.
Storac. calam. oliban. el. Reſin. āā ℥ß.
Gall. moſchat. ver. Extract. croc. āā ℈j.
☍ *deſt. roſar. ver.* ℈ß. Miſce.

l. a. Emplaſtrum, Temporibus, fron-& pulſibus ante ingreſſum lecti appli-ndum.

IX. MA-

Mania. IX. MANIA.

MAximum DEI donum eſt mens ſa-
na in ſano corpore, & econtra a-
minabile & horrendum eſt ſpectacu-
hominem videre amentem & inſan-
tem, quippe qui belluæ feroci magi-
milis eſt, quàm homini, in crudeliſſi-
tamen hoc affectu ſolatium à *Jun*-
præmiſſis præmittendis expectari
teſt.

Internè. *Joh. Michaël Savonarola Tract.*
Practic. major. cap. 1. ſequens Mani-
commendat Electuarium, præſertim
xui ſequiori:

℞ *Agni caſt.* ℥iij. *Bacc. juniper.*
tillior. āā ℥ß. *Pœon.* ℥j.

Perfectè piſtentur & non cribellentu
cum melle non deſpumatô F. Elect-
um. Doſ. quantitate nucis magnæ
nè & ſerò.

Alii, teſtante *Sennerto*, commen-
Emulſionem ex ſemine papav. alb.
jugland. ſem. nigell. cannab. *Gran.*
per. & thure factam cum cereviſi
lidâ.

Externè. Externè in hoc malo idem ſe-
tia commendat *Autor lib.* 1. *Med.*
part. 2. *cap.* 15.

℞ *Herb. verben.* Miß. *ſabin. lupul.*
Placent. roſar. num. 1. *Gran. Juni*

ncifa groſſo modo indantur ſacculo ▽ communi coquendo & verticiim-nendo. Vel

Placent.roſar.num.1. Gran. Junip. Mß.
Sem. lactu . ℥j. papav. nigr. ℥ij.
Spir. Vin. ℥ß. *album. ovi.num.* 1.

ntund. & cum ſ. q. ▽æ roſar. in fine dent. ſem. carv. vel cumin. parùm F. centa capiti imponenda.

Sequentia Maniacis commendat rad *Kunrath. p.* 428. *medull. deſtil-r.*

ernè ℞ *Herb.vel Flor.lav.menth.*āā *q.v.* quantur cum cereviſiâ ſecundariâ, coctum *Baccis Juniperi* & nucleis nu-n juglandium affundatur, ut fiat ar Emulſionis, quâ de manè cali-veſperi frigidè bibatur ad lubitum.

ernè ℞ *Nucl.nuc. jugland. num. XXX.*
Papav. alb. pond. æqual.
Flor. anth. ℥vi.

nibus invicem probè tritis & ſub-s adde:

Ol. deſt. bacc. Juniper. balſamin. āā *gutt.* xii.
▽ *Juniper.* ℥j. *roſmarin. roſar.* āā ℥ß.

. ad conſiſtentiam pultis, & cata-matis locô capiti tribus noctibus licetur.

Rolfincius lib. 2. Conſultation. 9. ca-

piti

piti Maniaci ex amore inſani ſequ
ſacculus ut applicetur ſuadet:

℞ *Fl. anthos, betonic. lil. convall. prim. ver. lavend. roſar. ſalv.* ā ā
Succin. maſtich. ā ā ℥j. *benzoës,*
Styrac. opt. ā ā ℈ij. *gumm. junipe*
Nuc. moſch. ā ā ℥iß. *Cubebar.* ℈
Miſc. F. l. a. Species pro Cucupha:
ſperge ol. majoran. deſt. gutt. VI.
rhod. gutt. IV. S. Hauptſtärckende Sp
es zur Farbe.

Pro ditioribus ambra, moſchu
Spir. lil. convall. addi poſſunt.

Obſervatio. Elapsô annô 1676. Maniacum;
nis vinctum 3. menſium ſpatio, feli
hiſce curavimus medicamentis.

I. ℞ *Extract. hellebor. nigr.* ℥j. *fol. ſen*
Solvantur hæc extracta in ſ. q. ▽æ
gallid. D. S. Purgier Tränckſein
mahl.

Cum verò expectationi hæc
ſatisfacerent ægerque, ne venen
exhibeantur, metuens, plura adm
nollet, ipſi neſcienti vino vitrum
℥VIII. infuſum aliquoties exhibuim
purgatô corpore ſanguinem è di
venis, ut ex medianâ brachii ſiniſt
baſilicâ brachii dextri, ex ſalvatell
nuum & ex cephalicâ utriusque
largiter in pletorico miſimus, & p
manè & veſperi uſi ſumus Pulve
quenti:

℞ *Nitr. cum* 🜍 *prep.* ℥ß. *ſacchar.* ♄i ʒiij.
Corall. rubr. ſuccin. præp. ā ā ʒiß.
⊖ *angel. juniper.* ā ā ℈ij.
Cinnabar. nativ. ʒvi.
iſc. omnia, D. S. Pulvis Antimaniacus
oſ. ℈j.

Pomeridiè horâ tertiâ ordinavi-
us:

I. ℞ *Eſſent. anagallid. & hyper. Rolfinc.* ʒiß.
Tinct. corall. ʒj ℥ij ʒß.
iſc. in Vitro S. Vermiſchte Haupt-Es-
ntz:

Externè verticis & temporum re-
o illinebatur hoc Balſamo:

. ℞ *Ol. nuc. moſch. expreſs.* ʒij.
deſt. ſuccin. gagat. anthous, ā ā ℈ß.
juniper. lavend. ā ā gtt. vii.
iſc. l. a. ad conſiſtentiam Balſami.

Quibus adhibitis, DEO ſit laus,
vus eſt & incolumis & adhuc officiô
iterùm fungitur.

K. MEMORIÆ IMBECILLITAS.

Leganter, licet ex opinione propriâ, *Memoria Imbecillitas.*
ingenioſiſſimus Renatus des Cartes part. 1.
Paſſionibus monſtrat, quomodo repe- *Memoria quomodo contingat ex mente Carteſ.*
mus in memoriâ ea, quorum recor-
i volumus, *inquiens*: Cum anima
t recordari alicujus rei, hæc voluntas
cit, ut glans (quam cerebro peculia-
r ineſſe dicit) ſe ſe inclinans ſucces-

ſivè horſum & illorſum, impellat Sp[illegible]
tus ad varias cerebri partes, usque d[illegible]
invenerit eam, in qua ſunt veſtigia, [illegible]
reliquit objectum, cujus volumus [illegible]
cordari: Nam illa veſtigia nihil a[illegible]
ſunt quàm quod pori Cerebri, per q[illegible]
Spiritus antea ceperunt ſuum cur[illegible]
propter præſentiam hujus objecti acc[illegible]
ſiverint majorem facilitatem quàm [illegible]
ſeſe rurſus aperiendi eodem modô [illegible]
ritibus, qui ad ſe veniunt: adeò [illegible]
Spiritus, eos poros facilius ſube[illegible]
quàm alios, quâ ratione excitant m[illegible]
ſpecialem in glande, quæ repræſ[illegible]
animæ idem objectum, & ipſi inc[illegible]
idem illud eſſe, cujus recordari
lebat.

Magnus eſt Theſaurus firma[illegible]
moria, & quantum noceat ejus im[illegible]
litas, norunt hâc qui ſunt affecti.

Contra hunc affectum ſtrenu[illegible]
gnant *baccæ Juniperi, teſtante Sebiz*[illegible]
2. Specul. med. Pract. cap. 15.

Internè. Pilulas ad memoriam *Sennert*[illegible]
Balſamum mnemecephalicum, [illegible]
Schrôderus & Sennertus deſcribunt, *ju*[illegible]
baccæ quoque ingrediuntur, utra[illegible]
deſcriptionem, cum *Nobiliſſimus*
Herdot in Crocologia tradiderit, no[illegible]
hîc repetere.

L[illegible]

Internè Pulverem ſequentem in
emoriæ Imbecillitate ordinavit *Platt-*
s lib. 1. obſerv. pag. XI.

Sem. coriandr. fœnicul. aniſ. carv.
ſaccharo ſemi coopert. ãã ʒiij.
Majoran. ſicc. ʒß. *gran. Junip. num. X.*
Cinamom. ℥ß. *ſpec. diagalang.* ʒj.
Sacchar. roſ. tabulat. qſ. F. Pulvis.

Externè ſequens præſcribit Ungven- *Externè.*
m *Sennertus lib. 3. med. Pract. part. 2. cap. V.*

Ol. coſtin. juniperin. ãã ℥j. *nardin.* ℥ij.
de caſtor. ℥ß. *ſpicæ,* ℥iij.
Pulv. Cinamom. nuc. moſch. ãã ʒj.
caryophill. macer.
Flor. anthoſ. lavend. ſtœch. Ar. ſpic.
celt. ãã ʒß. *roſ. purp.*
Cubebar. piper. long. ſiler. mont. cardamom. ãã ℈ij.
Vini malvat. ℥iij. ▽*æ roſar.* ℥iv.

oqu. ad conſummationem humiditatis
Colentur, poſtea adde *Spec. diambr.*
moſch. dulc. dianth. ãã ʒj.

Moſch. in ▽ roſar. ſolut. ʒß. Miſc.

Ungventum, quo poſt lotionem capi-
occiput illinatur.

XI. CATARRHI.

QUemadmodum in hoc orbis μακρο-
κόσμῳ non ſemper aureum Solis ju- *Catarrhi.*
r homines delectat radiis aureis, ſed
nboſus quandoque ſurgit Orion im-

breſque nubibus hiſpidos manant in gros, ſic in homine μικροκόσμῳ vari quoque occurrunt catarrhorum imbre qui variant triplici modô 1. ratione te mini à quo, 2. ratione viæ per quam, 3. ratione termini ad quem derivantu ſicque fiunt vel Externi vel Interni, (C lidi itidem vel Frigidi, prout cauſæ e excitantes ſe habere ſolent. Omnib hiſce generosè reſiſtunt *Juniperina med camenta.*

Præmiſſis Purgantibus neceſſa ἱδρωτικὰ medicamenta ad expellen & funditùs extirpandos totius corpo humores noxios magno ſunt uſui. forma Decocti arrideat, tale præſcri *Rolfincius lib. 2. Conſultat. 22.*

℞ *Rad. angel. fœnic.* āā ℨj.
Fol. card. bened. capill. ♀. *veron.* āā
Fl. chamæmel. Rom. ſambuc. āā
Sem. aquileg. bacc. juniper. āā ʒi
citr. excortic. ℈j.
Lign. ſaſſafr. gvajaci āā ℥iij.
Coq. in ſ. q. ▽æ fontan. Colaturæ ℔j. a
Syr. d. ſcord. card. bened. āā ℥ij.
Miſc. F. Potio ad 4. Doſes.

Si autem catarrhi nimis acres, nues, calidi, cum tuſſi vehementi c nuiſque vigiliis ſint conjuncti, int pientia & incraſſantia medicamenta hibenda ſvadet *Sennertus lib. 1.*

F

ract. part. 2. cap.34. hâc tamen cum cau-
ione, ne ſtatim principio adhibeantur
atarrhum ſiſtentia, ſed potiùs diver-
entia, niſi forſan materia cum periculo
d pectus ruat & ſuffocationis pericu-
um immineat, monetque ſiſtentibus
on eſſe utendum poſtquam materia
am ad pectus defluxit, ſed dum ad pe-
us deſtillat. Pilulas præſcribit tales.

℞ *Thur. albiſſ. ſandarac. Ar. myr.* ãã ℥ß.
Lign. aloës. nuc. moſch. macer. croc. ãã ℈j.
Ladan. puriſſ. ſtyrac. calam. ãã ℥ij.
Moſch. g̃ v.

iſc. & cum Syrupo de ſtœchade F. Pi-
læ pro ℥j. num. VI.

Vel dentur deglutienda grana ma-
ichis & thuris horâ decubitus vel per
, vel ita præparata:

℞ *Gran. thur. maſtich. ſandarac. Ar. Tragacanth.* ãã ℥ß.

acerentur in vino rubro, deinde exſic-
entur & deglutiantur num. V. vel VI.

Externè à *Sennerto loc. cit.* com- *Externè.*
endantur varia, ut Pulveres ad ſuffi-
us, Pulveres capiti inſpergendi, Saccu-
pro capite, Cerota ad ſuturam Coro-
alem obducendam, Emplaſtra & alia
lia, omnia *juniperi partibus* inſtructa &
ondecorata.

Inprimis in Catarrho ſuffocati
ſi maximum ineſt periculum, Phœnig
& Veſicatoriis opus eſſe Autor eſt
Sennertus loc. cit. hancque Phœnigmii
mulam addit:

℞ *Rad. aſphodel. pyrethr.*
Bacc. laur. juniper.
Piper. long. ſinap. ãã ℥j.

Terantur in pulverem & inunctô
vertice oleô coſtinô aliquid de illo
ſuturam coronalem inſpergatur, vel
oleo euphorbii & cera qſ. F. Cer
Suturæ Coronali imponendum.

*Uffenbachius in appendic. ad Al
tar.* pulverem talem internum ad
cunque defluxiones deſcribit:

℞ *⊖is uſt. bacc. juniper. laur.*
Sem. cumin. aquil. aniſ. cinam. ã
☿i ▽â diſſolut. & coagulat. ʒß.
Zedoar. zinzib. ſuccin. macer. ã
Croc. ℈j. *rad. tormentill.* ʒj.
Sacchar. ad pondus omnium.

Miſc. F. Pulv. Doſ. quantitate
avellan. in cibo quotidiè ſumenda.

In tuſſi à catarrho acri ſec
commendamus Eclegma:

℞ *Rob. Juniper.* ℥j. *Syrup. de juju
ſan.* ãã ℥ß.
Spec. diatrag. frig. diaireos ãã
Sperm. cet. non ranc. ℈j. *flor. ben
Ol. ſacchar. cum Spir. Vin. para*

liſc. D. S. Ablöſender Bruſt-Safft.

Grülingius lib. 1. Med. Pract. Part. 1. ap. 14. varia proponit medicamenta nticatarrhalia externa, ut Pulverem ro ſiſtendo catarrho, qui capiti inſperendus, Suffimigium, Species pro capitis pedum lotione, Sacculum in caarrho frigido, Pulveres pro fumo, Saculum ad materiam catarrhi abſumenam caputque roborandum, Pomum ooriferum, Pileolum in catarrho frigio, quæ omnia *juniperi* partibus ſunt noilitata & *loco citato* videri poſſunt.

Mynſichtus ſect. V. Armament. Chym. pec. diabalauſt. in catarrhis commenat, quibus *gummi Juniperinum ad* ℨß ddit, & ſuffimentum *de ſandaracâ* & *de uccino* ad catarrhos ſiſtendos & exſicandos maximoperè extollit *ſect. X. lib. 2. tat. B. D. D. Hofmannus p. 64. Theſaur. harmacevt.* Emplaſtrum Altenburgenium *gummi Juniperino* quoque clarum roponit & in catarrhis, apoplexia, eilepſiâ, paralyſi &c. bregmati applicaum mira præſtare dicit, vid *loc. cit.*

Pro pedum lotione in catarrhis equentia præſcripſit *Timæus à* Güldenlee *lib. 1. Caſ. med. p. 46.*

℞ *Herb. ſalv. hyſſop. origan. thym. beton. majoran.* āā Mj.
Fl. chamomill. Miß. *ſtœchad.* Mj.

Summit. aneth. Mj. *Bacc.* *Junip*
℥ij. ⊖is ℥iij.
Incid. groſſo modo pro pediluvio.

Singularis balſami anticatarrha
cujus operam addendo guttas aliq
olei C. C. ſæpe felici cum ſucceſſu exp
ti ſumus, meminit *Rolfincius lib. 3. Com*
tat. 1. paratur ita:

℞ ⚱ *nuc. moſch.* ʒij. *ſuccin.* ℈ß. *junip.*
majoran. ℈ß. *Balſ. Peruviam*

Miſc. F. l. a. Balſamum S. Balſam an
Schläffe und auf den Nacken zuſtreich

Caput IX.

JUNIPERUM IN OCULORU MORBIS COMMENDAT

I. VISUS IMBECILLITA

Viſus Imbecillitas, ejus Nomina.

MAgnum ad quævis negotia exp
enda eſt impedimentum Viſus
becillitas. Græcè dicitur ἀμάυρωσις,
τȣ̃ ἀμάυρȣ, quod obſcurum quid,
ἀπὸ ἀμαυρεῖν, quod obſcureſcere de
tat. Vocatur quoq; ἀμβλυωπία, ἄμ
μα & ἄμβλωσις, ἀμβλὺ enim hebe
obtuſum, & ἀμβλύνω idem quod ob
do, hebeto, obtuſum reddo, ſignific

Differentiæ,

Nomina hæc inter Autores ſæp
Synonymis habentur, aliter tamen ſ
unt *Aëtius tetrad 2. ſerm. 3. cap. 48. P*
lib. 3. cap. 22. Actuarius lib. 2. meth.
c. 7. & ἀμάυρωσιν, quæ etiam nonn

utta ſerena, Germanis der ſchwartze ſtaar audit, perfectum videndi impedimentum, cum nempe omninò nihil cernitur ſine manifeſtâ oculi affectione, dicunt, ἀμβλυωπίαν verò videndi ſaltem obſcuritatem nominant.

Differunt itaque inter ſe ratione graduum, & magnitudine cauſarum, quæ ſi majores ſint ἀμαύρωσιν, ſi minores ſint ἀμβλυωπίαν introducunt.

In viſus debilitate corrigenda & cæcitate prohibendâ locum non poſtremum tenet Juniperus, parteſque ejus pleriſque medicamentis ophthalmicis admiſcentur. Ita enim *Sennertus lib. 1. Med. Pract. part. 3. ſect. 2. cap. 44.* Aquam ophthalmicam componit:

℞ *Fol. rut. euphraſ. verben. fœnic.* ãã Mj.
Summit. roſmar. ſalv. Fl. roſar. ãã pij.
Gran. junip. ℥j. *caſſ. lign.* ʒß. *lign. aloës* ʒß
Sem. fœnic. ℥ij. *rut.* ʒß.

Infund. in vini malvat ℔vi. Macerentur per dies V. poſtea deſtillentur.

Aquam quoque ophthalmicam *D. Hoereri* aliamque aquam ophthalmicam, ut & Electuarium oculos roborans idem Autor ſubjungit, quibus omnibus *Baccæ Juniperinæ* adjunguntur, & in aquâ oculari internâ *Mynſichti* primum tenent locum & baſin illius ferè conſtituunt *Baccæ Juniperinæ*, ſicuti videri poteſt *ſect. Armamentar. Chym. p. 297.* Vi-

Vinum medicatum tale in v
imbecillitate præſcripſit *Platerus* il
obſervat. pag. 107.

℞ *Fol. euphraſ. ſicc.* ℥j. *Rad. fœnicul.*
Fol. caryophillat. ʒvi. *beton. vern*
majoran. ãã ℥ß.
Flor. roſmar. ʒij. *Sem. fœnic.* ℥ß.
Gran. Juniper. ℥j.

Incidantur atque in doliolo colloce
inter ſcobes *ligni Juniperini*, affunde
ni albi generoſi Menſuras X. vel XIII.
vetur ad uſum.

Philippus Müllerus lib. V. Mi
lor. Medic. ſequens extollit Electua
& hujus uſu cœcum quendam 9 a
rum viſum recuperaſſe teſtatur, & C
aetanus meminit Papam Innocen
II. Abbati cuidam viſu ferè orbat
ximo cum ſucceſſu idem miſiſſe &
buiſſe Electuarium *cap. 7. pag. 7*
Artzenei Buch.

℞ *Sem. fœnic.* ℔iß. *Siler. montan.*
Euphrag. ℔ß. *chamædryos*, ℥j.
Rad. chelidon. ℥ß. *Sem. aniſ. ap*
troſel. ãã ℥iß.
Puleg. Hyſſop. Flor. borrag.
Gran. Juniper. Herb. ſaxifrag.

Pulveriſata omnia excipiantur me
ſpumato, utatur manè & ſerò.

Grülingius lib. 1. med. Pract.
cap. 3. Pulverem deſcribit oculos

onfortantem *granis juniperinis* quoque
ornatum.

Cum autem Viſus Debillitas ſeni-
us plerumque & frequenter accidere
leat, aquam aciem oculorum acuen-
m cœcitatemque in ſenibus prohi-
entem commendat *Quercetanus cap.* 7.
harmacop. dogmat. reſtit. cujus hæc eſt
eſcriptio:

Senum Viſus Debilitas.

Rad. valerian. enul. camp. fœn. ãã ℥j.
Herb. chelid. euphrag. ãã Mij. *beton. puleg.* ãã Mj.
Sem. fœnic. ſiler. mont. ãã ʒvi. *Bacc. Juniper.* ℥ß.
Flor. caprifol. roſar. alb. ãã pij.
Stœchad. ſalv. anthous, ſambuc. Calend. ſchœnanth. ãã pj.
Zinzib. piper. long. cubebar. cardamom. ãã ʒiß.

ulveriſand. pulveriſentur & contun-
enda contundantur & infuſa in hydro-
elit. malvat. vel vini Canarienſ. ℔iij. po-
antur ad ignem lentum vel ☉em per
vel 6. dies, deinde prœlo fortiter o-
nia exprimantur, expreſſioni adde
quar. pecul. roſar. euphrag. ãã ℔ij. *fœnic. chelidon.* ℔iß.
iſce, Doſ. ℥ß. ad j. bis terve in ſepti-
ana jejunô ventriculô. Poteſt quo-
ue de eâdem aquâ una alterave guttu-
in oculos ſingulo manè inſtillari.

Ad

Ad perſpicilla in ſenibus pracavendaa ...
quentem aquam exhibet *Bartitſchig* ...
3. ὀφθαλμοδουλείας cap. 3.

℞ *Pic. deplumat. num. 1.*
Herb. marrub. alb. fol. rut. ãã M ...
beton. euphrag. ãã Miij.
Rad. bardan. Gran. juniper. ãã M ...

Omnia hæc viridia & recentia con...
dantur & in Bal. Mar. deſtillentur i...
quam, quâ ſingulis diebus tempore...
ſpertino oculi illinantur & ſponte e...
cari permittatur.

Dilatatio pupillarum.

Viſum quoque debiliorem re...
Dilatatio pupillarum in oculis, ad q...
corrigendam præmiſſis præmitte...
ſequens componit *Decoctum Senn...*
lib. 1. Med. Pract. part. 3. ſect. 2. cap. 2...

℞ *Gum. Arab. ſandarac. Ar. tragac...*
Tutia ãã ℥ij. *Bol. Armen.* ʒß.
Sem. lin. cydoneor. croci. ãã ʒj.
Succ. granator. ℥iß ▽. *roſar.* ...

Macerentur omnia in loco calid...
noctem poſtea ebulliant horâ dimid...
Colentur.

Nervi optici vitia.

Quod ſi à *vitiis nervi optici* viſio mi...
tur vel aboleri videatur, ſequens jã...
datus *Sennertus cap. 27. lib. 1. citat.* prop...

℞ *Lign. guajac.* ℔j.
Rad. ſarſaparill. ℥iij. *dictamn. a...*

Coqu in ℔xii. Aquæ ad tertiæ p...
conſumtionem, quâ de manè & ve...

r. exhibeantur. Reliquiis adde:
Herb. Euphrag. M*ij.*
Gran. Juniper. cinamom. ſem fœnic. āā ℥j.
funde Aquæ ℔xii. Coque iterùm ad
tiæ partis conſumtionem, quæ exhibe-
oteſt ut antea.

Læditur quoque & imminuitur Viſus *Strabiſmo*, ad quem tollendum ſequen- *Strabiſmus.*
Species pro capitis lotione laudat
rtiiſchius part. 2. ὀφθαλμοδυλείας c. 4.

Herb. abrotan. hyſſop.
Flor. hyperic. lavend. cheir. bacc. laur. āā Mß.
Gran. juniper. ℥iß *Rad. aſar. Nuc. moſch.* āā ℥ß.

qu. cum ℔iij. Vini Rhenani & ℔iij. △æ
tan. pro lotione capitis.

Singularis quoque Viſus læſio con-
git in νυκταλωπίᾳ, quâ affecti poſt So- *Νυκταλωπία.*
occaſum parùm, vel nihil planè vide-
poſſunt. Hæc ſi tollenda, ſequentibus
ri poſſe ſæpe citatus *Bartiiſchius part. 3.*
θαλμοδυλείας cap. 6. aſſerit.

Herb. taxi ℥iß. *majoran. bacc. junip.* āā ℥j.
Piper. long. caſtor. mann. opt. āā ℥ß.

ncif. & contuſ. affunde Vini & aquæ
ntan. āā qſ. Coq. parùm & de Colatu-
manè & veſperi cochlearia duo aſſu-
ntur.

Externè ℞ *Amyli* ℥iij *ſandarac. Ar.* ℥ij.
Croci ℥ij.

Pulve-

Pulveriſata miſce & illis affunde ▽m
diviæ, parietar. nympheæ ãã qſ.
Cataplaſma noctu oculis impon
dum.

II. SUFFUSIO.

Suffuſio. MIſer homo eſt cui viſio abolita, c
tingit illa in ſuffuſione, à quâ
men ægri liberari quandoque poſſu

Exter-num. Sic *Aquam Juniperi* oculis inſt
tam ſuffuſionem arcere aſſerit *Tabe*
montanus lib. 3. Herbar. Cap. X.

Interna. Ad ſuffuſionem per conſer
internè commendat *Spiritum Jun*
Sebizius part. 2. Spec. med. Pract. ſe
cap. 38.

Platerus lib. 1. Obſervat. p. 105. aq
hanc efficacem deprædicat ejusqu
res ad cerebrum, nervos, oculosq
aſſumatur, pertingere teſtatur:

℞ *Herb. fœnic. rut. euphrag. v*
chelidon. ãã Mj.
Summit. roſmarin. ſalv. fl. roſar.
Bacc. Juniper. ℥vi. *laur.* ℥ß.
Caryophill. piper. ãã ℥j. *cinamom*
Lign. Alôes ℥ß. *Sem: fœnic.* ℥ij.
mont. ℥j. *Sem. rut.* ℥ß.

Infund. in vino generoſo & deſtille
Vinum laxans ophthalmicu
Plempii multis hoc malô laboran
ſalutare fuiſſe teſtantur *Grülingiu*
Med. Pract. part. 2. cap. 7. ℞

Summitat. euphrag. Mj.
Fol. beton. majoran. caryophil. ãã Mß.
Flor. lavend. anthom ãã pj. *lin. SS.* ℥j.
Agaric. trochiſcat. hermodactyl. ãã ʒiij.
Sem. fœn. gran. Juniper. cinam. ãã ʒij.
Caryophillor. ʒj. *Sacchar. albiſ.* ℥ij.
iſc. pro nodulo.

Electuarium ad viſum recuperan-
um mirabile ex *MSS. B. D. D. Michaëlis*
alio ipſi communicatum refert & im-
utat *B. D. D. Hofmannus p. 53. Theſaur.*
armacevt. cui baccæ juniperi ad ℥ß. quo-
ue additæ conſpiciuntur.

Ad guttam ſerenam à putridis &
avis humoribus ortam ſequens com-
onit Electuarium *Bartuſchius part. VI.*
ὀφθαλμοδȣλείας *cap. V.*

Pulv. lign. quajac. ℥IV. *Rad. chin.* ℥ij.
galang. caryoph. ãã ℥j. *Zedoar.* ʒVI.
Syrup. ſquillit. ʒVI. ₒ°ₒ *juniper.* ʒij.
Mellis deſpumat. ℔iß. Miſc.

Electuarium. Doſ. manè & veſperi
ualitate nucis corylinæ.

Singulare quoque Decoctum in
rædicto affectu idem commendat *Au-*
r cap. 6. lib. 2. cit. ℥ijß. *bacc. juniper.*
altatum & *citatô locô* videndum.

III. OCULORUM EPIPHORA.

Piphoræ Vox ambigua eſt, ſignificat *Epiphora; ejus ſignificatio.*
enim quamvis humorum in partem
aliquam

aliquam irruptionem, quo ſenſu ven
& uteri epiphoras dixit *Plinius*. Comm
niter autem denotat humoris aquoſi
ſeroſi in oculos influxum, qui nonn
quam cum dolore, ardore, ruborr
morſu, nonnunquam absque ejusm
ſymptomatibus ægros moleſtat aſſi
lachrymarum deſtillatione, ut lu
quandoque ferre interdum verò m
mè illam tolerare poſſunt.

Calida eſt Epiphora vel Frig
In calida recenſita ſymptomata ad
& pejor eſt frigidâ, quippe quæ ta
moleſtiis non eſt ſtipata.

Ad hunc affectum, ut & ad v
oculorum vitia paratur ex fungo J
perino aqua ophthalmica, quam *Co*
Kunrath tractat. XX. medull. deſtillato
parari docet:

℞ *Fungor. Juniperi q. v.*

In vitrio calori ☉is exponantur,
fungi abeunt in aquam, quam ſi aliq
diu acervo formicarum ſepelieris,
lucida magis fit & clara.

Internè. In omnibus humorum ad oc
defluxionibus & doloribus hanc p
nem extollit ſæpe *citatus Bartit*
part. 12. ὀφθαλμοδουλείας cap. 1.

℞ *Herb. cent. maj.* ℥iß. *abrot. arth*
alb. majoran. āā ℥j.
Bacc. juniper. ℥iß. *macer.*
cand. āā ℥j.

onciſ. & contuſ. coqu. in ſ. q. ▽æ vel Vi-
, de Colaturâ capiantur manè & ve-
eri cochlearia VI.

In frigidâ oculorum Epiphorâ tale
æſcribit Ceratum *Riverius lib. 2. Med.
ract. cap. XVII.*

Thur. maſtich. ãã ℥j.
Gumm. anim. tacamahac. lap. hæmatit. ãã ℈ij.
Gumm. Juniper. ℈j. *Ceræ q. ſ.*
iſc. F. Ceratum.

Sequens aqua tàm in hoc affectu,
àm in ophthalmia aliiſque cum rubo-
dolore conjunctis oculorum vitiis
mmendari meretur:

Herb. junior. fœnic. euphrag. chelidon. ãã M IV.
Flor. roſar. ſambuc. ãã Mj.
Sem. rut. ℥ij
ncif. infund. in ſ. q. ▽æ è *muſco Juni-
no* paratæ, digerantur per aliquot
s, & poſtea deſtillentur in Bal. Mar.

Hæc aqua mira præſtitit in per- *Obſervatio.*
a Illuſtriſſimâ, cùm enim illa elapſo
no malam dextram globulis minimis,
lgò Vogelſtroot / vulneraſſet ocu-
que hiſce, leviter licet, læſus eſſet, to-
oculus tumorem concipiebat & in-
nti rubore & dolore Illuſtriſſimam
nc perſonam moleſtabat, cum ſummo
que & feliciſſimo ſucceſſu oculum

K ab

ab omnibus ſymtomatibus liberavim
erebrò in illum inſtillando ſequens C
lyrium:

℞ *Sief alb. c. opio* ℥j. *Tut. præp.* ℥ß.
Perlar. præp. ℈j. *camphor.* g̃ij.

Tenuiſſimè pulveriſata miſceantur c
aqua ophthalmica jam præſcripta q. ſ.
Sonderlich Augenwaſſer.

CAPUT X.

VIRES JUNIPERI IN AU UM AFFECTIBUS EXPLANAT.

I. AURIUM TINNITUS.

Aurium Tinnitus. TEla præviſa cùm minus nocere
ant, ideò prænunciatum evitare
culum ſapientis eſt. Nuncius mali
ſecuturi, ſurditatis videlicet, non
certus eſt Tinnitus aurium, qui cu
ipſe auditum lædat & plerumque
bus & vaporibus ortum ſuum de
adque graviora mala feneſtram pa
ciat, maturè carminativis tollendu
medicamentis, quibus & *Juniperus*
immeritò aſſociatur.

Platerus lib. 1. Obſervat. hâc co
ctione ſiccâ ad Vapores, ne capu
tant, impediendos utendum ſvadet
12. quem ita componit.

℞ *Sem. coriandr. fœnic. aniſ carv.*
ſemiobductor. ãã ℥ß.

Pulv. diacydon. ſine ſpeciebus ℥j
Sem. cymin. ℥ß. *Gran. Juniper. inciſ.* ℥ij.
Sacchari parum. Miſce.

Sennertus lib. 1. med. Pract. ſect 3. cap. VI. vaporationem ex ſequente Decocto anè & veſperi præſcribit:

Fol. calam. major. cent. min. roſmarin. ãã Mj. *laur. abſinth.* ãã Mß.
Bacc. juniper. elect. num. XV. lupinor. num. XII.
Lumbricor. vino lotor. & in ſyndone ligatorum pß.

pqu. in ſ.q. △æ & duplo vini albi ad nſummationem tertiæ partis. Colatura vetur pro Evaporatione; Quâ dùm er utitur fabas aut piſa aliquot in ore tineat & maſticet, ut patente ita meaauditorio fumus magis penetret. Poſt aporationem facculus calefactus auus imponatur, qualis eſt ſequens:

Fol. major. ſalv ãã Mß. *rut.* Mj. *abſinth.*
Summit. aneth. ãã pij. *bacc. laur.* ℥j.
Gran. Junip. ℥iß. *Flor. chamæmel.* pij.
Sem. cymin. ℥j. *carvi* ℥ß.

ncisa indantur ſacculis duobus ex teinteâ paratis, qui alternatim calidi ibus imponantur.

Tilemannus pag. 127. de materiâ me- â ſequens proponit:

Bacc. laur. juniper. Sem. cumin. carv. ãã ℥ij.

Conquaſſa miſce cum maſſa panis, locentur ſimul in furnum piſtoreum, vidatur deinde per medium & hu ctetur cum Spir. Vin. (melius fort erit Spir. Juniperi) cochl. 4. vel 5. & plicetur adhuc calida auribus.

II. SURDITAS.

Surditas. QUemadmodum dulcis ſonus mum mirificè exhilarat, ita m ſtia non levis eſt, tantâ dulcedine p ri, ſicuti de hoc unicè conqueru Surditate affecti, ad quam tollen præmiſſis Evacuationibus capitis mendat *Riverius lib. 3. Med. Pract.* ſi panis fomenti loco, cum ſemine anteà ſubactus, calens è furno per m um diſſectus auri admoveatur, vel f tâ cruſtâ inferiori Spiritui Vini imm calidè, quantum æger ferre poterit, applicetur. Efficaciorem tamen e cit, ſi panis antequam coquatur cu mine carvi, *baccis juniperinis* ac moſchatâ ſubactus fuerit & mod dicto applicetur auri. Succum hu ſtillandum præcipit *idem Autor loc.*

℞ *Radic. cyper. ſem. aniſ. cumin. juniper.* āā ℥j.

Miſc. F. Pulvis, quo impleatur cæp gnum & excavatum, quod poſtea

prunas coquatur ſuccusque in aurem nſtillandus exprimatur.

Ad auditum quovis modo læſum equens adhibet *Conrad Kunrath.tractat. p. medull. deſtill.*

℞ *Gran. Junip. Herb. ſabin.* ā ā *qv.* ontund. groſſo modo, Coqu. in Vino & mus excipiatur per trajectorium.

Sic & Spiritum tàm Otalgicum uàm Acoviſticum *baccis juniperi* exornait Mynſichtus, ut *ſect. 18. Armament. hym.* videri licet.

Platerus lib. 1. Obſervat. p. 115. Auribus idam ægroto noctu ſequentem aquam didit poſteaque iterum effluere ſivit, ldendo ſemper guttam 1. fellis Caronum:

▽ *e fœnic. ſemin. carvi poſt abſtractionem olei remanent.* ā ā ℥j.
Spir. Juniperi ℥ß. Miſce.

ffitum quoque auribus per infundilum ſuſcipere ſvaſit ex Decocto origa-, rutæ, majoranæ, ſpic. Celticæ, baccar. uri, *Juniperi*, ſemin. fœnicul. carvi, cuni in vino decocto.

Sebizius part. 2. Specul. Med. Pract. l. 6. cap. 9. Sacculos auribus applicans parat ex ⊖ e torrefacto, milio, bac lauri & *Juniperi*, ſemine carvi, cumi- aniſi, fœniculi, foliis roſmarini, ſal-æ & majoranæ &c.

Externè quoq; lixivium ad diffic[illegible]
tatem auditus ex *cineribus Juniperi* [illegible]
ditis aliis cephalicis & calefacientii[illegible]
applicavit *Timæus à* Gůldenklee *lib. 1.* [illegible]
Med. pag. 65.

III. AURIUM DOLOR, U[illegible] CUS ET EXCREMENTA E[illegible] AURIBUS EGREDIENTIA.

CUm aurium dolor plerumque ve[illegible]
inflammatione vel ulcere, & ex[illegible]
menta egredientia ab iisdem ferè ca[illegible]
proveniant, meritò & hos affectus [illegible]
hoc complectimur capite, & quid in h[illegible]
caſibus *Juniperus* valeat, exploramu[illegible]

Sennertus in ulcere aurium fum[illegible]
per infundibulum ad aures deriva[illegible]
hoc pulvere ortum *lib. 1. med. Pract.* [illegible]
3. ſect. 3. cap. 3.

℞ *Gum. Juniper.* ℥ß. *thur. myrrh.* [illegible]
Sarcocoll. ladani āā ℈j.

Miſc. F. Pulvis. Vel cum ſ. q. There[illegible]
thinæ F. Paſtilli.

Obſervatio. Hieme præterlapſo Paſtorem [illegible]
rum 53. annorum, curavimus, qu[illegible]
atrociſſimo dolore auris ſiniſtræ, ſtre[illegible]
tumore capitis in latere affecto & e[illegible]
ſione humoris excrementii ſaniei ſi[illegible]
ex aure ſæpiùs recurrente conquer[illegible]
tur, accedebat oris Tortura ad [illegible]
dex[illegible]

extrum, os adeò diſtorquens, ita ut ſer-
o impediretur & officio concionatorio
ngi non poſſet.

Ordinavimus illi tale vinum me-
catum:

*Herb. beton. majoran. roſmarin. ſer-
pill.* ãã Mj.
Flor. lil. convall. lavend. ãã Mß.
Rad. Helleb. nigr. ℥ß. *rhabarb.* ʒij.
Fol. ſenn. ſſ. ℥j. *bacc. juniper.* ℥ij.

oncis. & contuſ. D. ad chartam. S. Spe-
es zu 3. Maaß Kräuter-Wein.

Cucurbitulas cum ſcarificatione
apulis & cervici affigi curavimus, pi-
laſque in dolore capitis deſcriptas, ut
pulverem quendam Cephalicum ad-
dimus.

Externè auri affectæ indendum
quens præſcripſimus:

℞ *coct. roſar. nymph.* ãã ℥ß.
deſt. junip. ℈ß. *anthoui, lavend.* gtt. VI.
ſuccin. gtt. iij.

ſc. D. S. Oel/ 2. biſſen Tröpflein davon
t Baumwolle ins Ohr zuthun.

Ad oris Torturam corrigendam ex-
rnè adhibuimus *oleum*, cujus deſcri-
io ex capite ſequenti petenda.

Quibus adhibitis perfectè con-
luit.

CAPUT XI.

VIRES JUNIPERI IN ORI LINGVÆ ET DENTIUM MORBIS DEPRÆDICAT.

I. ORIS TORTURA E. FOETOR.

DE Herbâ Sardoâ Ranunculi ſpec referunt Botanici, illam hâc venen tâ qualitate, præſertim ea quæ In Sardiniâ naſcitur, eſſe præditam, ut ſcentium ora ejusmodi rictu diducat ridentibus ſimiles appareant & ſic i rimantur, unde proverbium natum Riſu Sardonio, quô riſus involunta ſeu incongruus denotatur.

Riſus Sardonius unde dictus.

Sic & oris tortura, alio nom oris diſtorſio dicta Riſus Sardonius minatur, quoniam hâc affectorum figura ridentium figuræ ſimilis appa ſolet. Appellatur quoque Spaſmus nicus, ob figuram diſtorſionis, qua ctum canum iratorum repræſentat.

Spaſmus Cynicus unde ſit dictus.

Et in hoc affectu operâ ſuâ pr eſt *Juniperus.*

Sequentem Tincturam in oris turâ maximè extollit *Timæus à Güldé* *lib. 1. Caſ. Med. pag. 72.*

℞ *Spir. bacc. Junip.* ℥iij. *Aſæ dulc. puri*

S

olve lento igne carbonũ, Colaturæ adde *Aqu. Apoplect. Heroicæ* ℥j. Miſce.

Externè talem lotionem idem præ-ripſit Autor *loc. cit.*

℞ *Flor. ſtœch. Ar. ſalv. lavend.* ãã Mj.
Fol. laur. rut. beton. roſmar. major. ãã Miß.
oqu. ex lixivio è *cineribus Juniperi* pa-to, & inter lavandum caput fricetur garico crudo.

In oris tortura efficax experti ſu-us Oleum ſequens:

℞ *lumbric. terreſtr.* ℥ß.
philoſophor. juniper. ãã ʒß.
rut. lavend. ſuccin. ãã ℈j. *C. C.* ℈ß.
iſc. D. S. Euſerlich Oel.

Hoc inungantur juncturæ maxil-rum & nucha ter in die:

Oris fœtor malum eſt turpe & into-rabile, emittitur verò ex ore notante *unerto lib. 2. Inſtitut. Med. part. 3. ſect. 2.* p. 7. fœtor pluribus de cauſis, vel enim ventriculo cruditates multæ coacer-ntur, quæ corrumpuntur & putridas fœtentes exhalationes per palatum e-ittunt, vel ex putredine in pulmo-bus vapores fœtidi exhalant, vel in ntibus, gingivis aut palato talis hæret teria, aëremq́; qui exſpiratur, fœtore o inficit. *Oris fœtor.*

In quocunque oris fœtore aquam quentem deſcribit *Bartitſchius part. 14.* θαλμοδȣλείας c. 3.

℞ *Herb.*

℞ *Herb. majoran, baſilic.* ā ā ℨiß. ℨij
roſmarin. origan. calamint
agrimon. ā ā ℨiß.
Rad. Ireos, fl. cyper. ā ā ℨiß. *&*
acori ℨiß.
Bacc. Juniper ℨijß. ℨij.

Pulveri ſatis omnibus affund. Vin. FR
nan. qſ. deſtill. per Veſicam pro oris
tutinâ & veſpertinâ collutione.

Oris fœtor ex Ventriculo. Si *oris fœtor* ex ventriculi vitio
atur *Savanorola Tractat. VI. pract.* m
cap. 6. uſum paſſularum cum granis
niperinis commendat, & paſſulas
cleatas, *grana juniperi* & pineas com
in modum nucis, ſicque manè &
ad commedendum præbet.

Oris fœtor à dentibus. Cum etiam dentium ſordities fœ
rem ori conciliare ſoleat, ideò Pulve
dentifricium *D. M. Kesku* comme
mus, quem *deſcribit Grylingius lib. 1.*
Pract. part. 4. cap. XI.

℞ *Lapid. pumic. ſubtil. pulveri*
Pulv. Ireos ℨiij.
Gal. moſch. ver. ℨj.
☍ *roſar. roſmarin. ſalv. cinam*
ā ā gtt. VI.
Silic. fluviat. alb. calcinat. & pulv
Panis ſiligin. furfur. toſt. pulver
cribrat. ℨij.
Ciner. roſmarin. ſalv. Juniper. t
ā ā ℨiß.

Ma

Maſtich. oliban. ſang. drac. ãã ℨj.
Myrrh. alum. roſch. ãã ℨß.
iſc. D. S. Zahn-Pulver.

Sennertus lib. 3. med. Pract. part. V. *Oris fœtor*
t. 2. cap. 7. ad oris fœtorem ſcorbuti- *Scorbuti-*
m commendat putredinem ſiſtentia & *cus.*
litus putridos corrigentia, ad quæ *bac-*
juniperi tàm intra corpꝰ ſumtas quàm
e maſticatas ſolenniter refert. *Sebizius*
rt. 2. Spec. med. Pract. ſect. 4. cap. 25.
ritum Juniperi in oris fœtore maximo-
rè extollit. Efficacior erit ſequens
mpoſitus :

Herb. roſmar. baſil. geran. moſch. ãã Mj.
Flor. lavend. prim. ver. ãã Mß.
Rad. Ir. Flor. acor. caryophillat. ãã ℥ß.
Cort. citr. aurant. ãã ℨiij. *bacc. juniper.* ℥j.
Cinamom. caryophyll. cubeb. cardam. ãã ℨij.

ncis. contuſ. infund. in ſ. q. *Spiritus Juperi*, digerantur calore leni per aliquot s, poſtea deſtillentur per Veſicam, ſine deſtillatione ſervetur ad uſum. ſ. cochl. 1. manè & veſperi. Poteſt m pro ditioribus ambræ aut moſchi li pro lubitu q. v.

LINGVÆ PARALYSIS ET OBMUTESCENTIA.

Uamvis ſub titulo de Paralyſi & A- *Obmute-*
poplexia recenſita medicamenta & *ſcentia.*
huc

huc facere notum ſit, lubet tamen q
dam addere ſpecifica, *juniperinis medica*
mentis nobilitata.

Præter illud quod ex *Philipp. Mü*
Miraculis Chimicis ſub tit. Apoplexiæ
gavimus commendamus Pulverem
quentem, quo ſolo non vice ſimplic
quelam ægris reſtituimus feliciſſimo
applauſu:

℞ *Gran. pœon.* ℥j. *Cubeb. nuc. m*
ãã ℈ij.
Sacchar. ℥j. ☍ *aniſ. juniper.* ãã
ſuccin. caryophill. ã

Miſc. F. Pulvis. Doſ. cultelli cuſpid
hibeatur cum Spir. Ceraſor. nigr.
quamdiu in ore detineatur, & poſtea
glutiatur:

Sermo, præter lingvæ Paralyſ
lio etiam nonnunquam læditur m
quando videlicet vitium in nervis
recurrentibus, quibus læſis, notante
tholino libell. 3. de nerv. Anatom. Refor
annexo cap. 2. læditur animalis vox,
altero præfecto vel alio modo læſo:
vocale reddatur animal, utroq; mut

Obſervavit hunc affectum in
lâ quâdam *Fabritius Hildanus*, qua
quentibus reſtitutum refert *Obſerva*
Cent. 6.

℞ *Flor. beton. ſalv. anthous prim*
hyper. cent. min. roſar. ru

Summit. majoran. iv. arthet. āā Mj.
Bacc. juniper. ℥ij.

Conciſ. contuſ. D. ad ſacculum, quô in aqua coctô collum fomentetur. Poſtea

℞ ▽ *beton. prim. ver. ſalv. lavend.* āā ℥ß.
Spir. Juniper. ſine vino fact. ℥j.
Theriac. opt. ʒij. Miſce.

Quibus collum ſæpius inungatur.

III. DENTIUM DOLOR.

Evidenſia quidem ſunt oſſicula dentes, hoc tamen præ reliquis oſſibus ſingulare habent, ut illis ſenſus attribuatur, teſtante *Bartholin. lib. 4. Anat. reform. cap. 1.* quoniam illorum cavitas tenuiſſimâ ſuccingitur membranulâ, exquiſitè ſentiente, quæ ſi humorem à cerebro delabentem imbibat dolor maximus fit dentium. In hâc incipiunt eroſiones, putredines carieſque dolorificæ, & aliquando in hâc vermiculi generantur admodùm hominem excruciantes, notante eodem *Bartholin. cap. 12. lib. 2. cit.* **Dentium dolor.**

Certè dolorem dentium maximis annumerari poſſe tormentis non imperitè ſcripſit *Cornelius Celſus*, cum & *Galenus* 2. *de compoſ. med. ſecund. loc. cap. 1.* referat quosdam in ὀδονταλγίᾳ præ doloris atrocitate ex impatientiâ manus ſibi violentas intuliſſe.

Ad dolorem hunc profligandum à *Rizio part. 2. Spec. Med. Pract. ſect. 4. c. 15.*

& Ma-

*& Macaſio lib. 2. promptuar. mater. in cap. 30. de Juniper*o commendantur va ut *Decoctum ligni Juniperini, baccarum Juniperi, gummi Juniperinum ejusque um, ut & oleum ex baccis Juniperinis* quibus *Sandaracam Arab. ſeu gummi Juniperinum* præ aliis omnibus valere ſtatur *Savanarola tract. VI. Pract. maj.* 7. ubi & ſequens deprædicat:

℞ *Sandarac. Ar.* ℥ij. *camphor.* ʒß.
Bulliant in aceto & Fiat oris Colluti

Sedat enim, inquit Autor cita dolorem vehementer, conſtringit gi vas & rheumatizationem prohibet.

Benedictus Victorius Faventinus 7. *Empiric. idem gummi* cum aceto tiſſimo coctum maximè ad dentium lorem deprædicat, cum quo conſ *Schönbornius*, quippe qui *pag. 50. M Med. Pract.* itidem *gummatis hujus* cum Vini Rhenati ℥viij. coctum mendat ad dentium dolorem à c frigida, ſicuti & *oleum ligni juniperi* mè ibidem conducere aſſerit.

Decoctum ſequens in dolore tium exhibet *Sennertus lib. 2. med.* cap. *XI.*

℞ *Rad. pyrethr.* ʒij. *ſarſaparill.* ʒii
Raſur. lign. guajac. ℥ß. *pini.* ʒij.
Flor. roſ. rubr. Herb. ſerpill. orig.
Gran. Juniper ℥ß. *ſem. carv.* ʒii

ciſ. & contuſ. Coqu. in ▽ & Vin. Rhe-
an. ℥xii. ad tertias, Coletur, in Colatu-
℥vi. diſſolv. camphor. ℈ v. Miſce.

Platerus lib. 2. Obſervat. pag. 399. hanc
is collutionem parat:

Rad. biſtort. pyrethr. ãã ℥j. *Ireos* ℥ß.
Herb. hyſſop. agrimon. ſalv. beton. majoran. ãã Mj.
Flor. anthos pj. *Sandar. Ar. pulv.* ʒvi.
Piper. long. zinzib. ãã ʒij.

lliant in aquâ addito aceto donec a-
a aceſcat.

Gargariſmum quoque ibidem ad-
ex ℥iß. ligni quajac. & *Sandarac. Ar.*
cum vino acidulo confectum & de-
ctum, malæque affectæ cataplaſma
uper imponit, *ut baccæ juniperinæ* quo-
e admiſcentur.

Liquoris odontalgici talem tradit
criptionem *Grulingius lib. 1. mea. Pract.*
t. 4. cap. 7.

Lign. ſanct. ſaſſafras ãã ℥j. *Rhod. Juniper.* ãã ʒiij.
Rad. ſarſaparill. ʒvi. *pyrethr.* ℥ß.
Herb. ſalv. roſmarin. ãã Mj. *nicotian.* Mß.
Sem. ſtaphidiſagr. hyoſciam. ãã ʒiij.
Elect. requiei Nic. Philon. Rom. ãã ʒiij.
⊖. ♀i. *C.C uſt.* ãã ʒij. *opii Theb.* ℈iv.
Croc. ℈ij. *camph.* ʒj.

ſ. & contuſa omnia groſſo modo in-
fundan-

fundantur in Spir. Vin. (melius Spir. Juniper.) rectificat. ſ.q. per horas 24. ℔ exprimantur, & uſui reſerventur.

Si Pulverem contra dentium dolorem quis expetat

℞ *Sandarac. Ar. maſtich. ſarcocoll. pot. ſt.*
Bol. Armen. acac. thur. ãã ℥j.
Tut. præp. ℥iß. *Oli alb* ℈iijß.
Cinamom. ſpec. diambr. ãã ʒj. *ambr.*

Miſc. F. Pulv. ſubtiliſſimus. *Uffen. lib. 3. Antidotar. ſect. 1. cap. XV.*

Multiplici uſu & experientiâ comprobatam hanc Miſturam odontalgicam noſtram addimus:

℞ *▽ æ mentb. lavend. c. vino in B. deſtill. Spir. Juniper.* ãã ℥j.
Eſſent. benzoin. Junip. ãã ʒj. *anodyn.*
Elix. camphor. Hartmann. ℈iv.
Tinctur. roſar. viol. papav.
ãã ℈ij.

Miſc. S. Miſtur wieder das Zahnweh.

Diu in ore detineatur ſupra dentem dolentem, ſic dolores brevi leniet, ingentem humorum peccantium quantitatem maximo cum levamine educet.

IV. DENTIUM SORDITIES.

Dentium Sordities. IN dentium nitore totius ferè oris venuſtatem conſiſtere in propatulo. Contra dentium ſorditiem homi

m loquitur, ridet, canit, clamat aut citat maximè deformare non eſt quòd obemus, cum ſexus fœmininus illam ne pejus & angve fugere ſoleat. Sed riis ex accidentibus dentes reddunr ſordidi.

I. Carie quandoque abſumunt & corroduntur, ad quam tollendam ne latiùs ſerpat prohibendam tale pponit Linimentum *Sennertus lib. 2. ed. Pract. part. 1. cap. X.* *Caries Dentium.*

Pulv. myrrh. ℈ij. *gum. Juniper.* ℈j.
alumin. ℈ß.
Mellis q. ſ. F. Linimentum

ô dentes putres & eroſi quotidiè fricntur.

II. Sorditie quoque dentes ciuntur, ſi malè colorati ſint & nigrene vel aliô fœdô colore inquinen- *Dentes malè colorati.*

Citatus *Sennertus cap. 14. lib. cit.* os Pulveres proponit dentifricios ntra dentium nigredinem, uterque *m. juniperino* eſt inſignitus.

C. C. uſt. pumicis, corall. alb. rubr. tut. præp.
Maſtich. Sandarac. Ar. cinam. ãã ʒj.
Rad. ireos. ℥ß.
Moſch. ğiij. Miſc. F. Pulvis,

coſos dentes à ſordibus purgat, deat & mundificat, gingivas conſtrin-

 git

git & dentium radices obfirmat. *Gryl* *lib.1. Med. Pract. par. 4. cap. XI.*

Dentium Sangvinolentia. III. Singularem quoque de bus conciliat ſorditiem eorundem GVINOLENTIA, quæ plerumque ab ſis, putridis aut exulceratis gingiviis tum ducit. Ad hanc tollendam

℞ *Origani, fruct. Juniper. balauſtior.*
Sumach. alumin. utriusque gallar.
Cort. granat. ſerpentariæ, mirobol.
Ciner. vitis, ſpumæ maris, ⊖is Ind.
Piperis longi, baurach, coſti, chelid.
Liquiritiæ, gumm. Arab. tragac.
Spodii ãã aureum unum, i.e. ʒj.

Miſce, tere, confice & unge gingiv. dentes. *Savanorola tract. VI. Pract. M. cap. 8. Uffenbachius lib. 3. Antidotar. cap. XV. pag. 473.* hunc deſcribit P rem *Piſtorii* ad gingivas:

℞ *Nuciſt.* ʒj. *Sand. Ar. hypocyſt. m.*
Acaciæ ãã ℈j. *tut. præp.* ʒj. ⊖*i alb.*

Miſc. F. Pulvis ſubtiliſſimus.

V. DENTIUM MOBILIT

Dentium Mobilitas. NI Dentes firmi in loculamentis hæreant & Marpeſiæ cautis immoti in ſtatione maneant, tàm m cationi quàm locutioni ſunt im mento. Vacillant verò dentes & m les redduntur tàm à cauſis extern ictu, caſu vel aliâ causâ violentâ,

ternis, ut defectu alimenti in ſenibus, nimiâ humiditate radices eorum lante, vel ab acribus inprimis ſcorbuti- humoribus radices eorum, vel gin-vas erodentibus. Et hîc vires ſuas tendit *Juniperus*.

Commendatur *à Savanarolâ Tract. Pract. Maj. cap.* 6. Pulvis ſequens:

Spod. ℥iß. *margarit. non perforat.*
Sang. Dracon. bol. Armen. ãã ʒj.
C. C. uſt. ſantal. rub. bac. juniper.
Chelidon. ãã ʒß. *camphor.* ℈j. Miſc.
Pulvis.

Sennertus. lib. 2. *Med. Pract. part.* 1. .*X.* ad dentes confirmandos hoc ex-et Linimentum:

Pulv. gumm. Junip. ʒß. *alum. crud.* ʒj.
Origan. ʒß. *Mell.* ʒvi.
m aceto ſquillit. Miſc. & F. Linimen-m.

CAPUT. XII.

NIPERUM PECTORIS MORBIS OPPONIT.

ASTHMA ET PERIPNEVMONIA.

Ræclarè *Galenus lib. d. uſu. reſpiirat.* monet, minimè vulgarem uſum re-rationis eſſe, cùm eâ privati, ne mo-ntum quidem poſſimus vivere, cum o & *Sennertus lib.* 2. *Inſtit. Med. part.* 3. *Reſpiratio-nis uſus & neceſſitas.*

ſect. 1. cap. V. conſentit, *inquiens*: Si pulſus non ceſſat, quamdiu animal vit, ita nec Reſpiratio planè aboletúr tamen illa auferri dicatur, id non accipiendum eſſe, quaſi penitùs aboli tur, ſed tantùm quoad ſenſum, pro parvitatem, ob quam latet.

Quot incommoda ab ejus læſi proveniant de his non ſatis conq poſſunt illis qui ſunt obnoxii. In

Diſpnœa. mis *Dyſpnœa*, *Aſthma & Orthopnœa* ctus ſunt, qui læſæ reſpirationi conv unt. Diverſa quidem ſunt nomin ab unâ omnes eademque proven

Aſthma. causâ, nec aliter differunt, quàm ma tudine: *Dyſpnœâ* enim laborantes cultatem quidem aliquam reſpirat ſentiunt, poſſunt tamen reſpirare & cumbentes absque ſonitu. *Aſthm* verò majori afficiuntur difficulta ſpirandi & quidem cum anhelatio

Ortho-pnœa. ſonitu. *Orthopnœâ* autem affecti vexantur reſpirationis difficultate etiam metus urgeat ſuffocationis, & inde non aliter, quàm erectâ cervic ſpirare poſſunt. Inter alia heroic xilia Pectoralia & *Juniperus* cum bus ſuis numerari meretur, cum ii non rarò admiſceri videamus.

Internè. Aquam ſingularem Aſthmat deſcribit *Schröderus lib. 2. Phar*

ed. Chym. cap. 38. baccis Juniperinis ex-
atam, ſingularium virium in reſpira-
ne facilitandâ.

Spiritus Juniperinus ſingularem
ſſidet laudem in Aſthmate, quam illi
oque attribuit *Libavius cap. 25. Alchi-
æ pag. 114.*

*Spiritus Juniperinus compoſitus Myn-
ht.* egregiam & ſingularem præſtat o-
ram in prædicto affectu, à cochleari 1.
ij. ſi exhibeatur. Deſcriptionem &
teriorem commendationem vide *Se-
one 18. Armamentar. Chym. Mynſ.
g. 280.*

Haud minorem utilitatem præſta-
t ſequens Spiritus Pectoralis, cujus
æſtantiam ſæpe felici cum ſucceſſu ex-
rti ſumus:

Herb. pulmonar. marrub. veronic. āā Miß.
Flor. violar. Mj. *ſem. aniſ. fœnic.* āā ℥ß.
Rad. glycyrriz. ir. Flor. polypod. hellen. āā ℥j.
Squillæ recent. ℥ij.
Bacc. Juniper ℥iß. *croc.* ʒiij.

ncif. contuſ. infund. in ſ. q. *Spir. Ju-
per.* optimi, digerantur per 3. dies, de-
de deſtillentur per Veſicam. S. Spiri-
s Pectoralis.

Elixir Pectorale Aſthmaticum *Rol-
cii* cum eodem *Spiritu Juniperi* vel Spir.

 Aniſi

Aniſi præparatur & præſentaneâ op
aſthmaticos profligat inſultus, ſicut
4. Chim. ſect. 2. cap. 3. videri poteſt.
& Elixir Vitæ Pectorale Ducum Saxo
baccæ juniperi ingrediuntur, cujus deſ
ptio extat *in Theſauro pharmaceutico*. *I*
manni p. 60. Multum quoque operæ c
fert Eſſentia Pectoralis ſequens:

℞ *Gumm. benzoës, myrrh. rubr.* ãã
Sperm. cet. croc. oriental. ãã ℥ß.
Extract. hellen. Juniper. ãã ʒiij.
Spir. Juniper optimè rectificati q.

Mixta omnia digerantur per aliquot
es, tinctum quod eſt decantetur, no
Spiritus affundatur, conjuncti liqu
exhalent parum & ſerventur ad uſum

Externè. Externè ad humorum in pec
conſummationem ſuffimigia paran
lent, quibus *gummi Juniperinum*
miſcetur.

Sic *Platerus lib. 1. Obſervat pag.*
tale ordinavit:

℞ *Thur. maſtich. ſtyrac. calam. la*
ãã ʒij.
Gumm. Juniper. hederæ ãã ʒj.
Roſar. rubr. ſem. coriandr. ãã ℈i

Pulveriſ. & excipiantur infuſo gum
Formentur Trochiſci pro fumo.

Rolfincius tale lib. V. Conſultat. 8.
ſcribit, hâc tamen cum cautione
ſuffimigia adhibeantur in ipsâ acce

, propter ſuffocationis periculum li-
rique aëris interceptionem:

Gumm. juniperin. ℥ij. *tacamahac. ſuccin.* āā ʒj.
Thur. maſtich. āā ʒß. *ſtyrac. cal. benzoës* āā ℈j.

D. S. Rauchpulver wieder die Flüſſe.

Hiſce ſuffimigiis nonnulli Auri-gmentum addere ſolent, à quo tamen ſtinendum fideliſſimè monet *Senner.* , cum ejus fumus, utpote pars volati- ſummè venenoſus & noxius ſit, & er-rem à voce *Sandaracâ* ortum autumat, neglectum diſtinctionis inter *Sanda-ram Græcorum & Arabum*, qua de a-m eſt ſuprà. *Cautela.*

Benedictus Victorius Faventinus cap. . *Empiricæ* Pulverem hunc optimè va-e dicit, ſuturæ coronali veſperi ſi in-ergatur & manè iterùm auferatur:

Flor. chamom. melilot. ſambuc. āā ʒß. *roſar. rubr. granor. myrth.* āā ʒj.
Thur. maſtich. Sandarac. Ar. corall. rubr. āā ℈ij.
Caryophillor. ℈j.

lveriſentur omnia ſubtiliſſimè:

Similem quoque deſcribit Pulverem *bricius Hildanus Centur. 6. Obſervat. 21.* i *Sandaraca Arab.* quoque addita con-icitur.

Peripneu-monia. PERIPNEVMONIA etiam in affectus læſæ reſpirationis recenſetur hâc correpti de difficultate reſpirationis, cui febris conjuncta eſt, tuſſi nunquam acri & ſangvineo ac pond in thorace conqueruntur.

Rolfincius lib. 5. Conſultat. IV. P gantia in hoc affectu commendat & uretica ſequentia:

℞ *Pulv. rhabarb.* ℈j. *ſcammon.* 🜍at.
Cryſtall. ♀i ℥vi. *Sal juniper.* ℥iv.
chor. ℥ij.

Miſc. F. Pulvis D. S. Purgirpulver: einmahl.

℞ *Sal juniper. cort. ovor.* ā͞ā ʒß. 5. Tr Saltz.

Sequens Potio in morbo hoc bellando plurimùm prodeſt:

℞ *Radic. glycyrrh. z. polypod. ir.* ā͞ā ʒß.
Jujubar. num. XVI. ſebeſten. num.

Coqu. in ſ. q. ▽æ Veronicæ, Colat adde

Rob Juniper. ʒß. *Syrup. violar.*
roſ. ā͞ā ʒj.
Spir. ⊖*li vel* 🜍*s q. ſ. ad grat. ſapor*

Miſc. omnia D. S. Bruſttranck auf mahl.

II. TUSSIS ET RAUCED

Tuſſis. DE tuſſis uſu & causâ accuratè *Ga lib. 2. de ſimpl. Med. facult. cap. 17.*

C

ſſerit: Natura hominibus ſternutandi m indidit, ut præſidio ipſius, quæ in ribus infeſta moleſtaque ſunt, propulrent, Tuſſiendi verò, ut quæ in guttu-, ideò Tuſſis non temerè comparari ſſet cum lacu Pilati, qui ingeſta & mota cum ſtrepitu reſpuit. Solet tamen terdum nimiâ hominem afficere moliâ, ſi nimium quantum cumque dore & aliis accidentibus hominem afflit. Quod ſi fiat, tunc ad tuſſim *Sandaram Arab.* cum melle aſſumtam commen-t *Tractat. VI. Pract. Maj. cap. X. Savarola.*

Internè. Ἐυπόριςον ſequens non erit ineffax, cum ſolum *Rob Juniperinum*, imò ferente *Tabernamontano lib. 3. Herbar. rt. 2. cap. X. baccæ Juniperi* cum vino tem coctæ, in infantibus præprimis, rtiſſimo experimento tuſſim ex cauſa gida ſedent & expectorationem pro-overe ſoleant.

Rob Junip. Loch ſan. & expert. ãã ℥ij.
Spec. diairees ʒij. *Tinctur.* 🜍*is* ʒj.
ſc. D. S. Ablöſender Safft wieder den uſten. Vel
Extract. Junip. polypod. ſcabioſ. ãã ʒj.
Succ. glychyrr. ʒß. *gumm. ammon.* ʒij.
Lact. 🜍*is. flor. benz.* ãã ℈j.
ſc. & cum Eſſentiâ Croci F. Pilulæ ju-magnitudinis D. S. Süſſe Bruſt-Pil-.

Raucedo. RAUCEDO cum tuſſi ſæpè conju-
gitur, ad quam tollendam hoc commu-
nit Eclegma *Sennertus lib. 2. Med. Pra*
part. 3. cap. 4.

℞ *Gumm. Juniper. tragacanth.* ãã ℥
Sacchar. penid. ℥j. *ſucc. glycyrrhiz.*
Thur. ʒiß. *ſtyrac. calam.* ʒj. *croci* ℈

Cum melle F. Eclegma.

Externè. Externè citatus *Savànorola, loc.*
p. 21. Factis, *inquit*, Purgationibus &
non ſuſpectum eſt de multitudine ma-
riæ, fiant audacter ſuffimigia, ut

℞ *Thur. ſandarac. Ar. ſterac. calam.*
ãã *qv.*

Incorporentur & ex iis fiat ſuffimigi-
quod aperto ore excipiatur.

III. PLEURITIS ET LATER. DOLOR.

Signaturæ quid valeant. DEum & naturam nihil facere fru-
ſed in certum omnia finem prod-
eſſe jure meritoque aſſeritur, proinc-
figuræ externæ plantis aliisque veg-
bilibus non temerè, ſed potiùs ut fo-
& figuræ hæ externæ naturam inter-
que vires tanquam in ſpeculo mor-
bus ob oculos ponant, à Summo Cre-
re videntur inditæ, id quod etiam a-
ratiores Scientiæ naturalis Scrutat-
movit, ut ex Signaturis vegetabi-
externis de virtutibus internis con-

nt, cum & ipſa experientia illos adju-
erit certioresque fecerit, in multis ex-
rnas figuras virium internarum eſſe
dices, & pleraque medicamenta par-
bus, quarum ſignaturam habent, in-
rvire, ſicut prolixè de hiſce Signaturis
unt *Quercetanus, Crollius, Sennertus*
alii.

Juniperi Signatura Pleuritica.

Juniperi Signaturam ſi aſpiciamus
uleata & ſpinoſa illa eſt, aculeorum-
e extremitates rubeæ & ſangvine
aſi tinctæ apparent, eaque propter
niperum cum ſuis partibus & in lanci-
ntibus pleuritidis doloribus ſingula-
er & ſpecificè prodeſſe, ſputumque,
od maculis ſangvineis plerumque
rmixtum egeritur, promovere & eva-
are autumamus, inprimis cùm ſen-
tiam noſtram ab experientiâ hacte-
s ſtabilitam ſæpiſſimè videri licuerit:
nctè enim teſtamur, in quam plurimis
uriticis ſequentia medicamenta ma-
noperè profuiſſe & omnes ferè qui il-
uſi ſunt, tàm ſine V. S. quam illâ ad-
niſtratâ reſtitutos eſſe feliciſſimè.

Quamprimùm itaque fieri potuit
uriticis Diaphoreticum præſcripſi-
s tale:

Flor. ✻*ci* ℈j. ⊖*is ſuccin. volat. C.C.*
volat. āā ℈ß.
⊖*is card.bened.* ℥iij. *juniper. fix.* ℥xii.
Miſc.

Miſc. D. S. Schweißtreibend Saltz
3. mahl.

In liquidâ formâ deſiderantib
tale exhibuimus:

℞ ▽. *card. bened. theriacal. bezoard. m*
qua bacc. juniper. quoq; recip. ãã
Miſt. ſimpl. ℥j. *ſpir. C.C. lign. junip.* ãã
Rob. Junip. ſyr. card. ben. ãã ℥ß. M.

D. S. Schwitz-Miſtur auf 3. mahl.

Hiſce adhibitis morbus plerum
factus eſt mitior, & expectoratio feli
ſucceſſit, ad quam promovendam ult
ùs adhibuimus Eſſentiam Pectoralẽ
tit. Aſthmatis deſcriptam ut & ſeque

℞ ▽. *ſtabioſ. card. mar. hyſſop.* ãã ℥
Rob. Juniper. Oxymell. ſquillit. ãã
Syr. papav. errat. d. jujub. ãã ℥iij
Dent. apr. mandib. luc. piſc. ãã *præp*
℥ii *diaphor.* ℈j. *Eſſent. anodyn.*
Tinct. ♎ *is* ℈ij.

Miſc. S. Reſolvir- und Ablöſender
quor auf etzlichemahl/allemahl zuvor
umzurühren.

Externè. Externè quoque Ungventis & L
mentis admiſcuimus *Oleum tàm l*
quàm baccarum Juniperi & feliciſſi
eventum experti ſumus: Sic

℞ ⁂ *chamomill. roſ. aneth.* ãã *coct.*
lign. juniper. philoſ. ãã *deſt.* ℥
⁂ *camphor. ſuccin.* ãã ℈ß.

Miſc. D. S. Euſerlich Oel.

Vel

℞ *Ungven. dialth. anodyn.* āā ℥ß.
☉ deſt. chamomill. bacc. junip. āā ʒß.
thereb. cumin. āā ℈ß.
Balſ. 🜍is therebinthinat. junip. ℈j.
iſc. S. Sälblein wieder das Seitenſtechen.

In lateris dolore à flatibus hunc tum commendat *Platerus lib. 2. Obſer-* *t. p. 416.* *Lateris dolor à flatibus.*

℞ *Rad. ireos. bryon.* āā ℥j.
Herb. calaminth. ſpic. Celt. puleg. origan. āā Mj.
Fl. chamomill. melilot. ſambuc. āā pj.
Sem. carv. ℥j. *bacc. laur. Junip.* āā pß.
ecoqu. in vino & aqua ad uſum.

Caput XIII.

IRTUTES JUNIPERI IN CORDIS AFFECTIBUS EXPLORAT.

VIRIUM IMBECILLITAS ſeu LANGVOR.

Iſtula dulce canit, volucrem dum decipit auceps, vetus & verum eſt dictum, non enim omnia à gravi rigore nt incipienda, ſed leni gravitate pautim ad ſeveritatem eſt deveniendum. em obſervatur in langvore ſeu virium nbecillitate, quibus affecti paulatim ebilitantur, ut incauti majora ſubſeentia mala graviſſima vix accedere ſenti- *Langvor.*

ſentiant, ideò non ineptè cum infan-
bus in limbo, certâ quadam claſſe P-
gatorii, exiſtentibus, quibus nec m-
nec benè eſſe dicitur, comparandi.

Verùm latet angvis viridi hâc
herbâ, Pygmæus quidem videtur a-
ctus, giganteam autem & exitioſam
cum trahit pernitiem, ut Syncopen,
bres malignas, Apoplexiam aliosque
fectus graviſſimos, quos præceder-
ſubſequi ſolet langvor. Ideoque f-
ſed cui vide, melius eſt prævenire, qu-
præveniri, Principiis hîc obſtandum
in primâ, quod ajunt, herbâ malum
eſt exſtirpandum: Langvor enim dic-
te *Renato des Cartes part. 2. de Paſſion-*
artic. 119. eſt diſpoſitio ad relaxation-
& ceſſationem omnis motus qui ſent-
in omnibus membris, & eum prove-
putat ex eo, quod non ſat multi Spir-
nervos ingrediantur, & quod glan-
cerebro eos non determinet ad influ-
dum potius in hos muſculos quàm
illos.

Inter generoſiora langvori reſiſ-
tia medicamenta & confugere lice-
Juniperum, quipp qui cum pa-
bus ſuis robur Spiritibus Vitalibus &
fluentibus addit, obſtacula, quæ
partibus influere impediunt, remov-
diſſipat, ſangvinis & humorum glut-

ſita

tatem auctam incidit & attenuat, pri-
num partibus vitalibus robur conci-
t & inſtantia mala graviora avertit.

Sic *Acetum Juniperinum* tàm ſim- *Internè.*
lex, quàm alia compoſita *partibusque*
uniperi exaltata, langvorem, febres ma-
gnas ſæpiùs præcedere ſolitum, felici-
r avertiſſe & diſpoſitionem febrilem
mendaſſe, quin & nonnullos, in quibus
dicia jam accenſæ febris animadverti
cuit, ſi in principio ſtatim conſilium
xpetierint, ab ulteriori incurſu &
gmento liberos præſtitiſſe novimus.

Inprimis Aceta Bezoartica & The-
acalia plurimùm hic poſſunt. Sequens
adit *Timæus à Güldenklee lib. 8. Caſ. Med.*
g. 393.

Confect. orvietan. ℥ij. *diaſcord. Fra-*
caſt. ℥iß.
Theriac. Androm. ℥j.
Rad. angel. contrajerv. enul. pimpi-
nell. tormentill.
ſcorzoner. diptamn. alb. petaſit.
ãã ʒvi.
Fol. ſcord. rut. millefol. ãã Mj.
Flor. calend. tunic. ãã Mß.
Cort. fraxin. citr. ãã ℥ß.
Bacc. Juniper. ℥iiß. *Macer. zedoar.*
ãã ʒiij.
Camphor. ℈ij. *croc.* ʒj. *myrr. elect.* ℥ß.
Acet. ex ſucco rub. id. q. ſ. Miſce

Stent

Stent in infuſione loco calido benè te-
donec extrahatur Tinctura, cujus C-
tura ſervetur ad uſum.

Internè in Langvore univerſali-
quens proponit Apozema *Fr. de le Boë-
vius lib. 1. Prax. Med. cap. 34.*

℞ *Rad. valerian. acor.* ãã ℥ij. *apii* ℥-
Herb. beton. meliſſ. marrub. (*atr-*
ſcabioſ.
Summit. cent. min. ãã Mß.
Flor. roſmarin. chamam. Rom. ſt-
Ar. ãã pj.
Sem. fœnic. dulc. amom. ãã ʒij.
Bacc. Juniper. ℥j. *laur.* ʒiß.

Coqu. igne lentô & vaſe clausô in a-
purâ ad Colaturæ ℥xl. addendo
Syr. botryos. artemiſ. Fernel. ſtœch. ãã
Tinct. cinamom. ʒiß. Miſce
Doſ. ℥ij. ſemel aut bis in die.

Sic & Aqua Theriacalis Bezoar-
noſtra de meliori notâ hoc in caſu c-
mendari meretur. Paratur ita:

℞ *Theriac. Andr. Mithridat. opt.* ãã
Elect. d. ovo. diaſcord. Fracaſt. ã-
Extract. granor. Juniper. ʒv.
Spir. theriacal. camphorat. ℥v.
-ti bezoard. D. Frommann. l. alt-
℥viij.

Mixta digerantur leni calore per ℘c-
inde affundatur

∇ *acetoſ. roſar.* ãã ℥vi.
fragor. borrag. ãã ℥iv. *card. bened. angel.* ãã ℥iij.

gerantur iterum per ℘♂ deinde dentur, S. ut ſuprà.
ſ. ℥ß. ʒiij. ʒij. pro ratione ætatis & cirmſtantiarum.

Externè etiam Aceta dicta pulſu- *Externè.*
n & temporum regionibus applicata
penetrationem officium faciunt, &
tante *Zwelfero pag. 444. animadverſ.*
iùs cordi robur addunt langvidume
corpus reficiunt, quàm pretioſiſſia
balſama.

Singularis elapsô annô de Languo- *Obſervatio.*
nobis ſe obtulit obſervatio ſequens in
ro Nobili Juris Doctore 36. annorum,
de improviſo pulſum planè circa cars
& temporum regionem ſubſiſtere
tiebat, & circa præcordia cordis quoe
motus ſatis erat debilis, univerſum
rpus quidem langvebat, nihil tamen
ommodi ulteriùs ſentiebat & ſatis
nè ſe valere putabat, majora tamen
la pertimeſcens, petiebat conſilium.

Vocati igitur ſtatim propter conſtiionem
pituitoſam Vomitivum ex
is ⊕li ʒß exhibuimus, quô aſſum-
& operatione quaternis vicibus pera-,
illicò pulſus naturalis appare-.
Ad ulteriorem tamen præſertionem
langvoriſque remotionem,

Diaphoreticum, & poſtea confortt
ordinavimus medicamentum, cu
utriusque baſis Aqua Theriacalis be
ardica jam deſcripta erat, quibus ad
bitis pleniſſimè iterùm DEI gratiâ c
valuit.

II. SYNCOPE ET LIPO-THYMIA.

NOn immeritò *Aretæus lib. 2. de cau ſign. morb. acut. cap. 3.* dixit; N
lum penè affectum ſyncope eſſe m
rem, celeriorem & ad facultatum vi
foventium diſſolutionem potentior
illamque hominis conſtitutioni p
adverſam eſſe, eò quod hanc corrip
non dimittat, ſed planè diſſolvat a
diſſipet, cui etiam *Renatus d.Cartes p de Paſſionibus artic. 122. pag. 53.* adſtip
tur, inquiens: Lipothymia ſive a
deliquium non multum diſtat à m
Morimur enim, dum ignis, qui in c
eſt, planè extingvitur, ſed in Lipo
miam incidimus, cum ita ſuffocatu
adhuc aliquid reſidui caloris ma
quod poſteà rurſus accendi poteſt.

Differentias tamen hic affectu
bet quatuor, quæ tamen non niſi r
ne graduum inter ſe differunt; I.
ἔκλυσις. tur ἔκλυσις ſeu exſolutio, quæ leve a
deliquium, ſeu principium & nu

aſi illius eſt. II. appellatur λειποθυ- λειποθυμία.
ε ſeu λειποψυχία animi deliquium,
eſt ſyncope imperfecta, in quâ ægri
ſibus utuntur, & rationis, licet illud
primere nequeant, ſunt participes.
. Vocatur συγκοπὴ, quæ ſubitaneus συγκοπή.
virium prolapſus, quo correpti ſen-
motu, ratione, memoriâ, phantaſiâ &
mone privantur, pulſus illorum eſt
us & obſcurus, extrema frigent & ho-
mortuo magis ſimilis apparet, quàm
o. IV. audit ἀσφυξία ſeu pulſus pri- ἀσφυξία.
io, ubi recenſita ſymptomata non ſo-
omnia adſunt, ſed pulſus etiam pla-
on percipitur.

Hiſce omnibus præcedente articu-
narrata medicamenta obviam qui-
n eunt, ſi tamen malum ex acido hu-
re ortum trahat, hydragogum ſe- *Interna.*
ns ad humorem hunc temperatum,
rigendum & educendum commen-
ingenioſiſſimus *Franciſc. de le Boë*
us lib. 1. Prax. Med. cap. 34.

Gumm. ſagapen. ✝*to ſolut. & iterùm inſpiſſat.* ℥ß.
Reſin. jalapp. ℈j. *Magiſt. gumm. gutt.* ℈ß.
🜄 *bacc. juniper.* ℥ iij.

. F. Pilulæ num. XV. Inaurentur vel
vere glycyrrhizæ conſpergantur.
. num. V. plures aut pautiores, prout

 diffi-

difficilius vel facilius alvus ſolvi p-
teſt.

Syncope ex menſium retentione. Ad ſyncopen ex menſium retentio
extra paroxyſmum exhibet diureti
Rolfincius lib. 4. Conſultat. 2. ut exp
gandis cum lotio per renes humoril
acidis, quos ſimùl egregiè temperarn
infringunt, maximè idonea, &

℞ *Sal juniper, matricar. ſtipit. fabar*
℥ vi.
Magiſt. oc. 69. ℈ß. *ſuccin.* ℥
F. Pulv.

Maximoperè quoque commendatur
Syncopen, palmum & animi deliquiu
qua Theriacalis ſequens:

℞ *Rad. gentian. enul. camp. tormen*
angelic. imperator. āā ℥j.
Cyper. ir. Flor. āā ʒvi. *Zedoa*
Cort. citr. aurantior.
Cinamom. caryophill. ſem. card. l
Corymb. heder. granor. junip. āā
Dictamn. ſcord. meliſs. calend. āā

Macerentur per diem integrum ſup
neres calidos in vaſe oris non mu
patuli & ritè obturati cum Vin. alb
Die ſequenti add. decoct. ulmar. b
& nenuphar. āā ℔ij. deinde bullian
rùm lento igne, tunc fiat expreſſ
qua diſſolv. & infund. per noct. Th
ʒiv. poſtea ponatur in alembic. v

I

deſtillatio in Bal. Mar. Aqua deſtillata ſervetur ad uſum. *Uffenbach. in Append. Anedotar. p. 588.*

Aliam ibidem Autor citatus addit Aquam Theriacalem *baccis Juniperinis* ſimoque exornatam.

Vel

Magiſter. corall. rubr. ℥j. *perlar.*
Extract. aniſ. cinamom. ãã ℥ß. *cort. citr.* ℥iß.
Eſſent. ☉*is* ℥j. *croc* ♂*is* ℥ijß. *Rob. Juniper.* ℥iß.

Miſc. F. Mixtura, de qua bis in die caſtaneæ magnitudine ſumi poteſt. *Gryling. l. 2. Med. Pract. part. 3. cap. 1.*

Externè ſequens commendat Tabernæmontanus *Herbar. part. 2. l. 3. cap. X.* *Externè.*

℞ *Bacc. juniper. q.v.*

Affunde ▽. ſalv. q. ſ. contunde & admiſce parum croci & panis ad conſiſtentiam mediocrem, & calidè pulſibus applica.

III. CORDIS PALPITATIO.

PErpetuum mobile Cor eſt, uſusq; ejus in perpetuâ quadam conſiſtit motione. Hæc autem motio ſi nimis vehemens fiat, affectus ille παλμὸς Græcis, Latinis *Palpitatio, Tremor & Saltus Cordis* appellatur, in quibus tamen aliqua notanda eſt differentia: Παλμὸς enim ſeu *Cordis Palpitatio.*

 palpi-

Cordi Tremor non convenit. *palpitatio* propriè illis competit partib ſponte quæ dilatari & ſubſidere poſſu *Tremor* verò de illis dicitur partib quæ molles ſunt & nullo modo ſpont dilatant, ſed à cauſis ſolùm morbifici altum attolluntur & elevantur. Et *Tremor* Cordi propriè loquendo attri nequit, quo de ulterius vid. *Sennert.* *2. de Med. Pract. part. 4. cap. 4. & Seb part. 3. Spec. Med. Pract. ſect. 4. cap. 3*

Præmiſſis præmittendis ſingula aquam Cardialem, Bezoardicam & T riacalem tradit *Quercetanus cap. 7. Ph macop. dogmat. reſtit.* quam ad om cordis pathemata utilem deprædi quæ in hoc affectu ſuum non denega officium.

Miſturam talem in formâ Electu ad cordis palpitationem à flatibus c mendamus:

℞ *Conſerv. anthos, rut. fl. tunic.* ãã
Confect. Alkerm. c. moſch. ℥ij.
Juniper. ℥j.
Elect. diaſcord. Fracaſt. ʒvi.
Spec. diambr. aromat. roſ. ãã ℈ij.
citr. juniper. ãã ℈ß *caryophill.*
Syr. cort. aurant. qſ. Miſc. F. l. Electu

Doſ. quantitate nucis moſchatæ bi die.

Externè *Rolfincius lib. 4. Conſulta* ſequens præſcribit Balſamum:

℞

℥ *nuc. moſch. expreſ.* ʒij.
ſtill. angel. ſuccin. citr. meliſ. ãã
℥ x. *Juniper.* ℈j.
F. Balſamum cordis regioni manè & ſperi inungendum.

D. Tilemanni tale eſt, ex *Agricolæ irurg. parv. tractat.* 7. *pag.* 783. deſumm:

Acet. bezoard. Ol. amygd. dulc. ãã ℥j.
Vin. malvat. mithridat. opt. theriac.
ãã ℥ß.
Succ. citr. expreſ. ʒv. *ſalv.* ℥ij.
iſc. ad lenem calorem, adde
℥ *juniper. citr.* ãã ℥j. *ſcorpion.* ℥ß.
Moſch. ambr. zibeth. ãã ℥ij. Miſce.

Caput XIV.

EBRES JUNIPERO OPPUGNAT.

Olem è mundo tollere videntur, qui microcoſmo præſentiam quatuor elementorum denegare audent, cum ipſe mmus rerum Arbiter illis contradicat, i *elementum terræ* mortali attribuit geri *Geneſ.* *Aqua* in ore & oculis dubusque lymphaticis ſub ſeri nomine is evidenter ſe conſpiciendam præt, *Aërem* nobile illud cordis flabellum lmo inſpiratione & exſpiratione atteatur, *Ignis* præſentiam calor tàm natu- *Quatuor elementa in homine.*

 ralis

ralis, fonſque & officina caloris C
quàm præternaturalis arguit, quid m
ta? Lippis notum eſt, calorem febril
ignis inſtar corpora hominum depaſc
& cum illo haud incongruè compar
poſſe Febres.

Febrium differentiæ. Harum autem magna eſt differe
tia, communiter tamen diſtingvuntu
Primarias & Secundarias. *Primariæ*
cuntur, quæ à propriis ſuis dependi
cauſis nullumque alium morbum ſub
qvuntur, *Secundariæ ſeu Symptomat*
quæ ab aliis morbis vel inflammati
alicujus membri ortum ſuum habe
Differunt quoque febres, quòd aliæ
Putridæ, quæ à putredine humorum,
vaporibus è tali putredine excitatis,
præternaturaliter calefacientibus, e
tantur. Aliæ *non Putridæ*, quæ no
putredine humorum, ſed ex acce
Spiritibus producuntur. Porrò occ
rit differentia febrium talis, quod
febres dicantur *Continuæ*, quæ, à pri
invaſionis tempore in eodem ſtatu
remiſſione & exacerbatione perman
Aliæ *Intermittentes*, quæ poſt interv
nunc breviora, nunc longiora dive
inducunt paroxyſmos.

Omnes hæ febrium differentiæ
riè iterùm ſubdividuntur, ut in *fe*
σχετικὰς & ἑκτικὰς in ſimplices &

po

ſitas, *Diarias*, *Quotidianas*, *Tertianas* *uartanas*, quæ itidem vel *Simplices* ſunt l *Compoſitæ*, unde *Duplices Triplicesque* iuntur *Tertianæ* & *Quartanæ febres.* fferunt quoq; ratione ſymptomatum malignitatis, unde variæ oriuntur apllationes & differentiæ, quas tamen nnes recenſere, noſtri cum non ſit intuti, meritò ſuperſedemus.

In omnibus hiſce febribus *Junipem* & ex illa præparata medicamenta quid ſingulare præſtare nulli dubitaus, quoniam aromaticæ, volatiles oleeque qualitates in illa partibusque ils maximè deprehenduntur, magnisq; mores peccantes & fermenteſcentes endandi, temperandi, attenuandi, cutiendi & expellendi viribus pollet: i enim humorum cruditas vel putrecorrigenda, craſſities & viſciditas atuanda, malignitas expellenda, vel ſi ebribus acredo peccet bilis & oleoſi, ſi pituita vel viſciditate vel ſalſedine febres excitet, ſi ſuccus pancreaticus lympha aciditate, ſalſedine vel acree febrile pariat fermentum, hæc olia ſi corrigenda & ad ſtatum natura deducenda, ſique ſal volatile, a, malignitatem fovens, expellendum, e hæc omnia *Juniperina* præſtant *meamenta*: Probatione enim vix indi-

get, quod dicta medicamenta hiſce o-
mnibus ob diverſam præparandi me-
dum ſatisfacere poſſint, dum acida
Junipero medicamenta ut *Acetum*, *SSp-*
tus acidus ex ligno, *Magiſterium Juni-*
Spiritus ex ſale Juniperi &c. bilis acri-
niam ſalinam, ejusque craſſitiem, co-
ſitatem & inflammabilitatem; Salſa,
ſa & ſpirituoſa, ut *Sal*, *Oleum*, *Spir-*
Extractum, *Eſſentia &c. Juniperi*, pit-
viſciditatem & glutinoſitatem, ut & l-
phæ ſucciq; pancreatici aciditatem t-
perare & emendare, ipſumque ſal v-
tile, acre, malignum & venenoſum pe-
ca convenientia expellere malign-
temque penitus tollere apta ſint, pe-
vel cum aliis itidem ſpecificis, tàm
phoreticis quàm diureticis & a-
pharmacis mixta ſi exhibeantur: Q-
tam enim in febribus malignis præ-
utilitatem notum eſt, cur ergò uſu-
rum in aliis febribus excludatur? (
propter & in omnibus febribus
continuis, quàm intermittentibus
perinis tutò & feliciter medicamenti
licere concludimus cum *Mynſichto*:
Theriacam Saxonicam *Spiritu Ju-*
rino claram omnis generis febribus
fligandis & extingvendis opponit
jus deſcriptio talis:

℞.

Rob. ſambuc. ebul. ãã ℥ij. *C.C. phil. præparat.* ℥j.
Succ. inſpiſs. fumar. Syr. papav. ſimpl. Spir. Juniper. ãã ℥ß.
Bol. rubr. Ar. ʒij. ℞ *ſem. angel. zedoar.* ãã ʒij.

...ſce flammâ imbecilli in formam opia... Doſ. quantitate Nuc. Moſchat. *Arma...nt. Chym. ſect. 13. pag. 229.*

Sic in TERTIANA *Rob Juniperi* ʒß. ...C. uſt. exhibet *Rolfincius lib. 4. Conſul...V. p. 441.* & *Oleum Juniperi* ante pa...xyſmum exhibere ſvadet *Conrad. Kun...b. medull. deſtill. pag. 443.* Singulare febrifugum compoſitum deſcribit ...*fincius lib. V. Chim. Sect. 1. Art. 1. cap. 17.* *Febris Tertiana.*

⊖ *abſinth. card. bened. fraxin. junip.* ãã ℥j.
ſarmentor. vitium, corylin. ãã ℥v.
☽*i cum* ♎*e prap.* ✱*ci* ♈*t.* ãã ʒj.

...vantur in aqua fumariæ modico Spir. ...i addito. Artis regulis obſervatis, ...erget ⊖ cryſtallinum Febrifugum. ...ſ. ℈ß. in liquore competente.

Et nos febre Tertianâ laborantes, ...miſſis & interpoſitis medicamentis ...ſuperiora & inferiora evacuantibus, ...us menſis ſpatio feliciter hiſce reſti...nus: *Obſervatio.*

⊖ *Juniper. card. bened. abſinth.* ãã ℈ß.
Rob. Juniper. Syr. card. bened. ãã ℥ß.
Miſc.

Miſc. S. Schweißtreib: Safft auf 2 maa

Sæpius in curâ febrium obſervaa-
mus, quàm variè morbis & inprimis
bribus debellandis ſe idoneum præb
ʒius vitæ, ex ʒii butyro, quod ex regu
& ♉to exſtillatur, confectus, ad grra
V. enim in ſubſtantiâ exhibitus null
plane vomitum, ſed largiſſimum ſ
excitavit ſudorem, quo ægri maxi
fuere ſublevati.

Omnibus præterea medicamen
Juniperina addimus, & inprimis 2. h
ante paroxyſmum exhibuimus ſequ

℞ *Conſerv. roſar. violar.* ⊖ *lat.* āāi
Spir. ſalis coagulat. abſynthiac.
per. āā ℈ij.
Salis card. bened. ʒß. *Rob Juniper*
∘°∘ juniper. ℈ß.

Miſc. F. Electuarium. D. in pyxide S
ber-Zucker. Doſ. ʒij. ad ʒiij.

Quô primâ ſtatim vice exhibitô
roxyſmus plerumque levior & br
or fuit, poſteaque paulatim remiſit &
nitùs evanuit.

Quartana QUARTANA laborans ſib
hydropem ex pedibus tumefactis m
ens ſequentibus reſtitutus eſt, no
Deckero in elegantiſſimis notis ad
Barbett. lib. 3. cap. 3.

℞ *Raſur. lign. quajac.* ʒiij. *cort. eju*
Rad. apii, petroſel. leviſt. āā
Bacc. laur. juniper. āā ʒiß.

oqu. ſ. a. ex ▽â purâ in Colaturæ xxxvi. diſſolv.

Syr. card. bened. ℥ij. *ſpir.* ✻*ci* ʒj. ▽*æ theriac. ſimpl.* ℥j. Miſce:

ulvis & Decoctum purgans, quibus præterea uſus eſt, videantur *locô citatô.*

Externè ad *quartanam* ex lienis obſtructione ſequens exhibet *Conrad Kunrath. medull. p. 421.*

Fungor. Junip. qv. infund. in Spir. Vin. q. ſ.

c ſolventur fungi illi & in liquorem ſe convertent, quo ſpina dorſi febricitantis à ſuperiori ad inferiorem usque partem illinatur & ſæpiùs hæc inunctio repetatur, ſic febris penitus evaneſcet.

In Quotidiana febre ante paroxyſmum ſequens adhibet *Grylingius lib. V. Med. Pract. part. 2. cap. V.* *Quotidiana.*

Arcan. duplicat. Spir. coagulat. abſinth. vel Juniper.

Crem. ♀*i* āā ℈j. ☍ *bacc. juniper* ℔j.

Miſce D. in juſculo.

In Synocha ſimplici externè ad revellendos vapores alias ſurſum tendentes plantis pedum ſequens imponatur maſſa: *Synocha ſimplex.*

Gumm. tacamahac. ℥ij. *Verniciis, animæ, ſuccin.* āā ʒß.

Pulv. rad. pyrethr. diptamn. alb valerian. ſem. eruc. āā ʒj.

Miſc. & c. ſ. q. fermenti & acet. rub. id. maſſa *Rolfinc. lib. 4. Conſult. 4. pag. 429.*

II. PE-

II. PESTIS ET FEBRES MA-LIGNÆ.

Peſtis.

QUamvis homo multis morborum ge-neribus ad mortis caſtra quæ illu deducunt, ſit obnoxius, nullum tam atrociùs in illum ſævit, quàm *Peſtis* *Febres malignæ*, quippe quæ cito pede in optimo ætatis flore conſtitutos nun ro aſſociant ſilentium, oppida & a colonis viduantes, *peſte* quidem mit res ſunt *febres malignæ*, periculo tam pleniſſimæ.

Febrium malignarum differentiæ.

Variè *Febres* hæ diſtingvuntur. liæ enim ſunt *Epidemicæ*, quæ in plu eodem tempore ſæviunt, ex aëris vel menti vitio ortæ, aliæ *Privatæ*, quæ h vel illum ſaltem hominem & quidem cauſam ſingularem ac veneni ferè mine afficiunt. Præterea ſunt illæ *Contagioſæ*, quæ alios inficiunt vel *Contagioſæ*, adſtantibus nullam no afferentes, quæ iterùm ſunt vel *res* paucis diebus ad finem tenden vel *Longiores*, plures dies dura *Franciſc. de le boë Sylvius lib. 1. Prax. cap. 33.*

A *Peſte* quoque *Febres malignæ* d runt, earum differentias autem rece re nimis prolixum fore judicamus; deatur de his *Sennertus lib. 4. de Feb cap. 3.*

Or

Omnibus hiſce, ut & ipſi Peſti ad-
rſantur *medicamenta juniperina, Præ-
vativè vel Curativè adhibita*, paucas e-
n medicorum formulas Lernæis hiſce
lis oppoſitas cernere licet, quæ non
niperinis ornentur medicamentis, cum
Juniperus ejusque bacca per ſe inter a-
ipharmaca locum teneant haud po-
emum: Quantum enim ad præſerva-
nem, quâ de primò dicendum, con-
cant, notum eſt, & *grana juniperi* in a-
o macerata inque ſubſtantia exhibi-
ut & Electuarium ex ſolis *baccis juni-
inis* confectum ad peſtis præſervatio-
n magnopere commendantur.

Præſervantia Externa.

Sic etiam *lignum Juniperinum*, *ra*
Juniperini, *baccæ Juniperi* tàm per ſe,
ſuprâ jam diximus, quam cùm aliis
mixtis variè in ſuffitibus adhibentur,
orum varias habet formulas *Sennertus*
4. de febrib. cap. 7. Rhumelius part. 4.
r. Chym p. 631. Colerus cap. XI. lib. 1. de
Mynſicht. ſect. X. Armament. Chym.
92. & 93. & alii, ſicque unicum tan-
 lubet apponere Pulverem pro ſuffi-
quo D. D. Chelius tempore peſtis uſus

*Rad. veter. Juniperi exſiccat. & tenu-
iſſimè inciſ.* ℔ß.
Bacc. Juniper. ℥iij. *Thymiam. thur.
alb.* āā ℥iß.

Sem.

Sem. nigell. coriandr. ✝to. macer & exiccat.
Rad. ir. Flo. gumm. ladan. ſandar.
Ceræ alb. minut. inciſ. āā ℥j. *maſtich*
Cort. citr. aurant. āā ʒvi. *Caryoph concis.* ʒj.
Fl. lavend. ſummit. abſinth. c. ſem āā Miß.
Fol. ſpic. nard. ſalv. meliſs. āā Mj.
roſmarin origan. majoran. āā
Conſcindend. conſcindantur, Sem autem integra ſumantur & miſceantur S. ut ſupra:

Aliô, & quidem ſequenti modô ſitum parare docet *Paræus lib. 21. Chir cap. 19.*

℞ *Herb. rut. ſalv. anthous. bacc. Juniper. nuc. cupreſs.* āā *q.v.*
Infund. Aceto, quod poſtea ignitis dibus aſpergendum.

De uſu horum ſuffimigiorum imperitè monet D. Starck ut ni eorundem uſus vitetur & eorum ignis apertus lignis odoriferis con inſtructus eligatur, præſertim ubi tis metuenda gravitas, aſthma ali talia ſymptomata. *Tractat. de peſt.*

Balſamum antilimicum ſing tradit *Rolfincius lib. 4. Chim. ſect. V. c.*
℞ ⚘ *ſcorp.* ʒij. *angel. deſt.* ℈ß. *bacc. Jun*
Nuc. moſch. expreſs. qſ. Miſc.

F

Balſamum in peſte naribus, carpi con-
iis, ſcrobiculo cordis aut ſub ſiniſtrâ
amillâ inungendum.

Acetum Prophylacticum *Cl. D. D.*
rnoldi Weickardi tale deſcribit *Schröderus*
. 2. Pharmacop. Med. Chym. cap. 37.

Rad. Angel. zedoar. leviſtic. pim-
pinell. germ.
Rut. ãã Mj. *Turbith el.* ℥ij.
Cort. citr. recent. ℥iij. *Bacc. juniper.*
matur. ℥iß. *Laur.* ℥j.

ciſ. & contuſa ut moris macerentur
n Acet. acerr. Menſ. ij. poſtea deſtil-
tur per Alemb. vitreum & ſervetur pro
.

Oleum antipeſtilentiale, quo cor-
, axillarum & ingvinum regio inun-
ur *Barthol. Bonacurſii vid. apud Schrö-*
um lib. 2. Pharmacop. Med. Chym.
. 72.

Inter interna Præſervantia com- *Præſervantia Interna.*
ndantur Evacuantia, ut, ſi
d vitioſorum humorum in corpore
prehendatur, educatur & ſic fomes ma-
etrahatur. Sint autem illa leniora il-
que Alexipharmaca miſta. Sic
gnerus tractat. de peſte ſequentem ordi-
potionem:

Fol. Senn. ſcabioſ. Rad. polypod. ãã ℥ß.

ciſ. coqu. in ſ. q. ſeri lactis, expri-
tur & adde:

Caſſ. rec. extract. ℥iij. *Elect. d. ſen*
roſar. ʒij.

○ *juniper.* gtt.iij. Miſc. omnia S.

Purgir Tränckleín.

His ſuccedunt Aquæ Theriacales, Be-
zoardicæ & Antipeſtilentiales dictæ, q
bus in præſervanda peſte inſignes vi
attribuuntur. Omnes illæ plerumque
niperi partibus inſignitæ coruſcant & p
cas videbis iisdem ſpoliatas, variæ i
rum formulæ videri poſſunt *in Appen*
Antidotar. Uffenbach. pag. 588. Hartma
Prax. chimiatr. p. 31. Pharmacop. do
Querc. reſtit. cap. 7. Plateri Obſervat.
2. p. 339. Timæi à **Gülden-Klee** *deſcr*
medicament. p. 400. Caſ. med. annex. T
mann. d. mater. medic. pag. 268. aliis
quamplurimis, ex quibus ſequens
gnarum perhibetur virium eſſe *à A*
ſchet. ſect. 19. Armament. Chym. p. 326.

℞ *Theriac. Venet.* ℥viij. *Terr. ſigill.*
Rad. angel. hort. tormentill.
camp. āā ℥ß.
C.C. phil. præp. C. alces eod. mod. c
Lign. Saſſafras, Bacc. Juniper.
citr. āā ℥j,
Bolet. Cervin. Myrrh. rubr. āā ʒ
♁ *ii diaphoret. Croc. orient.* āā ʒi

Pulveriſata mixta infund. in Vini
vat. ℔viij, macerentur per 8. vel 14.
poſtea in Bal. Mar. deſtillentur. S

Elec

lectuaria Prophylactica extant quam-
lurima, tàm febribus malignis, quàm
ſi peſti contraria. Tale eſt Electuari-
m Alexipharmacum FF. cujus deſcri-
tionem tradit *Schröderus lib. 2. Pharma-
p. Med. Chym. cap. 51.* Item Antidotus
iſpanica, *cui* ℞ *juniperi aa* ℥i. admiſce-
ır, cujus deſcriptionem vide in *Crocolo-
a Nobiliſs. D. D. Herdot. p. 245.*

Platerus loco ſuprà citato etiam tra-
it Antidotum, quam *baccæ juniperi* in-
rediuntur & Electuarium Prophylacti-
ım *Bartholini, baccis juniperi inſigne*, de-
ribit *Philipp. Müllerus lib. V. miracul.
Med. Chimic. p. 145.* ſequensque addit:

℞ *Fol. rut.* ℥ß. *Fic.* ℥ij. *Bacc. junip.* ℥iß.
Nuc. maj. ℥j. *Acet. vini* ℥ij. Miſce
modum Electuarii: De quo ſumat
junus iturus in aërem quantitate ca-
aneæ.

*Verzaſcha lib. 17. Riverii Contract.
T. 3. cap. 1.* hanc præſcribit opiatam:

℞ *Rad. tormentill.* ℥iß. *angel. ſucciſ.
vincetoxi* ā ā ℥ß.
Bol. Armen. ℈ij. *C. C. phil. præp.* ℥ij.
*Rob. Juniper. ſambuc. Theriac. veter.
Mithridat. opt.* ā ā ℥ß. *Mell. qſ.*

. F. Opiata. Doſ. quantitas nuciſtæ an-
egreſſum è lecto.

Pulverem Bezoardicum *Juniperi
accis* exornatum ad peſtem tàm præca-

vendo quàm curando proficuum trac
Uffenbachius lib. 3. *Antidotar. ſect.* 1. *cap.*

Sal Juniperi ut & *Extractum B*
carum ejuſdem generoſis adnume
præſervatoriis *Wilhelmus Pithopœus Cæ*
*reæ olim Majeſtatis Archiater pag.*6. *Vir*
toxici & ſeqq.

Extractum Antipeſtilentiale acc
paratum exhibet *Sennertus lib.* 4 *de febr*
cap. 7. *de præſervat. Peſt.* quod tale:

℞ *Rad. angel. valerian. olſatr. zedoa*
ſcorzoner. tormentill. āā ℥j.
Fol. ſcord. card. bened. dict amn. vero
rut. āā ℥ß.
Cort. citr. Bacc. Juniper. āā ℥j. *S*
citr. ℥ß.

Affunde aceti deſtill. qſ. F. Extract
cui adde:

deſt. citr. ℈ß. ⊖*is fraxin. abſ*
āā ʒj.

Doſ. *à* ʒß. *ad* ʒj.

Aliud Extractum, *Extracto Junip*
no clarum, ibidem addit & hanc Anti
tum à Recentioribus laudari aſſerit.

℞ *Theriacæ* ℔j.

Extrahatur aquâ Bezoardicâ vel
ritu Juniperi Tinctura. Feces ca
nentur & cum aquâ cardui benedict
extrahatur, liquorique, qui eſſent
Theriacæ attraxit, miſceatur. Hin
quor per Balneum deſtilletur, ut in fu

Et

ſentia ſeu Extractum Theriacæ rema-
at Syrupi conſiſtentiâ. Liquor qui
ſtillavit eſt aqua Bezoardica ſatis effi-
x. Extracto adde:

Eſſent. corallor. perlar. ãã ℥ij.
Lapid. bezoar. ver. unicorn. veri ãã ʒiß.
Ambræ, Eſſent. è trochiſc. viperæ. myrrh: ãã ʒj.

per igne lentiſſimo miſceantur, ulti-
o adde:

☍ *citr.* g̃. vi. *camphor.* g̃ij.

ſ. ad Præſervationem piſi magnitudi-
, ad Curationem ʒß. cum aqua Bezo-
dicâ.

Tincturæ Bezoardicæ expertiſſimæ,
â peſte graſſante *D. D. Matth. Franc.*
rtodt. ſe ſuos pluresque alios præſervaſſe
atur Nobiliſs. D. D. Joh. Ferdinand. Her-
t. S. R. I. Acad. Natur. Curioſ. Orpheus,
ſcriptionem *vide cap.* 21. *Crocologiæ pag.*
.

Rotulas ad præſervanda febri-
n malignarum contagia certiſſimas vi-
ſupra *Cap. 7. hujus tractatus.*

Curatoria in peſte febribus- *Curatoria Interna.*
e malignis quod attinet medicamen-
inter hæc *Juniperina* referri optimè
erentur, cum eximiis viribus venenis
verſandi & ejiciendi ſint prædita. Ab
ctoribus commendantur varia. Sic

Tenzelii ſequens ſpecificum Alexiph[armacum] macum in peſte deſcribit *Grylingius* [in] *V. Med. Pract. part. 2. p. 755.*

℞ ▽æ 🜔li *ſecund.* ℥xxx.
Rad. chelidon. in umbrâ ſiccat. ann[ul.] *odorat.* ãã ℥iv.
Herb. veron. c. flor. Miv.
▽æ *vit. Juniperin. è baccis* ℔j.
Maſſ. mumial. microcoſm. ℥iv.
Opii ad mentem Quercetani pa[rat.] *loco tamen aceti, ſucco auranti[or.]* *præparati* ℥ß.
Croc. opt. ℥j. *ol. ſuccin. alb.* ʒj. *Liq[uor.]* *C.C.* 🜔*lat.* ℥x.

Radices & Herbæ cum ▽â 🜔li per 8[...] es, in fimo equino digeſtæ per cinere[s] aquam deſtillentur, cui poſtea *Spi[ritus]* *Juniperinus* affundatur, additis [...] maſsâ mumiali, opiô, crocô, ol. ſuc[c.] & Spiritu 🜔li ex CC. paratô. Ci[rcu]lentur per menſem in Arena, deniq[ue] ſpiſſo diligenter ſeparanda. Doſ. à ℈[...] ℈i. ad præſervationem, ad Curatio[nem] ℈ij. in liquore convenienti.

Liquor C.C. 🜔latus ita parat[ur] Spiritus 🜔li C. C. uſto pari ponder[e] fundatur & præmiſsâ exſiccatione [per] X. dies magno igne deſtilletur.

Mindererus aquam ad medicam[enta] exhibenda valdè commendat, quam [Ju]*niperi baccis* pondere ℔j. nobilitavit

s deſcriptionem vide *lib. 4. Sennert. d. brib. cap. 8.*

Electuariorum uſus in peſte & fe-ribus malignis à multis probatur. Sic uercetanus ſummis extollit laudibus heriacam ſuam Cœleſtem cum *Spir. Ju-perino* paratam, cujus deſcriptionem de in *Pharmacop. dogmat. reſtitut. c. 24.*

Nec officium denegabit ſequens on adeò pretioſum Electuarium *.D.R*, quod *B. D. D. Hofmann. pag. 57.* velat:

Nuc. jugland. ℥iiß. *Flo. recent.* ℥ij. *in*
🜍to macerentur;
Fol. rut. recent, ℨvı. *abſinth.* ℨij.
Rad. Zedoar. oſtrut. dictamn. alb.
ãã ℨiß.
pimpinell valer. gentian. ãã ℨj.
Rob. Juniper. ℥j. *Terr. ſigill.* ℨiij. *Bol. Armen.* ℨij.
Theriac. ℥iß. *Fol. card. bened. veron.*
ãã ℨj.
⊖ *juniper. angel.* ãã ℥ß.

iſc. F. Electuarium.

Plura alia ibidem deſcripta Electu-ria *baccæ Juniperi* ingrediuntur cita- loco videnda.

Sub formâ Extracti ſi quis ap-etat medicamentum antipeſtilentia-, huic ſatisfacient *Hartmannus in rax. Chymiatr. p. 367. Sennertus & Tycho*

de Brahe, Hujus deſcriptio, quam Rud[illegible]
pho Imperatori ſubmiſsè comunica[illegible]
extat apud *Schröderum lib. 2. Pharmac[illegible]*
Med. Chym. cap. 57. & talis eſt.

1. ℞ *Theriac. Androm. veter.* ℔j.
Extrahe Tincturam cum Spir. Vin. rec[illegible]
ficatiſſimo ad ſuperemin. palmæ affu[illegible]
vaſe benè clauso. Effuſiones filtra & [illegible]
ſtrahe 1. △e ad conſiſtentiam mell[illegible]
2. Fiant Flores ♀is ſimplices ter pe[illegible]
& quartò ex Aloë, Myrrhâ & Croco[illegible]
mel leniter evacuati:

℞ *Horum* ℥iv.
°° Juniper. è bacc. rectif. ad eminen-
am digitorum 4.
(*Succini ſi libet part. 4.*)

Stent in digeſtione tepidâ & impræg[illegible]
bitur oleum tincturâ ♀is rubicundâ [illegible]
funde, & ſi libet, filtra. Itaque

℞ *Extract. Theriac. part. XII.*
Balſ. illius ♀is part. 1.

Addendo, ſi libet, nonnihil Extract. R[illegible]
angel. Mag. ſuccin. alb. & ⊖is abſin[illegible]
ut & de Spiritu illo Theriacali abſtra[illegible]
aliquantulum, digerantur. Hinc [illegible]
Separatio ad conſiſtentiam mellis. S[illegible]
mum eſt curativum peſtis. Doſ. g̃[illegible]
XI, XII.

Sennerti Extractum Antipeſtil[illegible]
tiale tale eſt:

℞ *Ra*[illegible]

Radic. angel. olsnit. imperator, zedoar. helen. valerian. vincetoxic. ãã ℥ß.
Tormentill. gentian. petaſit. ſuccis. pimpinell. ãã ℥j.
Sem. leviſtic. ʒiij. *angel. meliſſ.* ãã ʒij. *citr.* ʒj.
Gran. Juniper. Mij. *Flor. hyperic.* Mj.
Fol. veron. meliſſ. artemiſ. ſcord. galeg. ſcabioſ. card. bened. ãã Miß.
…um Spir. Vin. Fiat Extractum. *Inſtitut. …ed. lib. V. part. 3. ſect. 3. cap. 9.*

Elixir Peſtilentiale deſideranti ex…pet *Crollius in Baſil. Chym. p. 286.* cujus …ſcriptionem videatur *cap. 7.* hujus …*ctatus.*

Eſſentiam Camphoræ Alexiteriam …mpoſitam talem tradit *B. D. D. Mœ…us pag. 42. anot. camphor.*

℞ *bacc. Juniper.* ʒij. *citr.* ℥ß. *ſuccin. alb.* ʒij. *angel.* ʒj.
Camphoræ ʒij. *vel* iij.
…. a. Solutio in Balneo, adde:
Extract. liquid. zedoar. angel. ãã ʒj.
Croci ℈ß.
…rùm digere & ſerva pro uſu.

Miſturis qui delectatur, adeat *Gry…gii Med. Pract. qui lib. V. part. 2. cap. 7.* …urimas earum tradit formulas.

Inprimis hîc commendari meretur …iſtura Antilimica *B. D. D. Rolfincii,*

cujus præſtantiam nunquam ſatis prædicare poſſumus ob illuſtres, q in febribus malignis & petechialibus *& Viſenæ* aliquoties graſſantibus præ tit, cum ex trecentis & ultra hiſce m affectis curæque noſtræ in Praxeos ſtræ curſu commiſſis vix triginta v privari nectare permiſit, cujus comp tio talis *lib. 4. Chym. ſect. 4. cap. XI.* p ponitur.

℞ *Miſtur. ſimpl. diaphoret.* ℥ß.
Eſſent. gran. junip. vino malvat. pa angel. rut. ſcord. meliſſ. card. be gentian. ãã ℥j. *Croci* ʒij.
Spir. CC. cum ⊖ *e volat.* ℥j. *lign. ſ eben. rect.* ãã ʒij.
Syrup. acetoſ. citr. ſcord. card. be ceraſ. & caryoph. ſcorzoner. ãã

Stent in digeſtione horarum 24. A ventur in vaſe, in quo ſuſpendatur dulus:

Ambræ ℈ß. *Moſchi* ℈j.

Doſ. ʒij, iij. in aquâ Scordii.

Tincturam contra peſtem *E. D. D. Bauſchius Tract at. d. Unicorn.* p. 99. talem componit:

℞ *Miſtur. ſimpl.* ℥iijß. *Spir. C. C.* ʒ
Rad. ſcorz ner. ʒiß. *tormentill.* ℈ *elen.* ʒj. *contrayerv.* ʒß.
Bacc. herb parid. contuſ. ʒiij.
Juniper, conquaſſ. ℈iv.
Cort. citr. ℈ij. Miſc. S

ent in digeſtione in loco pro extra-
ione Tincturæ, quæ filtranda.

Sequentem compoſitionem maxi-
is in peſte aliisq́; morbis malignis ex-
llit laudibus *Pithopœus pag 71. tractatus
ati*, & Diaſcordium compoſitum ipſius
uniperinam ingredi Eſſentiam teſtatur
p. 95.

℞ *☿ii fixi diaph. c.* ⊙e ʒj. ⊙is *diaphor.*
Magiſt. Corall. rubr. Rubin. ãã ʒij.
Eſſent. croc. ʒj. *juniper. fumar. hirun-
dinar.* ãã ʒß. *guajaci*
Bezoard. animal. ãã ʒj. *Moſch.* ℈ß.
Ambr. ℈iß.
cinamom gtt. iij. Miſce
oſ. à gr. XII. ad ℈j. in ▽ vel Syrupo Fu-
ariæ.

Pulveres contra Peſtem ſi quis ex-
ptet, deſiderium explebunt ⊖ia The-
acalia dicta, ex viperis aliisq́ue variis
gredientibus compoſita, tàm à veteri-
us, quàm recentioribus maximè com-
endata. Inter veteres horum memi-
it eorumq́ue præparationem, cui bac-
arum juniperi ℔ij. adjungit, tradit *Ga-
nus lib. de Theriaca ad Piſon. cap. 18. & 19.
g. m. 1279.* Inter recentiores *Querceta-
us* eadem corrigit & *cap. 24. Pharma-
p. dogmat. reſtitut. pag. 828.* eorundem
eformationem rectamq́ue præparandi
tionem edocet, illiq́ue *baccas Juniperi*
d ʒiv. addit. Inpri-

Inprimis *Confectionem viperinam* ... *niperinam* extollit *Autor citatus cap. cit* ... *pag. 808.* ejusque præparationem ... proponit citato loco videndam. ... hoc pulvere ita loquitur: Pretioſiſ... mus hic Pulvis ex tàm venenatiſſi... animali eductus ſuperat quævis alia ... xiteria & alexipharmaca, ſi ad ℈j. po... gas.

Tabellas Cordiales contra peſt... ita præparat *Ambroſ. Paraus lib. 21.* ... *rurg. cap. 7.*

℞ *Rad. angel. gentian. bellen. zedo...* āā ʒij.
Sem. citr. acetoſ. āā ʒß. *cort. citr.* ... *namom.*
Bacc. laur. Juniper. Croci āā ℈j.
Conſerv. roſar. bugloſſ. āā ʒj. ... *chari* qſ.

Miſc. F. l. a. Tabellæ pondere ʒß. D... num. 1. ante cibum.

Plures idem Autor habet medi... mentorum formulas, *juniperinis medi... mentis* conſpicuas, loco citato videnda...

Externa. Externa in peſte febribusque ... lignis tàm ad corroborationem, qu... bubonum carbunculorumve peſtile... alium maturationem & Curationem ... ria adhibentur, quibus *juniperina* add... tur *medicamenta.*

Sic *Platerus* in febre maligna ſu...

lſus in utroque carpo Theriacam, ad-
is caryophillis, croco pauxillo, *baccis*
iperi contuſis & cum aceto roſaceo
actis, applicavit, notante illo *lib. 2. Ob-*
vat. p. 319.

Et hîc locorum nihil frequentiùs
, quàm ad dolorem capitis in febri-
s malignis ſedandum capiti impo-
nt ſequentia mixta:

Bacc. juniper. contuſ. ſem. carv. nigell.
Mic. panis āā *qu. linteis incluſa capi-*
ti imponantur.

Ungventum contra Peſtem *Antonii Flo-*
tini ſequens tradit *Uffenbachius lib. V.*
tidot. ſect. 1. pag. 564.

Theriac. Androm. vet. opt. ℥ij.
qu. in vaſe fictili optimè vitreato ad
nſummationem medietatis, adde, cum
igne remota fuerit:

Rad. carlin. imperator. gentian. dip-
tamn. alb.
Sandar. Ar. croc. opt. āā *pulveriſat.* ℥ij.
ſc. F. Unguentum, quô cordis regio
ngatur.

Emplaſtrum *Fiorovanti* ad peſtem
e deſcribit *Grylingius loco ſæpe citato:*

Reſin. pin. rec. Sandarac. Ar. ceræ rec.
Sev. caſtrat. Fell. bovin āā ℥iv.
lliant in ℥XVIII. ol. ſem. lini, usque
m fumum fœtentem ediderit, poſtea
igne amoveantur, per linteum trajici-
antur,

antur, addatur de Cerato Magiſtralii pondus omnium, iterùm coquam trajiciantur & cum ſequenti pulv commiſceantur:

℞ *Thur. maſtich. myrrh. ſarcocoll, Sang. Dracon. Ammoniac, virid.* āā ℥ß.

Cerato dum adhuc calet admiſceaı & ad uſum reſervetur.

Lagnerus tractat. de peſte ſequ ad venenata ulcera, ne ulteriùs ſerp proponit.

℞ *Sapphirum orientalem* ver hunc *in oleum Juniperi* intinge & c hoc circulum fac circa puſtulas vene tas, tunc venenum ulteriùs non ſer ſed in hoc circulo puſtulæ aperien

Singularem in febribus malig præcipuè in morbo Ungarico, Cura quidem Magicam edocet *Pharamun Rhumelius, cap. 9. Iatr. Chym. p. 397.*

℞ *Baccar. Juniper. virid. & imme qv.* Contundantur aſperſo ⊖e in mo rio, poſtea capiti, tergo & plantis dum imponantur, donec exſic tur, terrâ ſepeliantur & impoſitio *carum recentium* repetatur usque omnis malignitas ſit attractata.

Caput XV.

DE
ENENIS EORUMQUE PECIALI ANTIDOTO JUNIPERO DISSERIT.

Uamvis homo omnium Creatu-rarum Nobiliſſima ac Præſtantiſſima tantis tamen calamitatibus & peri-is, mortem τὸ τῶν φοβερῶν φοβερώ-τον minantibus, eſt cinctus, ut ſem-habeat, à quo ſibi cavere debeat. n enim tot tamque varii ſolùm mor-vitali nectari qui inſidiantur & vi-, ſi non planè adimant, beatâ tamen rte multò infeliciorem reddunt, ſuffi-nt, ſed homini inſuper *multa veneno- generа* inſidias ſtruunt, cùm in o-ibus Macrocoſmi, Regnis, ut vegeta-, animali & minerali talia extent *vene.* quæ humanæ naturæ & complexioni, undum *Foreſtum lib. 30. obſerv. in Schol. bſerv. 2. de Venen.* extremè repugnant, icente *Nobiliſſ. D. D. Welſchio cap. 17. c. rational. vuln. lethal.* vi ſuâ delete-calidum nativum Cordis primariò, ue adeò reliquarum etiam partium ugnant ac deſtruere nituntur: Si-dem hæc & in minimâ quantitate as-ta vel corpori ab extra admota gra-viſſi- *Venenorum natura.*

viſſima excitant mala, ut, ſi non ma… re illis obviam eatur, hominem citiſſ… interimere, vel nonnunquam per … quot tempus in corpore latere & po… deleterias ſuas vires maximo cum … petu exſerere valéant: Nonnulla e… homines citò vel *aduſtione*, *ſuffocati*… vel *coagulatione* è medio tollunt, n… nulla verò *viſcerum eroſione, exulcerati*… *putrefactione humorumq; corruptione* œ… nomiam corporis humani ſubvert… animamque ex ſede ſuâ amiciſſimâ e… grare cogunt.

Qualitates venenorum.

Quomodo autem *venena* corp… externè tantûm admota tantas cala… tates in corpore tàm citò excitare v… ant, meritò curioſè inquirendum; Sa… aliorum doctiorij udicio hæc ex no… conjecturâ videtur ratio: Videmu… los, qui à viperâ, ſerpente, aliove … malis venenati morſu vulnerati ſunt… venenatas res ſaltem attigerunt, ver… vires illicò in corporis partibus inte… ribus percipere, cum tamen ad illas … hil veneni immiſſum & perlatum vi… tur. *Hanc venenorum deleteriam qu… tatem & efficaciam* ac venenatorum … malium halitus vel ſputa conſiſtere: … tamus in *Sale Spirituve acerrimo max… que volatili*, qui per conſpicuos corp… cutisque meatus, poros videlicet, …

Venenorum vis quo conſiſtat.

m…

odò ſi admoveantur, ad intimiores
rporis partes ipſamque maſſam ſan-
vineam penetrant ipſique cordi per
rculationem omnibusque viſceribus
mmunicantur.

Hoc autem poſſibile eſſe ita proba-
poſſe putamus: Quemadmodum Sa-
volatilia Spiritusque maximè volati-
s & in alcohol redactos ex optimè oc-
uſis vitris vaſisque evolare & auras
tere cernimus, ita & venenorum Sa-
& Spiritus volatiles multò facilius
r poros corpori ſe intimiùs inſinuare
que internas illius partes pervenire
ſſe non abſurdum judicamus; imò
Salinis cernere licet aquam Salinam
rticem ovorum, ſi in illa ad duritiem
quantur, penetrare & tàm brevi tem-
ris ſpatio ſalinum ſaporem toti ovo-
m ſubſtantiæ communicare, ſapimus
guſtu deprehendimus, cur ergo vene-
, majori utpote vi & penetratione ac
btilitate prædita, quàm Sal illud culi-
re & aqua ſalina, corpus non pene-
re & venenosâ ſuâ qualitate inter-
s quoque illius partes non inquinare
leat?

Venenum itaque corpori immiſſum
ximam maximeque malignam exci-
e ebullitionem & effervеſcentiam
n in ſangvine, quàm aliis omnibus

corporis partibus, ad quas illud deffe tur, ob diverſas & ſibi invicem contr rias qualitates (ſicuti in Spiritib contrariæ qualitatis Saleque vola præditis obſervatur) indeque tumor præternaturalem, qui in veneno af ctorum corporibus conſpicitur, ort ducere judicamus cum *B. D. D. M lenbroccio cap. 9. Cochlear. Curioſ.* Hui non tempeſtivè obviam eatur & nat pugnanti venenumque ejicere cona ſuppetiæ ferantur, actum eſt de homi vitâ, quoniam univerſum corpus *ve natâ ſibique maximè contrariâ & inim qualitate imbuitur, ſanguis antea laudab venenoſus, acris & igneus quaſi redditur; ad cor delatus, efficit, ut ipſa cordis ſtantia reliquorumque viſcerum adur & corrumpatur citiſſimè, denegatâ vide materiâ, cordis reliquorumque viſcerum flammationem, aduſtionem & corruptio mpediente.*

Hanc fermentationem & ebr tionem à Sale volatili venenorum acredine aciditateve aliâque ferm tandi vi præditâ qualitate illorum venire prolixâ probatione non eger bitramur, cum oculari illud rerum micarum peritorum inſpectioni, u prà monuimus, pateat & ab aliis jan dum probatum ſit & explicatum.

Diximus ſuprà nonnulla *venena* *Venena ſuffocatione perimunt & quomodo.*
focatione vitam perimere & coagula-
ne, de quibus nunc etiam agendum.
uffocatione venena noceant, adſcri-
nda hæc illorum noxa *Spirituoſis, va-*
oſis & venenatis eorundem fuliginibus,
æ vel per ſe in corpus attrahuntur ei-
mque communicantur, vel à prædi-
excitatâ fermentatione & ebullitio-
excitantur. Si enim exhalationes
bonum ſecundum *Amat. Cent. 7. Cu-*
33. vapor muſti & cereviſiæ, hali-
cloacæ teſtante *Hœchſtet. Decad. 3.*
8. evaporationes calcis tectoriæ *ob-*
ante Tulpio l. 3. c. 41. ſtuporem & mor-
inferre potuêre, ſique Spir. Vin.
mque vinum, immodicè ſi aſſuman-
, lethali ſucceſſu ob Spirituoſas eo-
dem evaporationes fuerint aſſumta,
tò magis venena maximè & vapo-
â qualitate conſpicua ſuffocationem
temque ipſam cauſare poſſunt: No-
enim eſt, vapores craſſos Spirituum
malium influxum impedire, ex ho-
penuria dicente *Sylvio lib. 1. Prax.*
cap. 20. §. 12. Cor imbecillius mo-
,&ſic exabſentiâ illorum & denegato
uxu planè motum cordis ipſamque
m tolli.

Spirituoſi & venenati hi vapores
attrahuntur corporique ſe inſinuant

 per

per inſpirationem vel per poros, ut ſu-
prà dictum, vel ab ebullitione & ferme-
tatione veneni in corpore excitatâ pr
ducuntur. Fermentationem autem v
pores gignere, extra dubitationis alee
eſt poſitum, cum quotidiana illud exp
rientia teſtetur & dubitantes ad ferm
teſcentia vini, & cereviſiæ, Spiritus V
dolia remittat, ubi ſenſibus illud
manifeſtè ſatis percipient.

Coagulatione venena occidere.

Coagulation etiam venena *ſuffoca-
tione* nocentia noxam ſuam debent,
veneni qualitas venenata in eo e
conſiſtere videatur, quod ſangui
coagulet, & ſic ob lentorem & inop
ſanguinis, cordis inflammati ardo
reſtinguere debentis, homo ſuffoc

Unde proveniat coagulatio.

*Hanc coagulationem à ⊖e veneni ac
coagulari aptiſſimo provenire opinamu
mnis enim concretio & coagulatio ſali
pria eſt eaque naturâ ſuâ ad coagulati
dicente Sennerto cap. XI. de conſenſ. &
ſenſ. Chym. p. 304. tendunt, & concr
ac coagulari omnis Salis eſt proprium.*
itaque Sal illud venenatum ad Sal,
tàm ſanguini, quàm aliis corporis
bus & humoribus copioſè ſatis ine
fertur, utique illud ſibi ſimile redc
ad coagulationem illud, ut &
maſſam ſangvineam, diſponere &
cere veroſimile apparet, ſicuti *Sal*

olatile Spiritum Vini coagulare ſolet, no-
ante *Sennerto lib. V. Inſtit. part. 3. ſect. 3.*
ap. 15.

Sic præterea notum eſt, quod Sal
ommune, ſi cum nive miſceatur, illam
pagulet & glaciem, licet æſtatis tempo-
e operatio hæc inſtituatur, efficiat, te-
ante hoc *Renato des Cartes cap. 3. Meteo-
r. p. 166.*

Sic quoque *Glauberus part. 2. Mirac.
und. cap. de uſu Salis* mirabile proponit
l, quod aquas tàm pluviales, quàm
llatitias, imò fontem ▽â ſcaturien-
m obturare, inſuper quoque Vinum,
cetum, Mel, Cereviſiam &c. in ſolidi-
tem glaciei æmulam redigere poſſit.

Et quem, quæſo, latet Opii, divini
às medicamenti in verò & legitimo
u ſi adhibeatur, maxima vis? Hoc
im abuſivè in nimiâ copiâ vel intem-
ſtivè adhibitum Sangvinem Spiritus-
e in corpore humano ita incraſſaſſe &
ngelaſſe, ut ex venâ ſectâ poſt opium
hibitum ne guttula quidem ſangvinis
iverit, ſed ille glaciei inſtar ſteterit ceu
rpeſia cautes, unde ſtuporem, ſuffo-
tionem mortemque ipſam nonnun-
am proveniſſe obſervatum eſt, ſicut
c de re fuſiùs videri poſſunt *Trallia-
s lib. 3. cap. 1. Cardanus lib. 18. d. ſubtili-
t p. 930. Platerus lib. 1. obſerv. Nobiliſſ.*

D. D. Wedelius lib. 2. Opiologiæ ſect. 3. ca. 3. & 4.

Venenorum eroſione, exulceratione, putrefactione nocentium Vis.

De Venenis, eroſione, exulceratı ne & putrefactione vitam quæ adimu non aliter judicamus, quàm quod rum vis in maximè Spirituoſâ, acerri & erodente conſiſtat qualitate & acrc ne inteſtinis partim membranoſis, p tim toti corpori omnibusque, parı verò certis viſceribus partibusque mani corporis infensâ, eorumque im lumitatem evertere unicè gaudente.. venenum ad viſcera delatum eac erodit, quam eroſionem ſequitur p pter virulentiam & inflammatione exulceratio, exulcerationem putrefa putrefactionem Mors, unde dicente *biliſſ. D. D. Welſchio cap. 7. Rational. ner. lethal. jud. pag. 195.* viſcera ver extinctorum funeſta ſatis apparere 8 plurimis ſuſpectis maculis conſp vel integrè immutata experimur, it aliena planè facies ſit viſcerum omn in iis, qui veneno ſunt extincti, q qui vel morte naturali vel violentá rierunt.

Humores maximè à venenis rumpi non eſt quòd dubitemus, ſi dem illi qualitate venenoſa, prout ſe habet variè, alterari venenoſa qualitati ſimiles reddi nullum fore

b

ium exiſtimamus, cùm eorum corru-
tio oculari poſt mortem pateat con-
emplationi.

Cum itaque verè dicatur, quòd
omo homini lupus, imò Diabolus
uandoque eſſe ſoleat, alterque alteri
ariis impiisque modis inſidias ſtruat,
t eum vel lucelli vel odii gratiâ è medio
uovis vetito modo, vel vi, vel aſtu,
àm, aut palàm, tollere queat, hinc va-
a ab impiis ſceleratisque Diaboli man-
piis excogitata ſunt venena, quibus
ediantibus nihil quandoque mali me-
entes ſub perſonâ amicitiæ incautè
ecipiuntur & ex vitâ migrare cogun-
r, cùm & nefanda hæc facinora ami-
rum optimi, imò conjuges perpetras-
teſtantur Exempla, quô de ulteriùs vi-
eri poſſunt *D. D. Amman. Med. Crit.*
ſ. 60. & 98. Platerus lib. 2. Obſerv. p. 443.
alii. Quapropter in tantâ ſcelerum
undantiâ meritò tàm à Magnatibus,
m horum vitæ præprimis inſidiæ ſtru-
tur, quàm medicis celebrioribus ex-
gitata & inventa ſunt quamplurima
tidota, quibus mediantibus ab ejus-
odi toxicis venenatisque inſidiis ſe
osque præſervare, & ſi quid eorum as-
mpſerint, ne noceant, curare pos-
nt, quibus plerumque baccæ juniperi
o nobiliſſimam quam poſſident vim

alexipharmacam additæ ſunt,ſicut ex ſe-
quentibus patebit.

In hunc finem Magnus ille Rex Ponti Mithridates nobiliſſimam Mithridatii confectionem componere juſſit, quam *baccæ Juniperi, ratione Trochiſcarum Cypheos* quibus illæ admixtæ ſunt, ingrediuntur.

Sic *Magnus* ille *Pergamenus* Pharmacum Veneni Præſervativum deſcripſit, & hôc Nicomedem Regem uſum fuiſſe, ſi quando eorum, qui illum invitaſſent, ſuſpectam habebat fidem, teſtatur *lib. d. Antidol. p.m.1285.*

℞ *Bacc. juniper.* ℥ij. *ſigill. lemn.* *obol.* ij.

Trita exceptaque oleo reponito, porrigatur ex hydromelite inſtar nucis avellanæ.

Sic & Antidotum Præſagientem dictam, quâ ebibitâ venenum cum ea ſumtum prorſus reddetur vomitu, adjungit. Conſtat ex iisdem ingredientibus ut prius, pondus tamen eorum mutatur.

℞ *Terr. lemn. Drach.* 1. *obol.* ij. *Bacc. juniperi* ℥ii.

Lævigentur exactè cum pauxillo olei dulcis. Propinetur ex mulsâ nucis ponticæ magnitudine.

Sequentem præterea Antidotum

V

[v]enena Damocratis ſubjungit *Galenus* [l]*c. cit.*

℞ *Sanguin. anſerin. teſtudin. marin. anat. hædor.* ãã *ſicc.* ℨij.
Myrrh. ſpic. nard. ãã ℨx. *cinamom.* ℨvj.
Fol. roſ. ſicc. ℨj. *junc. odorat. thur. coſt.* ãã ℨj.
Amom. piper. alb. ãã ℨiij. *piper. long.* ℨiß.
Croci ℨiß. *Caſſ.* ℨj. *Rad. trifol. polii* ãã ℨv.
Opobalſam. ℨiij. *petroſel.* ℨß. *Bacc. juniper.*
Acori, rhei pont. meu, dictamn. phu;
Ammoniac. Thymiamat. fœnicul. ãã ℨij.
Agaric. ℨiiß. *Rut. ſaxat.* ℨiij. *dauci* ℨij. *aniſ.*
Aſar. ammeos, cumin. ãã ℨiß. *Sem. nap. ſylv.* ℨiij.
Scord. Cret. ℨv. *Mell. opt. duplum omnium.*

[D]etrita omnia, coctoque melle excepta [v]aſis indito.

Sic oleum Hyperici compoſitum D. [E]rhardi Ellenbergii deſcribit *Schröderus* [l]*ib. 2. Pharmacop. Med. Chymic. cap. 27.* [q]uod contra omnia venena vulneraque [v]enenata, quæ vel ferro vel à venenato [a]nimali inflicta ſunt valere aſſeritur, ℨij. [B]acc. juniperi clarum.

Quem latent Extracti Bezoar(...)
Oaris *Mynſichti* ſtupendæ virtutes ??
quævis enim fere metallica, animalii(...)
vegetabilia venena feliciſſimo ſucc(...)
exhiberi ſvadet citatus Autor, cujus(...)
ſcriptionem, quæ ℥iv. *bacc. juniperi* ſu(...)
bit, ulterioremque commendatio(...)
vid. in Armament. Chym. ſect. 3. pag. 588.

Quemadmodũ recenſita hæc m(...)
camenta omnis generis ferè venena a(...)
gere & ab illis præſervare creduntur(...)
ſpecialiter *Juniperus* parteſque ejus(...)
quentibus ſpecificè adverſari ven(...)
dicitur.

Nerium 1. Ex Vegetabilium Veneno(...)
genere *Rhododaphne ſeu Nerium eſt*, (...)
manis **Olander** & **Unholden-Ki**(...)
dicitur. Frutex eſt proveniens in Sy(...)
Cretâ, Galliâ & locis circa Gen(...)
aſpectu pulchra, foliis lauri æmulis (...)
ribus nonnunquam albis, nonnunq(...)
purpureis prædita, fructum fert elo(...)
tum inſtar amygdalarum, qui c(...)
lanuginoſo & cornu repræſentanti i(...)
ſus eſt, teſte *Becchero Parnaſſ. Med.* (...)
tholog. p. 527. Tabernamontano, Lonice(...)
aliis. Vires ejus ita *à Galeno lib.*
ſimpl. med. facult. p. 1098. proponu(...)
Foris quidem illitus frutex Nerii (...)
rendi vim obtinet, at ſi intra corpu(...)
matur, virulentus homini & pecu(...)

eriſque eſt & *pag. 1105. citat. lib.* Rho-
daphne, inquit, totâ ſuâ eſſentiâ ve-
num eſt & homini & pleriſque pecori-
s. Huic ejuſque umbræ, quæ etiam
mines lædere perhibetur, opponitur
niperus, & quidem umbræ, *ſuffitus ex Ju-
pero*, frutici verò ſuccove illius, *baccæ
iperi earumque ſuccus*, Autore *Macaſio
. 2. Prompt. mater. med. cap. 2.*

Sic II. *ab eodem Autore loco citato Ju-
eri baccæ & ſuffitus* contra venenatam
alitatem & noxam, quæ homini ab u-
& umbrâ *Arboris Taxi* conciliatur, *Taxus.*
mmendantur. Eſt autem *Taxus Ar-*
ſimilis abieti, à quâ tamen altitudine
eratur, perpetuò virens, tenuifolia,
ccas ferens rubras, magnitudine ervo-
m, cortex ejus quoad colorem corti-
m cedri æmulatur, tantæ venenatæ
alitatis, ut non internus ſolùm ipſius
s hominem interimere lethali alvi
fluvio, ſed umbra etiam illi nocere
eat, præſertim in Galliâ, Arcadiâ, Re-
ne Narbonenſi, quæ tantâ cenſentur
ulentiâ prædita, ut multos in umbrâ
us recumbentes interemerit, quo de
ùs videri poteſt Matthiolus *Epit. de
nt. p. m. 840.* Provenit illa quoque
Germania, ſicuti prope pagũ *Cunizen-*
, non procul à *Jenâ* ſito eandem, nos
iſſe recordamur, quæ tamen tantæ vi-
rulen-

rulentiæ non eſt, nocere tamen liberi credemus, quàm in nos experiemurr. *hac Arbore Taxo Toxica* deducuntur *dicamenta*, quoniam hâc Arbore Vett ſagittas olim intoxicaſſe teſtantur *cherus loc. cit. & Lonicerus part. 4.* *cap. XX.*

Lepus Marinus. Contra *Venena animalium*, è qui I. prodeat *lepus marinus*, qui peculia ſecundum *Galenum lib. de Theriac. ad ſon. p. 1272.* pulmones exulcerare dici ob idque ad venenorum genera rel profunt *medicamenta Juniperina, ſicut ca Juniper.* contra leporis marinii nenum adhibetur *à Macaſio loc. citat.*

Serpens. II. *Contra ſerpentum morſus ſucc foliis Juniperi expreſſum* ſpecificâ vi valere aſſerit *Tabernamontanus lib. 3. bar. part. 2. cap. X. & Matthiolus* i quoque teſtatur *pag. 53. Epit. planta* liaque ſi bibantur eandem dicit obti efficaciam.

Tarantula III. *Animal veneno* quoque ho *nocens* eſt *Tarantula*, Veteribus *Pha um* dicta, cujus venenum exiguâ q titate ex ipſius ore primò quidem i perficiem, deinde verò in totum c defertur illudque afficit, variasqu ſuper & admirandas noxas excit tamque ipſam quandoque adimit, *ex Galeni lib. 3. d. loc. affect. cap. V. p*

lib. 6. cap. V. p. 7. Sennerti lib. 1. Med. act. part. 2. cap. 17. Aldrovand. lib. V. de ſect. cap. 12. Scaligeri exercitat. 185. vide-poteſt.

Præprimis rerum naturalium *Cu-ſiſſimus Scrutator Athanaſius Kircherus 3. Mund. Magnet.* ſingulari diligentiâ *rantularum venena* eorumque natu-m deſcribit, curamque per concentum uſicum ſatis eleganter proponit, ab c enim præprimis Tarantularum ve-na infringi docet experientia.

Quæ autem ſit *ratio, ob quam Vene- Tarantularum tam varios in corpore hu-ano producant effectus*, meritò conſide-tione dignum eſt: nonnulli enim à *rantulâ* demorſi curſitant, nonnulli ltant, alii tremunt, alii ſudant, alii in-niunt, quidam plorant, quidam ri-nt, hi dormiunt, illi vigilant, plerique rto quodam colore delectantur o-nesque nullo alio medicamento feli-ùs, quàm Muſicâ curantur. A quibus tem qualitatibus diverſa hæc prove-ant ſymtomata, hæc conjectura vide-r veroſimilis: Et primò quidem no-ndum, quod ſicut inter hominum tem-ramenta & conſtitutiones naturales, & inter qualitates venenorum *Taran-larum* quædam ſit facienda diverſitas, licet omne *Tarantularum venenum*

Tarantularum Veneni qualitas.

Volatile

Volatile, *Spirituoſum & potens* ſit, unu
tamen *volatilius*, *potentius & magis Spi*
tuoſum eſſe altero, ſicque partim eorr
acidas, acres partim, partim auſte
partimque ſalſas aliasque obtinere q
litates, quæ tamen in hoc *Tarantular*
veneno magis, quàm in altero perci
untur; Hinc ſi quis acido, auſtero & ac
bo veneno inficiatur, exinde melanc
liam, luctum, torporem provenire, ſi a
tem homo ab acriori, acidiori, volatil
ri magisque Spirituoſo veneno lædat
exinde tremorem, ſaltum, riſum, ſu
res, inſaniam ortum ducere arbitr
quis poteſt. Cum enim totum cor
hoc veneno afficiatur, à vaporibus
nenatis exſuſcitatis cerebrum Spirit
que animales affici, lædi, conturbari
ritari, aque naturali influxu per ner
impediri, ipſosque nervos vellica
conſtringi veritati conſentaneum
Quod ita ſe habere exemplo Epile
probari poteſt, quâ affecti, ob vellica
nem ſeu conſtrictionem denegatum
Spirituum animalium influxum in
vos ab acido, auſteris acribusque hu
ribus in corpore genitis excitatisq; e
modi vaporibus, motibus convul
variisque convulſionibus obnoxii f
ſicut illud ſatis probant *Fr. de le boë Syl*
li

2. Prax. Med. cap. 10. Paul. Barbette 1. Prax. cap. 1. ut & Deckerus in notis ...dem. Cum itaque recenſiti & in cor... e geniti humores vitioſi & excitati ...ores tàm atroces & ſtupendas con... ſiones in Epilepticis excitare vale..., imò vaporoſa aſſumta liquida capiti ...mmunicata mirabiles in ebriis pro... ...ere effectus, imò mortem ipſam ab ...modi vaporibus ortam notum ſit, ...tò magis venenum vaporesque ve... ...oſos volatilitate, acredine, acidita... ...ſteritate & acerbitate ſuâ, quoniam ... natura hominis conſtitutioni planè ...erſa eſt, ſupra citata ſymtomata ex... ...re poſſibile eſt, ſicut fuſiùs hoc pro... ...poſſemus, niſi in aliud tempus id ...erendum putaremus.

Huic veneno varia opponuntur ...idota ab Autoribus, inprimis autem ...*ertus ex Epiphanio Ferdinando* quin... remediorum genera experientiâ probata, ut 1. *Vinum ſeu Spir. Vin.* ...*unt. Eſſent. Roſmarini,* 3. *Aquam vitæ* ...*poſitam*, 4. *Electuarium quoddam,* ...*uſicam* proponit *lib. 1. Med. Pract.* ... *2. cap. 17.* Prædictæ Aquæ vitæ com...tæ *baccæ juniperi* adduntur, & ſic hâc ...arte quoque ab iis aliquid auxilii ...andum videtur. Ejus compoſitio ...alis:

℞ *Flor.*

℞ *Flor. citrangul. ſ. q. lavend. roſ. r[...]*
borrag.
Fol. tener. querc. card. bened. [...]
bioſ. acetoſell.
Sonch. ſalv. majoran. abſinth. roſ[...]
Tuſſilag. ſcorzoner. meliſſ. pimp[...]
Arbut. lenticul. rut. āā Miij.
Cyper. noſtr. Radic. angel. Bacc. [...]
juniper.
Tormentill. zedoar. cort. citr. āā [...]
Cinamom. caryophill. āā ℥ß. Miſ[...]
Deſtillentur in Balneo.

Cur Muſica Tarantatos curet.

Quod autem *Muſica Taran[...]* per ſaltationem curet hæc ratio vid[...] probabilis, *Muſicam* nempe ſingul[...] habere efficaciam cor lætificandi, ju[...] ditate ſuâ Spiritus animales & Vi[...] recreandi varieque altera[...] & ſic in homine pro arb[...] vel gaudium, vel mœrorem, iran[...] manſvetudinem, ſicut abundè pr[...] poſſet, niſi brevitas obſtaret, exc[...] quin & mortis metum ſicut in acie r[...] feſtè reprehenditur, depellere ipſa[...] feras & beſtias demulcere, imò i[...] Spiritus Maligni inſultus infringe[...] imminuere.

Cum itaque hos alioſque eff[...] in ſanis corporibus præſtare, ſangu[...] alterare, Spiritus recreare aliaſque [...] rationes *Muſica* efficere valeat, ſic[...]

; de his videri poteſt *Rodericus à Caſtro Med. Polit. cap. 14, 15, & 16.* quidni in *antatis*, in quibus Spiritus animales nfuſi exiſtunt & quibus ab acri vene- nervi vellicantur & in iis, ut & in mu- lis omnibusq; corporis partibꝰ pruri- excitatur ſicque corpus ad ſaltatio- n diſponitur, *Muſica* effectum ipſum um nempe ſaltationem excitare vale- quam deinde totius corporis ſangui- que veneno infecti motio, motionem or, calorem pororum apertio, apertio- n pororum facultatis expultricis irri- o, hanc irritationem ſudor, ſudorem eni expulſio ſequitur.

Quòd autem non unâ vice omne enum expellatur, ſed ſaltatio quan- ue ſæpius reiteranda ſit, id ex vene- i firmaque ſanguinis impreſſione & ciliato exinde lentore & viſciditate venire, ut & ictorum robori & tem- mento adſcribi poſſe conjectura- . Sed de his aliquando, ſi per nego- icuerit, plura & clariora dabimus, nicuique liberum de hoc ſentiendi trium relinquimns.

IV. *Contra venenum Bufonis* ſequen- efficacia ſumus experti: Cum enim biennium mulier graminis colli- di ſtudioſa de improviſo à *bufonis ve-* in manu dextrâ læſa eſſet, & unicâ *Obſervatio de Bufonis veneno.*

 ſal-

ſaltem horâ elapsâ ingentem ardo
& punctionem in toto ſentiret bra
illudque livido ad atrum vergente co
re inſigniq́ue tumore corriperetur,,
cò præſcripſimus ſequentia:

℞ *Theriac. mithridat.* ãã ʒiß.
Rob Juniperin. ℥j. *Acet. bezoarcd*
Syr. card. bened. ℥iß. Miſc. S.

Schweiß- und Gifft- austreib Tränklein auff 3 mahl.

Externè ℞ ☉ *Juniper. ſcorpion.* ãã
Antidot. Matthiol. Theriac. ãã
Unguent. roſat. ℥j. Miſc. D.

Sälblein den vergifften Arm und wohl damit zu ſalben.

Hiſce adhibitis malum ulterius pr
di non potuit, ſed pleniſſimè conva

Mineralium venena. *Contra mineralium venena oleu niperi* maximoperè laudatur à *D. G manno part* VI. *cap. 4* der Chymi Reiß- und Hauß-Apotecen/ubi c bus, qui circa metalla & minerali rumq́ue effoſſionem, præparation ſeparationem occupati ſunt, ut ſum Præſervativum commendat.

CAPUT XVI.

DE MORBIS VENTRIC PER JUNIPERUM DI PELLENDIS SOLLICI- TUM EST.

VENTRICULI IMBECILLITAS.

QUi *Ventriculum Regem* dixit, is non *Ventriculus Rex.*
abſurdè locutus videtur, cum no-
m ſit, Regio illum munere fungi, dum
monïam non reliquis ſolùm corporis
rtibus ſubminiſtrat, ſed magnâ etiam
in totius corporis alteratione & muta-
ne pollet, & teſte *Hippocrate lib. 6. E-
dem. ſect. 3.* ejus ſegnities omnium va-
rum confuſionem & impuritatem pa-
, quapropter Medicus in id unicè ela-
ret, ut ventriculi tonum ſartum te-
m conſervet, *qualis enim Rex, talis
x*, & languido ac imbecilli exiſtente *Ejus Debilitas.*
ntriculo reliqua membra ſingulare
bur expectare nequeunt.

Inter alia generoſiora præſidia & ad
iperina in imbecillitate ventriculi con-
ſerere licet medicamenta, inprimis ſi illa
ruditate viſcidâ vel pituitosâ, vel acidâ
t ſerosâ proveniat appetitusq; vel ex-
le vitietur, diminuatur vel aboleatur.

Si itaque humores viſcidi & pitui-
abundent & ventriculi ἐνέργειαν de- *Internè.*
itent, *Rob juniperinum purgans* ad
s evacuandos non erit inconveniens,
rimis ſi dicti humores per ſequen-
n Mixturam, quam *Grylingius part.
de Univerſal. Evacuat. Genere p. 79.*
mmendat, ad evacuationem præpa-
tur.

℞ *Spir. Citr.* ʒiij. ▽. *menth. c. vin.* ℥i
Syr. rad. acor. ℥ß. *Elix. juniper.* ℥
roſmarin. ʒj.
Spir. ⊖*li* ♂*is parùm* M. S.

Kräfftige Magen Miſtur. Doſ. cochl

Si ſeroſi acidique peccent hum res, tunc non inutile erit Electuari Hydragogum *Fr. de le Boë Sylvii*, cujus ſcriptionem exhibet *lib. 1. Prax. m cap. 7.*

℞ *Baccarum Juniper. in aqua coctarr.*
preſſar. & ad pulpæ conſiſtenti
redactar.
Pulp. Tamarindor. ãã ℥iv.
Rad. Jalapp. ℥iß. *Scammon. elect.*
Cinamom. acut. Sem. fœnic. ãã ʒiij
Sacchar. clarificat. ℥x. M. F. l.a.
ctuarium.

Doſ. à ʒiij. ad ℥ß.

Inter Ventriculum confortantia dicamenta ab omnibus ferè Pract *baccas juniperi* locum tenere haud po mum aſſeritur. Sic *Savanorola Tract. Pract. maj. cap. 13. juniperum. Sennertu 5. Inſtitut. part. 1. ſect. 1. cap. 4. baccas J peri, Macaſius lib. poſteriori prompt Mater. med. cap. 9. & Schönbornius mar med. Pract. à p. 124. usque ad 133.* iti *Juniperi baccas earumque Spiritum, E tiam, Elixir. Rob. Extractum, Oleum* ſpecificis addunt ſtomachicis.

Sic & primum tenent locum *baccæ* *iperi* in Electuario ſtomachico D. C. od recenſet *Hoffmannus p.54.Theſaur.* *rmacevt.* &

Gran. Juniper. recent. & pingv. craſſè contuſ. ℥x.

qu. in vaſe duplici cum cœco Alem-o cum ſ.q.▽.card. bened. per 2. ho-, trajiciantur per ſetaceum & expri-ntur, expreſſioni add.

Sacch. clar. fiat. ℔ß.

qu. iterum ad ſolidi Electuarii conſi-tiam, in fine adde

Zinzib. elect. ℥iij. *calam. arom.* ℥iiß.
Macerid ℈ii. *Cubebar.* ʒj. Miſc.

Sic & Electuario ſuo ſtomachico *gra-Juniperi* adduntur à *Mynſicht. ſect. 13.* *ment. Chym. p. 242.*

Nobiliſſimus & Excellentiſſimus D.D. *ldus, Reverendiſſimi Sereniſſimique* *cipis ac Domini, Domini AUGU-, Poſtulati Adminiſtratoris Archiepi-tus Magdeburgenſis, Ducis Saxoniæ &c.* *iater graviſſimus*, Amico cuidam Vi- ventriculo imbecilli prædito ſe-ntem communicavit Spiritum men-compoſitum, quo optimo ſucceſſu unc usque diem matutino & veſper-utitur tempore:

Herb. menth. criſp. ℥viij. *meliſ.* ℥iv,
Rad. zed. ℥iij. *Cort. citr. aurant.* ā ℥iv.

 Bacc.

Bacc.juniper.℥vi *Cinamom.* ʒß. *SS*
carv.℥j.

Conciſ. contuſ. Miſc. Infundantur V
optimo & Spir.Vin.digerantur per
deinde deſtillentur. S. Correct **Kräu**
müntz Waſſer.

Miſtura ſtomachica *Rolfincii* taliſs

℞ *Miſtur.* 🜔*l.*🜍*.theriac.camphorat*
Extr. bacc. juniper. acori veri.c
bened.pimpinel.zedoar
*Eſſent.menth.*āā ʒß.*Syrup.menth.*
Cinamom.℥ij.

Stent in digeſtione, poſt Colaturam v
ne Colatura ſerventur in vitro. S.
gen-Miſtur. *lib.* IV.*Chym.Sect.IV.cap.*

Tilemannus p. 88. de materia med
quens proponit ſtomachicum:

℞ ▽ *ſtomachal.N.Moſch. Juniper*
Elix.vitæ min.Quercet. āā ℥ß.
mom. ℥vj.
Brod.condit.cingib.acor. āā ℥ß.
*bacc. ſambuc.*ʒij.
% *Chamomill.deſt.* gtt iij. *aniſ. o*
fœnic. ſalv.anth. āā gtt iij
Spir 🜔*li,* ⊖*is* āā gtt iij. Miſc.

Doſ. cochl. manè.

Morſulos alterantes ſtomachic
quenti modo delineat *B. D.D.Scher*
ſect. 4. Syntagm. præſcrib.med. cap. 2
℞ *Granor.Junip.cont.*℥iij.*Rad.acor.*

qu. in ▽. menth. & abſinth. per 2. ho-
, in Colatura diſſolv. Sacchar. ℥vi,
de

Zingiber. alb. cinamom. calam. arom. āā ʒij.

Cubebar. macis. āā. ʒj. F. l. a. Morſuli.

ndeant ſinguli ℥ß.

ExternèOleum ſtomachale tale propo-
ur *in Prax. Chymiatr. Hartmanni p. 173.* *Externè.*

Ol. abſinth. ℥ß. *caſtor.* ʒij. *menth.* ℥ß. *maſtichin.* ʒvi. *juniper.* *N Moſch.* āā ʒj. *caryophill.* ʒß. *zedoar.* ℥viij. Miſc.

s inungentur præcordia & tegantur
ta.

Balſamum ſtomachale *Rolfincii* ſe-
ens eſt, deſcriptum *lib. 4. Chym. ſect. V.*
p. 13.

Ol. nuc. moſch expreſſ. ʒj. *Boli Armen. rubr.*

Vel Croc. ♂tis cinamomi inſtar obſcure rubentis q ſ.

ſc. *affuſo Oleo juniperi modico*, adde

Ambr. gryſ. ℈ß. *Moſch. oriental.*

°° deſt. lavend. caryophill. cinamom. majoran. ſuccin. āā ℈j. *menth. criſp. macis.* āā. ℈ß.

F. Balſamum, ſtomachi regioni ap-
licandum.

Ventriculum: contortant & ſacculi ſe-
entes.

Herb. menth. abſinth. āā Mj.

Flor. chamomill. aneth. roſar. āā pij.

Bacc.juniper.℥iv.*Sem.aniſ.fœnic.*,(
*min.*ãã ℥ij.

Rad.acor.caryophillat. ãã ʒiij.

Conciſ. contuſ. D. ad 2.Sacculos, Coq
in vino & alternatim calidè ventricu
imponantur.

II. NAUSEA, SINGULTU ET VOMITUS.

SIcut univerſa hominis natura in
unicè elaborat, ut omnia ſibi advee
è corpore protrudat & ableget, ita ve
triculus quoque ea quæ ipſi inimica ſu
& moleſta in orificio ſuperiori perſing
tum, reliqua per *nauſeam* egerere co
tur. Hic conatus ſi in actum dedu
tur dicitur *Vomitus.* Hic duplici
contingit, vel *Symptomaticè* vel *Crit*
Vomitus Criticus temerè ſiſtendus non
Symptomaticus verò medicamentis i
neis juſto tempore, nec nimis citò, n
nimis ſerò inhibendus.

Singultus In hiſce omnibus & *juniperina*
cellunt medicamenta. Sic ad ſingult
compeſcendum internè tale compo
tum ordinavit *Timæus* à Güldent
*lib.3 Caſ.med.p.*101.

℞ ▽*æ Stomachal.*.*ræ.*℥iv.*Cinamom.*
ʒij.

Spir.baccar.juniper.calam.aromat.
ʒß.

Rotul.man.Chriſti. ʒij. Miſc.

Ext

Externè ad ſingultum ſequens comen-
at Cataplasma, ut ſingulare experi-
entum, *Mynſicht. ſect. 37. Armament.*
ym. p. 521.

Ferment, ℥iij, *Bacc. junip. roſ. rubr. menth.* ā̄ā ℥j.
Caryophill. N. Moſch. maceris ā̄ā ʒß.
☍ *cumin. carv.* ā̄ā ℈ß. *acet. vini, q. ſ.*
iſc. F. Cataplasma.

Vomitus.

Quercetanus in vomitu Antidotum ſto-
achicam majorem extollit *cap. 23. Phar-*
cop. dogmat. reſtitut. p. 770.

Extract. ſtomach. minor. ℥ij, *tunicar. ventric. gallin. bacc. juniper. Myrabolan. omnium* ā̄ā ʒß.
Roſat. novell ℥j. ☍ *deſt. N. Moſch.* ʒß. *caryophill cort. citr.* ā̄ā ℈j.
m Syrupo Corallor. F. Antidotus.

Miſturam contra vomitum exper-
ſimam ſequentem damus:

▽. *menth. lavend.* ā̄ā *cum vino deſtill.* ℥ij.
Spir. cinamom. juniper. ā̄ā ℥j.
Eſſent. zedoar. caſtor. ā̄ā ʒß. *anodyn.* ʒij.
Syr. cinamom. ℥iß. *Tinct. roſar.* ʒiij.
iſc. omnia. S. Miſtur wieder das
rechen.

Vomitus in peſte & febribus malignis.

Ad *Vomitum* qui in febribus mali-
is & peſte contingere operationesque
edicamentorum aſſumtorum, quoni-

am per vomitum illa illicò iterum ejii-
untur, impedire ſolet, adhibet ſeque-
tem Sacculum *D.Starck tractat. de*
ſte pag. 60.

℞ *Lupul.* Miij. *Bacc. juniper. He-*
menth. ãã Mj.

Conciſ. contuſ. coqu. in ſ. q. Vini & a-
te poſtque aſſumtionem medicamen-
tum regioni ventriculi imponantur.

Vomitus ex hypercatharſi. Ad *Vomitum* ut & ventris nimii
fluxum *ab hypercatharſi ortum* ſequen-
commendat Pilulas *Savanorola tract.*
Pract. maj. cap. 16. p. 102.

℞ *Bdell. ſandarac. Ar. thur. opii myr-*
croci ãã qv.

F. Pilulæ ſicut ciceres. Da à duabus
que ad quatuor in ſero.

Hæmoptyſis. Ad *Hæmoptyſin* ſeu Vomitum ſ-
guinolentum idem commendat Au-
ſequentia *cap. 13. dicti libri p. 163.*

℞ *Corall. rubr.* ʒv. *maſtich.* ʒß. *caryop-*
℈ij.
Moſch. ℥j. *ſangu. dracon. Terr. ſ-*
aa ʒij.

Confice cum Syrupo ex piris pomis
ſylveſtribus ut & ex cidoniis, menth
agreſtâ parato.

Vel.

℞ *Sangu. dracon. vernicis, lap. hæ-*
tit. ãã ʒij.
Bol. Armen. Terr. ſigillat. ãã ʒj. Pu-
riſentur.

P

teſt etiam hæc compoſitio cum ſucci
noglоſſæ ℥vi & ▽æ decoctionis radic.
undinis q. ſ. miſceri & ad ℥ij. pro vice
hiberi.

Externè *in omni Vomitu* ſingularis
icaciæ obſervavimus ſequens Oleum:

Herb.abſinth.menth.aneth. ãã Mj.
Fol.myrth. piij. *Bacc.laur.* ℥j. *Juniper.* ℥ijß.

roſsè hæc omnia inciſa & contuſa in-
nd. in ſ. q. Olei omphacin. Digeran-
r ad ☉em ℘♂ 3. poſteà coquantur &
lentur. Colaturæ adde

℅ *deſt. acor.menth.* ãã ℥iiß. *Junip.* ℥ß. *maſtich. zedoar.* ãã ℥iß. Miſc. S.

uſerlich Magen-Oel.

Oleum hoc non in vomitu ſolùm,
d torminibus etiam ventris, Colicâ,
yſenteriâ, uterinis accidentibus offici-
m feliciter ſæpe præſtitiſſe vidimus.

Hæc medicamenta nauſeam quo- *Nauſea.*
ue feliciter tollunt, præmiſſis inprimis
omitoriis idoneis, utpote, quæ mate-
am peccantem ex ventriculo fortuna-
ſucceſſu evacuare ſolent, teſtante id
xperientiâ.

III. FAMES NIMIA.

DE Eriſichtone narrat *Ovidius lib. 8. Metamoorph. fabul.* 15. quod viſcera i-
pſius à fame occupata ſatiari non po-
uerint, deque illo ita fabulatur:

--*Fue-*

Furit ardor edendi
Perque avidas fauces, immenſaque viſcer[illegible]
regnat
Nec mora, quod pontus, quod terra, qu[illegible]
educat aër
Paſcit & appoſitis queritur jejunia menſis
Inque epulis epulas quærit, quodque urbi[illegible]
eſſe
Quodque ſatis populo poterat non ſufficit u[illegible]
Plusque capit, quo plura ſuam demittit[illegible]
alvum &c.

Idem in appetitu nimio quand[illegible] que dicere vix abſurdum eſſet, cum ta[illegible] ta ciborum interdum adſit appetent[illegible] ut illa nullis propemodum epulis ſati[illegible] poſſit, qui affectus *Bulimus*, & *Can*[illegible] *Appetentia* dicitur.

Bulimus, Canina appetentia potus.

Differunt autem *Bulimus & App*[illegible] *tentia Canina* eatenus quatenus *Bulim*[illegible] fermentatio eſt ventriculi aucta, ſi[illegible] tamen vomitu vel diarrhœa, *Canina A*[illegible] *petentia* verò cum vomitu & diarrhœa, [illegible] humoribus utraq; melancholicis vel acriori ſucco pancreatio, vel à ciboru[illegible] medicamentorum acriorum aſſumtio[illegible] aucta & excitata, quo de ulteriùs v[illegible] *Prax. Barbett. lib. 4. cap. 1. Sennert. Pra*[illegible] *Med. lib. 3. part. 1. ſect. 2. cap. 2.*

Interna.

Huic malo tanquam ſpecificu[illegible] opponitur *oleum deſtillatum Juniper*[illegible] *D. Deckero, in notis ad Prax. Barbett. l*[illegible] *cit. p. 122.*

S

Sequens in hoc affectu deprædi-
t *Fr. de le Boë Sylvius lib. 1. Prax. Med.*
p. 2.

℞ *macis ſtillat. granor. juniper.* āā ℈j.
iſc. in vitro Doſ. gtt. ij. vel 3. in vehi-
lo convenienti.

Convenit quoque ſequens Miſtu-
, quâ in nimiâ appetentiâ à Spiritus
li nimio uſu excitatâ, uſi ſumus:

Spir. menth. juniper. āā ℥iß.
Rob. Juniper. Syr. cinamom. āā ʒiij.
Eſſent. anodyn. ʒß. Miſce. S.
Magen Miſtur. Doſ. cochl. 1.

Caput XVII.

SUM JUNIPERI IN MORBIS INTESTINORUM EXPLORAT.

I. DE VERMIBUS.

Uemadmodum μακρόκοσμος variis vermium generibus repletus eſt, quoque homo μικρόκοσμος & hâc in te illi cedere non vult, ſed in variis, oh dolor! humani corporis partibus, *mes*, inprimis inteſtinis inveniuntur, iorum Autores malorum, quorum dantur genera. Primi dicuntur *mbrici teretes*, lumbricis terreſtribus iles, pueris præcipuè, hinc tamen & ltis ſæpe familiares. Secundi ap- antur *Lati*, à latâ ipſorum formâ. Sic *Mo-*

Lumbrici teretes.

Lati vermes.

Nobiliſſimus D. D. Febr, Argonautaa *Præſes noſter meritiſſimus pag. 125. ſub ſ* *☿ii hier. picr.* portionem lumbrici l quæ in ſex ferè ulnarum longitudin extendi poterat, depictam offert. T

Aſcarides. tii vocantur *Aſcarides* qui teretes, te es & breves ſunt vermibusque caſei tridi non abſimiles. Omnes hi ge rantur in inteſtinis, quæ terræ inſtar dicente *Bartholino lib. 1. Anat. reſt* *cap. X.* ex quâ meſaraicæ ſanguinem hunt & lacteæ chylum ſugunt, ſicut que in terrâ *μακροκόσμυ*, ita & in terrâ *μικροκόσμυ* vermes frequen ob humorum abundantiam, qui f ibidem corruptionem & putredi concipere poſſunt, conſpiciuntur, l Juniperina medicamenta non ſo prohibere ſicque generationem ve um impedire, verùm etiam vermes g tas extirpare valent.

Sic Cereviſiam cum *Juniperis* tuſis conditam vermes enecare, in *Colerus lib 18. Oeconomiæ cap. CXI.*

Internè Opiatam Salomonis *D. Jon* *grana juniperi* quoque ingrediuntu ad Vermes enecandos prædicatur cax *ab Uffenbach. lib. 3. Antidot. ſe* *cap. 9.*

Eſſentia ad Vermes nobis in quenti uſu eſt ſequens:

℞ l

Herb. abroton. ſcord. tanacet. ãã Mj.
Rad. diptamn. filic. zedoar. ãã ℥ß.
Flor. cent. min. Mj. *perſicor.* pii. *muſc. corallin.* ℥iß.
Sem. ſantonic. coriandr. ãã. ℨvi. *Bacc. juni. per.* ℥ij.
Myrrh. opt. theriac. Andr. ãã ℥ß.

…nciſ. contuſ. infund. in ſ. q. Spir. Juni-…ri rectific. Tinctum quod eſt ſepare-…r, novus Spiritus affundatur, conjun-…s liquoribus adde

Spir. C.C. ⊖ *e Volat. impregnat.* ℥ij.

…iſc. S. Eſſentz wieder die Würme.

Hanc Eſſentiam optimo ſucceſſu …c in loco adhibuimus in muliere 41. …norum die Pabſtin dictæ, quæ cum … torminibus ventris quereretur *Rob. …niperinum* purgans ei ad ℥ß. exhibui-…us, unde aliquot vermes teretes exie-…, quapropter ad ulteriorem vermium …pulſionem hanc aliis medicamentis …didimus Eſſentiam, qua cum per tri-…um uſa eſſet, lumbricum, hâc longitu-…e & latitudine, ſicut hîc depictus cer-…ur excluſit, qui in capite cornu mem-…naceum, in ore lapillum album ervi …gnitudine, habebat, in maximam …gitudinem extendi poterat, unde ad …*mbric… latos* illum pertinere arbitra-…r. A faſcinatione ortum illum autu- *Obſervatio.*

mabat

mabat mulier & ab hâc ſuâ ſentem
nullis verbis deduci poterat, propte
in noſtrâ præſentiâ flammis eum trad
bat, & ab illâ ipſum impetrare nullis p
tuimus precibus.

II COLICA.

Inteſtinum Colon nonnulli à Gr
co verbo κολάζεσθαι derivari volun
nam illud *torquere* ſignificat, quoni
in illo tormina fiunt colica, ſicut loq
tut *Bartholinus lib.* 1. *Anatom. reform. c.*
XI. & noſtrâ quidem ſententiâ non im
ritè: Tormina enim colica à doloribu
qui à Tortura proveniunt, non ſupe
putamus, quoniam illa tanta tam
atrocia ſunt, ut & vitam ſibi nonnu
ex impatientiâ ademiſſe teſtetur *ex*
2. Galeni de compoſ. med. ſecund. loc. S
nertus lib. 3. med. Pract. 2. ſect. 2. cap. 2.

Colica.

Interna.

In tantis hisce doloribus ſolati
& auxilium præbent ex *Junipero pra*
rata medicamenta. Inprimis verò Cly
res, quoniam hi ad ipſum locum a
ctum penetrare & materiam peccant
ſive ab humoribus vitioſis ſive à va
ribus, excrementis induratis, vermi
aut aliâ re gravi dolorem excitante o
tur, educere aut profligare optimè
lent.

B. D. D. Rolfincius lib. VII. Conſu
talem proponit Clyſterem:

℞

Fol. origan. rut. veronic. ãã Mi.
Flor. chamæmel. melilot. Mß. *Bacc. laur. juniper.* ãã ℥ß.

ꝯqu. in ▽â ſimplici, Colaturæ ℔j. adde
Elect. hier. picr. ſimpl. diaphœnic. ãã ℥ß. *d. bacc. laur.* ℥iij.
🜔 *aneth. rutacei.* ãã ℥iß. M.F. Clyſter.

Ejusmodi Clyſterem quoque tradit *Zynſtchius ſect. 22. Armament. Chym. p. 8.* & ſimilem huic *Sennertus* proponit *3. Med. Pract. part. 2. ſect. 2. cap. 2.* ubi ſequens commendat Vinum medicatum:

Rad. fœnic. acor. ver. helen. imperator. ãã ℥ß.
Abſinth. ℥v. *calaminth. origan. roſmarin.*
Fl. chamomill. ſambuc. ãã ℥ij. *Cort. citr. aurant.* ãã ℥iij.
Sem. fœnic. carv. ãã ℥ij.
Bacc. laur. juniper. ãã ℥iij. *Fol. ſenn. el.* ℥iß.
Agaric. trochiſc. ℥ß. *Turbith* ℥ij.

Inquaſſatis affund. Vini q.ſ. Bibat de æger hauſtum.

Ventriculi & inteſtinorum remedium anodynum appellat Aquam hanc contra Colicam *Quercetanus Pharmacop. dogmat. reſtit. cap. 7.*

▽æ ex flor. nuc. & chamomill. parat. ãã ℔. iv.

Q His

His mixtis infunde flor. chamom
& ſambuci ãã p. VI. per triduum. Il
inde fiat expreſſio & Colatura, cui rur
eandem quantitatem dictor. flor. inf
de, denuò colentur & fortiter prælo
primantur, expreſſioni adde

Sem. fœnic. aniſ. ãã ℥j. *Bacc. laur.*
Gran. Juniper. ℥ij. *Cinamom. elect.*
Menth. ſicc. Mj.

Stent in infuſione in Bal. Mar. per 2. d
deinde deſtillentur per cineres. Doſſ.
℥ij. ad tres.

Ejusmodi aquam Carminati
Baccis juniperi quoque exornatam de
bit *Schrœderus lib. 2. Pharmacop.*
Chym. cap. 38. & Mynſicht. ſect. 19. Ar
ment. Chym. p. 315.

Extractum Carminativum *Qu*
tani magnarum certè virium videri
teſt *cap. 26. citat. lib.* ℔ß. *Baccar*
niperi clarum. Sic nec Extracto Spec
Colico deeſſe voluit *Baccas Jun*
Mynſichtus ſed illi *ad* ℥iij. *easdem* ad
ſect. 3. Armament. Chym. & Empl
Carminativo tàm Oleum Juniperi ad
quàm Gummi Juniperinum ad ℥j. ad
git, unde præſtantia *medicamentorum*
Junipero paratorum facilè colligi pot

Sequens Elixir *à Nobiliſſimo*
Siebold. Archiatro Hallenſi Amico cui
communicatum eſt, quod in colicâ

mir

nibus ventris aliis, nauſeâ, vomitu, rrhœâ, dyſenteriâ aliiſque inteſtinon morbis, in hyſtericis affectibus officm ſæpe feliciter præſtitit:

Spir. Juniper. ℔iij. *Bacc. ſambuc* ℔j. adde in vaſe vitreo *Rob Juniper.* ℔j.

Zedoar. ℥ii. *Cinamom.* ℥j. *Cort. aurant.* ℥iv.

Pom. aurant. num. iij.

erantur omnia per 14. dies in leni re, Colentur, ſerventur ad uſum. cochl. ſem. ad j.

Grülingius *lib. 3. Med. Pract. part.* quentia proponit:

▽. *ſtomachal. N. Moſch. Juniperin. Elix. vit. min. Querc.* āā ℥ß. *Cinamom.* ʒvi.

Brod. condit. zinzib. rad. acor. āā ℥ß.

☍ *deſt. chamomill.* gtt. iij. *aniſ.* gtt. iv. *origan. ſalv. anth.* āā gtt. ij.

Spir. bacc. ſambuc. ʒij. ⊖*is*, ⊕*li* āā gtt. iij.

. Doſ. cochlear. 1. manè.

Vel

▽*æ Theriacal,* ℥ß. *chamomill.* ʒijß.

Spir. juniper. gtt. x. ♀i gtt. vi.

. pro unâ vice.

Præclarè quoque Eſſentia Carmiva noſtra in hoc aliiſque à flatibus

 oriun-

oriundis affectibus officio ſuo fungi[illegible] cujus compoſitio talis:

℞ *Spir. Juniper. maximè rectiſſ[illegible]* ℥VIII. *carvi,cinamom.* ãã ℥ij [illegible]
deſt. juniper. menth. chamo[illegible] *carv.* ãã ʒj.

Mixta circulentur tàm diu calore [illegible] donec olea à Spiritibus planè abſorb[illegible] tur eorumque veſtigia amplius non [illegible] parent, poſteà ſervetur ad uſum. [illegible] ℈j. ad ʒß.

Externa Externè ſequentem Fotum in[illegible] credibili dolore colico, ob materia[illegible] inteſtinis ſolidam & in lapideam duritiem concretam ad hanc emol[illegible] dam & exturbandam, adhibuiſſe ho[illegible] adhibito & reiterato ægrum mate[illegible] lapilloſam excreviſſe omnemque [illegible] rem ceſſaſſe teſtatur *Poterius Cent[illegible] Obſervat Curat. 83.*

℞ *Bacc. laur. juniper. Sem. fœn. lin.* ãã pjj.
Herb. malv. praſſ. alb. parietar. menth. origan. puleg. men[illegible]
Flor. chamomill. ãã Mj. *m[illegible] ſtœchad.*
Sem. aniſ. fœnic. ãã pj. Miſc.

Paretur Decoct. cum ſ. q. ▽æ & [illegible] pro Fotu.

Vel

℞ *Balſ. d. Peru* ʒj. *Unguc. alth. com[illegible]*

oo *deſt. juniper.* ʒß. *menth. carv.* āā ℈j. *ſuccin.* ℈ß. Miſc. omnia S. Sålblein wieder das Reiſſen.

. DIARRHOEA ET DYSENTERIA.

Ureum eſt dictum illius Poëtæ & veritati conſentaneum

---πάντων μέτρον ἐςὶν ἄριςον,

od Horatius *lib. 1. Sermon. Satyr. 1.* ita mano reddidit ſermone:

Eſt modus in rebus ſunt certi denique fines,
Quos ultra citraque nequit conſiſtere rectum.

rum certè dictum, probatione vix ns. Exempli tamen loco ſint Exta & Retenta. Hæc, ſi mediocritatis ulam non excedant, ſanitatem homimaximè confirmant, ſi tamen excerda plus æquo diutiùs retineantur, retinenda nimiùm quantum excertur, actum eſt de hominis ſanitate fectâ: Quis enim neſcit quantam int homini noxam *Diarrhœa*, & quem t quale detrimentum mortales patiur à *Dyſenteria*? tale videlicet, quod quamplurimis nunquam iterum reari poteſt, cum nempe eroſis planè à *enteriâ* inteſtinis incomparabilis vitæ

Theſaurus per ſubſequentem morr infertur.

Diar-rhœa. Quamvis verò *Diarrhœa* quod alvi profluvium, docente *Sebizio parr Spec. Med. Pract. ſect. 2. cap. 15.* ex cu cunque cauſa ortum, cum vel ſine ſſe aut dolore, criticè vel ſymptomatic ctum denotet, nos tamen cum illo cialiter de illâ jam agimus diarrh quæ absque inteſtinorum exulcerat & ſine vehementi doloris ſenſu com git, & in quâ humores ſimplices vel ti præter alimentum & ſanguinem cuantur.

Cauſas habet *Diarrhœa* vari ratione harum varias ſortitur app tiones, de quibus omnibus autem tractare noſtri non eſt inſtituti.

Interna. Omni *Diarrhœæ*, in quâ hun peccantes evacuandi, *Rob Juniper* ſatisfacit, poteſt tamen inſuper ſpec exaltari purgantibus, qualia hu peccanti convenient.

In *Diarrhœa* tam biliosa, quà roſa ſerum per Urinas ac Sudores e re & minuere *Autor eſt Fr. de le Boë S lib. 1. Prax. Med. cap. 13.* Decoct quenti:

℞ *Rad. apii, petaſidit.* ãã ℥j. *Raſur Juniper.*

Sem. milii ãã ℥iij.

...qu. ſ. a. ex aquâ purâ. In Colaturæ ...xx. diſſolv.

Syr. de 5. rad. ℥iv. *Spir.* ⊖*is dulc.* ℈j. Miſce.

...piat bis terve in die hauſtum, ſi ...n abhorreat æger, calentem & inpri...s ſummo manè in lecto, unde prodibit ...ilius ſudor, ſin minus urina copioſior, ...que pedetentim conſumetur ſerum ...nesque humores reddentur puriores ...meliores.

Si *Diarrhœa* ob virium lapſum ...enda videatur, tunc non inconveni...s erit ſequens Electuarium:

Conſerv. roſ. rubr. antiqu. rad. tormentill. ãã ℥j.

Rob juniper. ʒvi. *Spec. diarrhod. Abbat.* ʒj.

Croc. ♂*is adſtr.* ʒijß. *Ter. ſigill.*

Bol. Armen. corall. rubr. præparat. ãã ℈ij.

Pulv. N. Moſch. ʒj. *Syr. myrtin.* q. ſ.

...ſc. F. Electuar. S. Anhaltender ...ärck-Zucker.

Externè poterit adhiberi Empla...um Stypticum *Mynſichti. Gumm. Juni*...i. ʒij. nobilitatum, deſcriptum *ſect.* 36. ...*mament. Chym. p.* 507. Sic & *Oleum ex* ...*mmi Juniperino* paratum cum oleo ...uris deſt. albumine ovorum mixtum & ...ernè adhibitum ad omnes fluxus *Externa.*

 ven-

ventris commendat *Conrad Kunrath. tra…* *20. medull. deſtill. 427.*

Diarrhœa ex hypercatharſi. *In Hypercatharſi* ſeu *Diarrhœa à m… dicamento purgante excitata* ſequens pr… ponit *Tilemannus p 65. de materia medic.*

℞ *Pulv. Sandarac. Arab.* ℥ß. *Thur.* ℨij.
Album. ovor. q. ſ. F. Emplaſtrum

Dyſenteria. In *Dyſenteri…* tàm præſervativè qu… curativè adhibetur *Juniperus.* Sic te… pore Dyſenteriæ Amicis ſuis Vinum m… dicatum ſequens ſe præſcripſiſſe te… tur Hildanus *lib. de Dyſenteriâ cap. 21.*

Præſervativè. ℞ *Herb. abſinth. card. bened. ſcord. …uſque, veronic. menth. Flor. … rubr.* ãã Mij.
Cort. citr. Rad. angel. Bacc. juniper… namom. ãã ℥j.

Incidantur & conquaſſentur omnia, … ſtea in doliolo, quod 12. aut 16. menſ… contineat collocetur vinoque imp… tur. Doſ. adulto ſcyphus 1. vel 2. jur… cochlearia 2 aut 3.

Inter medicamenta Anti-dyſe… rica prophylactica *ExtractumGranor… niperi* refertur à *Grylingio lib. 3. med. P… part. 2. cap. 1.*

Curativè. Internè. Curativè adhibentur medica… ta *Juniperina* tàm internè quam ext… Sic ſequens Clyſter præſentaneam in… ſenteria, nuperrimo Autumno graſſ… tàm in adultis quàm junioribus op…

æſtitit, Viſenæ infantem 3. dierum fe- ciſſimè reſtituit, morbumque pauco erum ſpatio in plurimis aliis, in prin- pio ſtatim qui illum uſurparunt, ſuſtulit profligavit:

Herb.malv.alth. ãã Mij.
Flor. chamomill. Bacc.juniper. ããMj.
oncíſ. contuſ. coqu.in ſ.q. 🜄æ commu- vel ſeri lactis, Colaturæ ℔j add.
🝆 *roſ. aneth.amygd.dulc.* ãã ℥ß.
iſc. F. Clyſter, qui tepidè applicetur.

Electuarium ſupra deſcriptum & ic quoque facit fluxumque Dyſenteri- m præmiſſis præmittendis egregiè & tò ſiſtit.

Externè ad tormina compeſcen- a ſequens concinnare Balſamum ſua- et *Rolfincius lib. 7. Conſultat. 1.* *Externè.*

🝆*nuc.moſchat. expreſſ.* ℥ß.
Gumm. aſphaltit. nigr. minutiſſimè pulveriſat. q. ſ. ad colorem ni- grum.
ent per noctem. Miſceantur.
*Ambr.gryſ.*gr.ij. *moſch.orient.*grvj.
🝆 *deſt. lavend. caryophill. cinamom. menth. majoran* ãã gr.vj. *ſuccin.* ℈ß. *juniper.* ʒß. Miſce
. F. Balſamum.

Hæc tria olea invicem mixta tor- ina: cum admirando ſucceſſu mitiga- nt.

℞ ℥ deſt. menth. juniper, carv. āā. q.
Miſc. S. Euſerlich Oel wieder d
Reiſſen.

Ani exitus à Dyſenteria. In diuturno exitu ani à Dyſente
ortô os ſacrum & coccygis ſequenti D
cocto fovere *Autor eſt Fabric. Hildan*
lib. de Dyſenter. cap 13.

℞ *Fol. & flor. beton. primul. ver. hyperic. ſa*
roſmarin. majoran. roſ. rubr.
Bacc. Juniper. āā Mj. *Alumin. roch.* ℥
Inciſ. & contuſ. indantur ſacculo, qui
terſutus coquatur in vino & applice
calidus ter vel quater in die.

IV. HAEMORRHOIDUM VITIA

HÆmorrhoides venæ ſunt, quæ in a
vel recto inteſtino ſitæ ſunt & ext
ſecus etiam conſpiciuntur, quæ in n
nullis viris ſtatis temporibus, ſpo
aperiuntur & ſanguinis craſſioris fit E
cuatio, multùm conducens ſanitati. I
plices ſunt hæ venæ, vel internæ,
à venâ portæ, aliæ externæ, quæ à v
cavâ oriuntur. *Barthol. lib. 1. de v*
cap. 4.

Mulieres an hæmorrhoidum fluxui obnoxiæ? Quæri hîc poſſet an fœminæ flu
patiantur hæmorrhoidum & reſpond
quod ſic. Nota enim nobis fuit mu
quæ eodem tempore, quo ſunare tri
tum reddebat, & fluxum ſemper
m

orrhoidum unà experiebatur, quod uidem rariſſimum eſt, cum pleræque eâ tate, quâ menſes lunare debitum ritè erſolvunt, hæmorrhoides fluentes non ntiant, denegato autem menſium flu- & in aliis quibusdam naturam per aſa hæmorrhoidalia ſanguinem quantate moleſtum evacuaſſe novimus.

Fluxus hæmorrhoidum moderas ſanitati amicus eſt & à multis præſert liberatque morbis, immoderatus erò, diuturnus, ſuppreſſus in aſſvetis, *ſte Galeno lib. 3. de natural. facult. cap. 8. Aetio tetrab. 4. ſerm. 2. cap. 3.* non divers ſolùm morbos generat, ſed ipſam iam mortem accelerare quandoue let.

In nimio hæmorrhoidum fluxu *Nimio hæmorrhoidum fluxu.* *mmi Juniperinum* albumine ovorum ſo. tum & externè applicatum ſingulare uid præſtare inquit *Conrad Kunraht*, & *rnicem liquidum*, ex eodem gummate ui paratur, idem præſtare doloremque æmorrhoidum ſiſtere teſtatur *idem Tract. 20. Medull. deſtill. p. 426.*

Sequens ad nimium hæmorrhoium fluxum commendat *Savanorola Tract. 6. Pract. maj. cap. 17.*

℞ *Scoriar. ferr. Sem. porr. ammeos.* āā ℈j. *Carabe* ℈iß *Myrabolan. citr.* ʒj. *Sandarac. Ar.* *Cort.*

Cort.ovor. ãã ʒß *Bdell.* ʒij. *Cucurb.*
duſt. ʒiij.

Confice cum Syr.roſ. & ex conſimilib
compone.

Hæmorrhoidum dolor. In DoloreHæmorrhoidum ſequente
præſcribit Pulverem *idem Autor loco ja*
citato.

℞ *Sem. lini* ʒij.*nigell.* ʒj. *Gum.Bdell.* ʒ
Thur.
Cyperi,ammeos ãã ℈j *Sandarac. Ar.*

Terantur & dentur in potu ʒiv.

Hæmorrhoidum obſtructio. In Hæmorrhoidum obſtructio
hucque proveniente mictione ſang
nis & contracturâ membrorum ſeque
adhibuit Oleum *Fabric. Hildanus Cent*
obſervat.xi.

℞ *Ol.lumbric.vulpin. coſtin.* ãã ℥j. *ju*
per.deſt. ʒij. *Spir. Vin.* ʒj. Mi

& bis in die locum affectum inun

CAPUT XVIII.

DE AFFECTIBUS HEPAT ET PRÆSTANTIA JUNI PERI IN IISDEM DISSERIT.

I. HEPATIS OBSTRUCT ET CACHEXIA.

AD arma!ad arma! hoſtes in urbe ſ
Hac olim formulâ populum Ro
num exclamaſſe imminente grav
periculo militesq; ut arma caperent
ſtatur Clariſſimus *M. Frider. Hildeb*

[..]us, Lycei Northuſani olim, jam verò Gym[n]aſii Martisburgici Rector celeberrimus in [C]ompend. Antiquitat. Roman. p. 327. Meritò [i]n Epati obſtructione ad arma confugi[e]ndum eſt medica & illa non negligen[d]a, armis hic opus eſt, quibus hoſtis ex [s]anguificationis hâc officinâ ejiciatur, [n]e fixum ibidem acquirat locum & poſteà [æ]grè iterum expelli queat; Cum maxima [o]bſtructionem hepatis ſubſequi ſoleant [p]ericula, quid enim boni ſperandum, [si] ipſi vitæ alimento nectareo liber dene[g]etur aditus? Maturanda itaque eſt Cu[r]atio & partes hepatis obſtructæ reſe[r]andæ ſunt, cumque *Junipero ejusque par[ti]bus* ſingularis obſtructiones aperiendi [i]nſit efficacia, ideò & hîc auxilium ejus [i]mplorandum. Sic ad Hepatis tàm ob[ſt]ructionem quàm alios affectus ſequens [c]ommendat *Galenus lib. 8. de compoſ. med. [se]cund. loc. p. 1257.* *Hepatis obſtructio.*

℞ *Rad. gentian. chamæpitid. marrub.*
Sem. petroſel. ſinap. cucumer. braſ. eruc. frax. ceſtr. dauc.
Fell. urſi. ſcolopendr. panac. rubric. ſinopic.
Rub. ariſtoloch. long. piper. alb. ſpic. nard.
Coſt. eryngii, Bacc. Juniper. chamædr.
Dictamni ãã ℥j. *Mell. Attici q. ſ.* Conficito.

[P]oſ. nuc. magnitudine. Gry-

Grylingius *lib.3.med.Pract.part.3.c.*
*1.*ſequentem tradit Pulverem :

℞ ⊖ *commun. ſubtil. pulveriſ.* ℥ß *Juni-*
per. ℥iij ♀i ʒij.
Cichor. ʒijß *card. bened.* ʒß.
♀i ⊕*lat.* ℈ij. Miſce Doſ. à ℈i ad ʒß.

Cachexia. Ad cachexiam corrigendam ſe-
quentem Tincturam ordinavit *Timæ.*
à Gülden-Klee *lib. 3. Caſ. med. p. 137.*

℞ *Spec. Trochiſc. d. abſinth. d. eupator.*
rhabarb. d. roſ. ãã ʒij.
Hepat. lupi. præp. ʒvi.
Species diarrhod. Abb. aromat. roſ.
ʒiij.

Subtiliſſimè pulveriſatis affunde *Sp.*
Bacc. Juniper. ad eminent. 4. digitoru
ſtent in digeſtione. Bal Mar. per dies
liquor ad dimidium abſtrahatur, re
quum ſervetur ad uſum.

Sequentem Miſturam non inut
ter in Epatis & Lienis obſtructionib
adhibemus:

℞ *Spir. aperitiv. Penot.* ʒj. *Tinct.* ♂*is ap*
ʒß.
Eſſent. juniper abſinth, ʒiß.

M.D.S. Oefnende Leber/oder Miltz/Miſ
Doſ. à ℈j ad ʒß vel ℈ij.

II ICTERUS.

Icterus. QUemadmodum Aves ex plumis
gnoſcuntur, ita & *affectus ictericus*
pſum facile ſuo indicio ſoricis inſtar p

, levis quidem videtur affectus, at
lorum periculorumque pleniſſimus,
oque illi non fidendum ſed citò ob-
m eundem eſt. Tota cura *Ictericorum*
hoc conſiſtit, ut humores bilioſi edu-
ntur & obſtructiones ductus cholido-
i vel cyſtici aperiantur.
hunc finem *Interna.*

Rad. 5. aperient. āā ℥iij *Cichor.* ℥ß
Sem. melon. excort. ℥iij. *cicer. rubr.* ℥ß
Herb. cuſcut. agrimon. āā Mj. *marrub.* Mß.
Paſſul. ℥vi. *bacc. juniper. num* XX
qu. in ſ.q. ▽æ ſimpl. Colatur. ℔i. add.
Syr. byzant. ſimpl. ℥iv. Miſce pro 3. Doſ.
nert. lib. 3. med. Pract. part. ſect. 2. cap. iv.

Franciſcus Joël in Praxi ſequens ut
gulare remedium & experimentum in
ero ab obſtructionibus commendat:

Rad. chelid. maj. Mij. *Bacc. Juniper.* Mj.
ntundantur in mortario, affundatur
i Rhenani ℔j. exprimantur. Cola-
æ ℥iij manè & ante cœnam biban-

Vel

Rad. chelidon. maj. ℥ij. *cichor. polypod.* āā ℥j.
Sem. petroſell. aniſ āā ℥ß *Flor. geniſt.* p. ii.
Gran. Juniper. Mß
qu. in ſ. q. ▽æ font. Colaturæ ℥viij. adde

Syr.

Syr. d. cichor. c. Rhabarb. ℥j. M. F.
tio Doſ. cochl. 4.

Rolfinc. lib. 8. Conſultat. l. 1.

Franciſc. de le Boë Sylvius lib. 1. cap.

Icterum hoc Apozemate oppugnat, primis ſi quædam adſit veneni ſuſpic

℞ *Rad. ſcorzon.* ℥j. *imperat.* ℥ß.
Raſur. lign. juniper. ℥ij. *ſaſſafras* ℥
Fol. card. bened. ſcabioſ. ſcord. ãã M
Bacc. juniper. ℥ij. *Sem. aquileg. urt*
Raſur. C. C. ãã ʒiij.

Coqu. ex ▽æ purâ in colaturæ ℥xxx.
ſolve
Syr. card. bened. ℥iij. *aqu. Theriac.* ℥
⊖ ♀i ⊕*lat.* ʒß. Miſce.

Aquæ ad Icterum *Timæus* à Gůlder *Baccas Juniperinas* quoque abeſſe n ſed illas eidem pondere ℥iij adjungi cut ex *Caſ. med. ejusd. p. 40* liquet.

Externa. Amuletum *Ronaeletii* carpis m um plantisque pedum applicandum tradit *Grylingius lib. 3. med. Pract. Pa cap. 1.*

℞ *Fol. viſc. quern.* Mj. *Herb. ma chelidon.* ãã Mß
Bacc. juniper. ℥ß.

Contund. in mortario & mixta cum adhibeantur ut dictum.

III HYDROPS.

QUando Oceanus exque illo pro entia flumina cancellos ſuos no

cec

dunt, magnam certè utilitatem generi
æſtant humano; Si verò freta ponti
mescere incipiant ſideribusque cer-
nt conſurgere, magnam & contra ca-
mitatem efficiunt. Idem de lymphâ
moribusque corporis humani dici
itimo poteſt jure: Si enim humores illi
naturali ſuâ conſtitutione non rece-
nt moderatique imperii limites non
cedant, incomparabilem vitæ huma-
thesſaurum, Sanitatem videlicet,
egrum conſervant; Si autem extra
ncellos eroſis illis vagentur & errent,
ac mala producunt graviſſima. Inpri-
s *Hydrops* malè affectis vel corruptis
moribus originē ſuam debet, quæ tri-
x communiter ſtatuitur; Prima *A-*
es, cum totus venter & interdum pe-
tument, partes verò ſuperiores ema-
ntur; Secunda *Anaſarca*, cum uni-
ſum corpus tumore corripitur & ve-
ia digitorum impreſſorum rema-
t; Tertia *Tympanites*, ubi abdomen
ntibus extenditur, quod ſi pulſetur,
pani quaſi ſonum edere ſolet. *Hydrops. Ascites. Anaſarca. Tympanites.*

In omnibus hisce unica ſpes eſt in
cuantibus, Aperientibus, Diapho-
icis & Diureticis, & in Tympanitide
Carminativis; At virtutes hæ in *Ju-*
ro concentratæ apparent omnes qua-
nde hydropici & hic auxilium & ſo-
um expectare poſſunt.

Sic *Quercetanus* in incipiente h
drope vinum commendat chalybeat
baccis juniperinis exornatum *cap. 9. ph*
macop. dogm. restit. p. 687.

Ascites Internè. In Hydrope Aſcitide vinum me
catum ſequens ter de die pondere
inſtillatis in illud ſpir. ✱ci gutt.vj. a
mere juſſit *Deckerus in notis ad Prax: II*
bett. cap. IV.

℞ *Rad. Ireos noſtr. petroſel. enul. ca*
āā ℥iij.
Cort. med. ſambuc. Fol. eupator. ca
bin. āā Mj. *Soldanell.* Mß.
Bacc. Juniper. ℥j. *Sem. fœnic. cinam*
Cort. Citr. āā ℥ìß.

Conciſ. contuſ. infund. in pint. IV.
Rhenani & ſerventur ad uſum.

Pulverem idem præſcribit ſequ
modo. p. 167.

℞ *Rad. mechoacann.* ℈ß. *Jalapp.* ℈j
Mag. ſt. ♀ⁱ ⊕ *lat.* ⊖. *ſambu*
g̃. vij.
oo *caryophyll. juniper.* āā gttj.

M. F. Pulvis.

Sequens vinum medicatum
gans in diverſis Hydropicis aſcitid
borantibus, inprimis in *Pharmac*
Viſenenſi & *Juvene quodam Heringer*
credibilem humorum ſeroſorum
am à ℔viij. ad xii. eduxiſſe vidimus.

℞ *Herb. ſoldanell. gratiol. abſinth.* ā

Fol.Senn.Scolopendr. ãã ℥j.
Rad. Polypod. ℥ß. *Rhabarb. Turpeth.* ãã ʒiij.
Irid. noſtr. ʒvj. *Cort. inter. Sambuc. Ebul.* ãã ℥iß.
Bacc. Juniper. ℥ij. *Sem. cartham. aniſ.* ãã ʒiij.
oncíſ. contuſ. D. ad chartam S. Species zum purgierenden Kräuter-Wein.
Pilulas qui deſiderat, illi ſequentes hiberi poſſunt.
Extract. panchymageg. Croll. ℈ß.
Elater. correct. ⊖ *bacc. junip.* ãã gr. vj.
⊕ *anodyn.* gr. iij. *Miſc. F. Pilulæ, num. ix.*
yling. lib. 3. med. pract. ſect. 5. cap. 4.
In *anaſarcâ Decoctum tale* concinvit *jam laudatus Deckerus loc. cit. p. 173.*
Rad. Apii, Enul. campan. Ireos noſtr. ãã ʒvj.
flor. cent. min. pii. Raſur. lign. guajac. ℥iij.
Bacc. laur. ℥ß. Juniper. ℥ij.
Sem. urtic. Roman. ʒiij.
qu. ex aquâ purâ ad colatur. ℥xxx. adde
Syr. card. bened. ℥iij. *Spir.* ✱*ci* ℈ij.
▽*æ theriacal. ſimpl.* ℥ij. Miſc.
num purgans tale addidit
Fol. eupator. cannab. menth. criſp. majoran.
Flor. cent. min. ãã Mß. *Bacc. juniper.* ℥ß.

 Rad.

Rad. Jalapp. Mechoacann. āā ℥j.
Spic. nard. ʒj. *cinamom* ʒiij. *Macis*
Conciſ. contuſa ſacculoque incluſa
dantur vini pint. VI. & bibat de eo h
ſtum.

Poſt evacuantia & aperientia a
utraque Hydrope maximè extollun
Diaphoretica & Diuretica.

Diaphoretica quod attinet, in
hæc extollit in hydrope ut maximè p
cuam aquam hydroticam *Poterius* ſ
pharmacop. Spagyr.

℞ *Limatur. lign. Indic.* ℔iß. *Cort. ej*
℥vj.
Sarſaparill. Chin. elect. āā ℥ix.
card. bened.
Bacc. Juniper. Zinziber. āā ℥iß.

Macerentur per octiduum in ſ. q. vini
neroſi cum oleo ⊕li ℥ß, & calore
rum vel arenæ aqua proliciatur, qua
centibus ſpeciebus affuſa & deſtilla
ſui reponatur. Doſ. ℥iij. ad v. *Plater*
ac nomine felix, *lib. 3. obſervat. p. 633.*
Electuarium ſudoriferum in Aſcitid
hibuit.

℞ *Rob Sambuc. Ebul.* āā ℥j, *Syrup. pa*
ſimpl.
Spir. Juniper. āā ʒvi. Miſce.

Quercetanus omnis generis Hydro
ſpecifico hoc ad hydropem ſudat
præmiſſa purgatione hydragogâ id

[a]ſtuliſſe gloriatur *cap.8.Pharmacop.dog-*
[m]at.reſtit.p.666.

℞ *Fol.Fumar.eupator.Meſu.* ãã *Mj.*
Rad.aſar. Hirundinar. ãã ℥j. *Bacc.juniper.* ℥ij.
Raſ.ebor ʒvi. *N.Moſch.Santal.citr.* ãã ʒß.

[M]acerentur per 24.horas in ▽.flor. ebul. [b]enift. & vin. albi aa q. ſ. Decoquantur [ad c]oſ. ℥v.

In diverſis ægris præcipuè in duo-[b]us illis ſupra nominatis ſudorem in la-[co]nico ad ℔vi, viii, ad x. (incredibile di-[ct]u ſed verum,) præmiſſis ſequentibus [ex]cretum, non ſemel vidimus.

℞ *Rob Sambuc. Juniper.* ãã ℥j.
⊖. *abſinth. Juniper.* ãã ʒß. *Eſſent. juniper.* ʒj.
Spir. Junip. ℥j. ♀t, *CC.* ãã ℈j. *Miſce.*

Schweißtreibender Saft auf 2.mahl.

Inter Diuretica *Platerus* ſequens [la]udat Lixivium *lib.3.obſervat. p. 640.*

℞ *Summitat. Juniper. ſtipit. fabar. cort. dulc. amar.* ãã Mij.

[E]xiccentur in furno, donec ferè in cine-[re]s redigantur, per quas transfundan-[tu]r ▽æ font. ℔iv. Vin. alb. ℔i. repeten-[d]o, donec aqua lentorem lixivii inſtar [a]cquirat. Huic add.

Sacchar.roſ.tabul ℥ij. ▽ *æcinamom.* ℥j.

[E]bulliant lento igne parum, & ſerventur ad u-

ad uſū benè cooperta ne corrumpant
Doſ. ab ʒij. ad 3. vel IV. bis in ſeptima

Specificum ⊖ hydropicum ex *nipero* inprimis parat *Mynſichtus* addi aliis Diaphoreticis & Diureticis inſig um virium, cujus deſcriptio extat XI. *Armament. Chym. p.* 201.

Aquam hydropicam *idem* *Summitat. Juniper. ad* ℥ß. exornat *ſect. citat. libr. p.* 313. & lixivium *ex cineribus gni & extremitatibus Juniperin. frondi* arthemiſiæ, geniſtæ, fabarum, abſin āā ℥j. cum vino paratum maximè ex lit huiusque auxilio multos Hydrop per aliquot dies adhibito & nullo ali medio ſanaſſe teſtatur *Sect. 27. p.* 407. ab ℥ij ad ℥iij. manè jejuno ſtomach

Pulveris hujus meminit *Grylin loc. cit. p.* 474.

℞ ⊖ *geniſt. ſtipit. fabar.* āā ℥j.
terebinth. gtt VI. *Junip.* gtt. ii
S. Treibe-Saltz auff 3. mahl.

Cæſtero ad Hydropem in uſu *decoctum baccar. Juniperi* teſtatur i *loc. cit. p.* 475. *Verzascha lib. XI. River tract. cap. VI. ſequentia* proponit.

℞ *Rad. ononid.* ℥iß. *Cort. ſamb.* ℥ß. *ebu*
Herb. heder. terreſtr. agrim. āā Mj. *l*
Chamædr. ſummit. cent. min
ſinth. āā Mß.
Flor. geniſt. p. ij. baccar. Juniper.

ciſa & contuſa dentur ad ſacculum ex ndone albo, cui menſuræ ʒ. Vini albi ter. affundantur, de quibus æger mane i bibat.

Vel

♀i ⊕ lat. ℈iv. ⊖ *fabar. juniper. ononid. geniſt.* ãã. ℈j.

iſc. diligenter & formentur inde octo ſes, de quibus manè una in juſculo rneo ſumatur.

Vel

Ciner. junip. ℥iß. *fabar.* ℥j *abſinth.* ℥ß.
Vin. alb. veter. ▽*æ fontan.* ãã ℔ij.

ent per noctem, poſtea colentur decies, ndem adde Sacchar. opt. ℥viij. ▽æ cimom. ℥iij; de hoc potu manè jejuno macho ℥vi bibantur. Candidè poſſu- aſſerere, inquit *citatus Autor*; quod quot hydropicos præmiſſis purgatio- us indicatis hoc potu ſanitati reſtitui- us.

Ad *Hydropem Scorbaticum.*

Apum ſicc. & pulv ʒij *Sem. ammeos* ʒj.
°°° *juniper.* ℈j. *Terebinth.* q. ſ.

F. Maſſa Doſ. ℈j. vel ʒß.

Externè ad tumorem in hydrope m Anaſarcâ quàm Aſcitide tollendum taplaſma tale adhibuit *D. Reineſius*:

Ciner. è lign. Querc. ſamb. junip. ãã q. v.

c. ▽a lixivium, hujus ℔iv. incoque
Mic. panis ſiligin. atr. ℔j. *cochlearum c. teſta contuſ.* ℔ß.

 ad

ad mollitiem & conſiſtentiam juſtam, tu
adde

Acet. Vini ℔ß *Sapon. venet. lap. m*
dicamentoſ. ā ℥ij.
Farin. fabar. lupinor. ā ℥iij.
Pulv. fung. ſamb. caryophyll. ſem. cym
Bacc. laur. Agaric. ā ℥iij. *Euph*
ʒij.

Miſce. *Grylingius loc. cit.*

Vel

℞ *Herb. malv. c. tot. melilot.* ā *Mj. Soo*
nell. Miß.
Fl. chamomill. ſambuc. ā Mj.
Rad. althææ. ℥ß *bryon.* ℥vi. *Com. ab*
Miß *ſambuc.* ℥ß.
Sem. fœn. græc. ʒiij *Naſt.* ʒvi. *Cumin*
Bacc. laur. juniper. ā ʒvi. 🜔*is* ℥ß.
Farin. fabar. ℥ij. *M. F. Pulvis, cui*
Terebinth. ℥iß *Mellis. q. ſ. F. Ca*

Timæus à Güldenklee *lib. 3. Caſ. 24.*

Sic & Emplaſtrum Hydropic quod *Hofmannus in Theſauro pharma rico p. 60.* deſcribit, *oleo juniperi* inſ tum eſt & ad hydropicos tumores inutiliter adhibetur.

Unguentũ ſi quis deſideret tale a

℞ *Unguent. d. arthanit.* ʒvi.
°° juniper. ℥ß *diacolocynt.* Q. ʒiij
Spic. ʒij *Terebinth.* ʒj. *Ceræ q.*

Miſ. F. Ungventum. *Grylingius loc. ci*

Ventriculo Hydropicorum i

nis etiam proſpiciendum, commendatur à *Rolfincio lib. 8. Conſultat. 9.* ſequens Balſamum.

℞ *Ol. ſuccin. citr. majoran. angel.* āā ℈ß. *juniper. fœnic.* aa ℈j *cochl. naſturt.* āā gttx. *N. Moſch. expreſſ.* ʒß *Miſc. in pyxide.* S. Magen-Balſam.

Tympanites Hydrops flatibus cum originem ſuam debeat, carminativa inprimis poſtulat, præmiſſis, quæ humores flatuum genitores blandè educant, ſint autem talia, quæ ſudores blandè movere poſſunt. *Tympanites.*

Sic *Platerus lib. 3. Obſervat. p. 656.* mulieri tympanitide laboranti exhibuit *Spir. Juniperi* cochlearis unius quantitate, præmiſſo vino laxativo, cum permiſtione aquæ narcoticæ gutt. iij, continuando per aliquot dies, & ventrem inungere juſſit aqua vitæ cum *Spir. Juniperino*, addendo parum olei ſem. carvi, ſicque ventrem penitus ſubſediſſe teſtatur.

In viro extremè pauperi tympanitide vexato ſequentia experti ſumus efficacia.

℞ *Pulv. ſem. cumin. carv. bacc. laur.* āā ʒß. *Spec. aromat. roſ.* ʒiß 🜍 *chamomill. cumin.* āā ℈ß.

Rob Junip. ℥iij. 🜔 *is ejusd.* ℈ij. Miſc. S. Safft wieder die Blehung. Doſ. ʒij. manè & veſperi.

Externe

℞. ○○ *anethchamomill. ãã coct.* ℥ß. *deſtillat. juniper. cumin. anis.* ãã ʒß

Obſervatio Miſc. S. Euſerlich Oel den Leib zu ſalben.

Hæc per 6 ſeptimanas continuav... interpoſitis aliquot purgantibus, & fel... ciſſimè evaſit.

Sitis Hydropicorum. Ad ſitim Hydropicorũ intolerabilem

℞ *Gran. junip. contuſ.* Mij. *Ser. lact.* ℔v...

F. Decoctum, cui ſi inſtilletur

Tinctur. flor. Bellid. Spir. ⊕*li* ♂*tis cue. vel*

Tinctur. ♂*tis aperitiv.* q. ſ.

præſtantiſſimum erit. *Gryting. loc. cit. p. 458.*

CAPUT XIX.

JUNIPERINA MEDICAMENTA IN MORBIS LIENIS EXAMINAT.

I. LIENIS OBSTRUCTIO.

SI quid unquam aptum verumq... ſit, verum eſt illud: Principiis obſ... præſertim in viſcerum obſtructionibu... quippe quæ facilius contingunt qu... referantur. Hoc & in lienis obſtructio... quâ hodiè nil frequentius, obſerva... dum, quæ ſi ipſi maturè obviam eat... multò facilius tolli poteſt, quam ſi al... prius egerit radices, optimè igitur h... reſerant medicamenta Juniperina ju... tempore, hoc eſt, in principio adhibi... tuncque fortiora & precioſiora non d...

Lienis Obſtructio.

dera...

derantur, & ſic maturatio & ſumtibus & ſanitati conducit.

In lienis obſtructione ſequens præſcribit *B.D.D. Schenckius ſect. 3. ſyntagm. de præſcrib. med. cap. 3. p. 158.* *Interna.*

℞ *Eſſent. gran. juniper.* ℥ß. *Extract.* ♂*tis purg.* ʒij.

M. S. Eſſentia aperitiva ſplenetica, Doſ. gtt. 40. Vel

℞ *Spir.* ⊕*li compoſ. Penot.* ℈ß. *Rob juniper.* ʒj.

Syr. Byzantin. ℥j *M. S.* Säfftlein auf 1. mahl.

Gryling. part. 2. de ſecund. evacuat. Univerſ. Gener. p. 85.

B. D.D. Friderici ſequentia Studioſo lienis obſtructioni laboranti exhibuit eſtante hoc protocoll. medic. MSS.

1. *Loco Digeſtiv. Elixir proprietatis.* 2. *Pulverem purgantem* 3. *Tinct.* ♂*tis aper.* 4. *Elix. Juniperinum*, quo manè & veſperi, tincturâ vero pomeridie uſus eſt.

Sequentem miſturam innumeris profuiſſe novimus.

℞ *Spir. Juniper. Acor. cent. min.* ãã ℥ß. *aperit. Penot. Elix. Antipochondr.* ãã ℈ij.

Tinct. ♂*tis c. ſucc. borsdorff. parat.* ʒiij. *Rob Junip.* ℥ß. M. S. öffnende Mixtur.

Linimentum ſpleneticum tale parat *Tilemannus in append. de mater. med. p. 95.* *Externa.*

℞ *ol.*

℞ *ol.d.Cappar.coct.deſtillat. juniper.*āā ℥iij
Violae. ʒvi *pulv.croc.* ℈ß.
Pulv. nummular. Scolopendr. Cuſcut.
āā ℈j.
Ceræ q. ſ. F. Linimentum.

Vel

℞ *Ol.cappar.coct.deſtillat.philoſ.* āā ʒij
deſtillat. junip. ʒß *cochlear.chamom.* āā ℈
Miſc. S. Euſerlich Miltz-Oel.

II. HYPOCHONDRIACUM MALUM.

Malum Hypochondriacum

QUi affectionem hypochondriacam flagellum vocavit medicorum, haud abſurde locutus eſt, vix enim ullus morborum magis ſua variat ſymptomata, indeque remediorum varietatem efflagitat, quam malum hoc hypochondriacum, & cum eo ſcorbuticum, medicusque interdum verborum ſatis vix invenire poteſt, quibus ægros ſoletur & impatientes patientes ad patientiam adducat, atque tantâ medicamentorum copiâ in copiam propemodum ſentit, quoniam ægri qui ſemper aliquid, quo de querantur habent, remedia variare rogant.

Interna.

Maxima hîc ſpes eſt in aperientibus, at virtute aperiendi maximè pollet *Juniperus*, quapropter illa partesque ejus in cura Hypochondriacorum tutò variè adhibentur.

VinumAntipochondriacũHypochondriacis tale ſæpius ordinavim9. ℞ *H*

℞ *Herb. lingv. cerv. cuscut. epith.* ãã Mj.
Rad. 5. aper. ãã ℥ij. *Cichor. Zedoar.* ãã ʒß.
Cort. tamar. cappar. auranr. ãã ʒiiiß.
Lign. guaj. ℥j. *Saſſafr.* ℥ij *Bacc. junip.* ʒiv.
Limatur. ♂is ℥xij *Sem. geniſt.* ʒiii.

Conciſ. contuſ. D. ad chart. S. Species zu einem halben Eimer Kräuter Wein.

Simile vinum ordinavit Platerus in Melancholia hypochondriaca, & dolio *ſcobem ligni juniperini* indere juſſit. Idem meminit ſequentis in prædicto caſu *Clyſteris p. 62. lib. 1. obſervat.* cujus uſu multos flatus cum fæcibus erupiſſe ægrumque maximè approbaſſe teſtatur.

℞ *Betæ rec. vel ☿ial. Fol. braſſic. rec. Fumar. Atripl. ſativ. abrotan. thym.* ãã Mi.
Rad. polypod. ℥iß *Fol. Sen.* ℥ß. *epithym.* ʒii
Fl. chamom. aneth. matric. ſamb. ãã p.i.
Sem. carv. cym. aa ʒii *Bacc. laur. Juniper.* ãã ℥ß.

F. decoctio in aquâ & tertia parte vini, diſſolve:

Mell. roſ. ſacch. rubr. ãã ℥i *Hier. picr.* ʒii.
ol. lil. ℥ii *⊖is parum. M. F. Clyſter.*

Cerevisiæ probè lupulatæ addere jubet Joh. Freytag in Bericht von der *Melancholia Hypochondriaca cap. 9. p. 136.* meliſſam, fumariam, ſalviam, epithymum Caryophyllatam, Baccas lauri & *Juniperi.*

B. D D. Rolfincius Diuretica & Diaphoretica tàm in affectione hypochondriaca,

câ, quàm ex illâ proveniente melanch
liâ ſvadet, & ſic *lib. 8. Conſultat. 3.* Hyp
chondriaco commendat loco Diuret
malvaticum Juniperinum *ad* ℥ß *S.* Hai
treibende *Miſtur,* & *lib. 2. Conſultat. 7.*
melancholiâ Hypochondriacâ loco D
phoretici Pulverem ſequentem.

℞ *Fl.* ✻ *ci corallinor* ⊖ *abſinth. junip.* āā ℈
M. S. Schweißpulver auff einmahl.

Pilulas aperitivas antihypocho
driacas ſingulares tradit *B. DD. Sch*
ckius ſect. VI. Syntagm. præſcrib. medica
cap. 4. p. 268. quæ ita parantur.

℞ *Croc.* ♂ *is aperitiv.* ʒi. *Extract.* junip
cort. cappar. ſplen. bov. āā ℈ß.
Fecul. aron. ℈i.
Diagryd. ℈ß. *c.* ▽ *a cochlear.* q. ſ.
F. ex ʒj. pilulæ xxxj. D. in pyxide S. ut ſu
B. DD. Friderici omnibus propemod
Hypochondriacis exhibuit *Elixir* Jun
rinum teſtante hoc pluries *Pret. med. N*

Obſervatio. In muliere melancholiâ hypoch
driaca maximopere unaque inſulti
uterinis affectâ, poſteaque in duabus
liis eodem morbi genere correptis o
navimꝰ ſequentia optimo cum ſucce

I. Erat vinum medicatum ſupra
ſcriptum. 2. Purgato corpore ſudo
movimus hiſce.

℞ *Rob Juniper. Syr. card. bened.* āā
Tinctur. ℥ii ʒiß. *Flor.* ✻ *ci.* ʒi.
Spir. Juniper. ℥ß. Miſc. S. Schw
Safft auff 3. mahl. Po

Poſtea V. S. in plethoricis inſtituimus, deinde 3. manè utantur ſequentibus

℞ *Elix. Antihypochondriac. Rolf.* ʒii.
Eſſent. juniper. ʒi. Miſc. S. Elixir.

4. Circa meridiem

℞ *Sal. juniper. cichor. chamomill.* āā ʒi.
♀i ⊕lat. ʒii. *Pulv. cachect.* ʒi.

Miſc. S. Pulver 2 Stunden nach der Mahlzeit. *Doſ.* ℈ß. *ad* ℈ii. 5. Veſperi.

℞ *Extract. juniper. anth. croc.* āā ℈ii. *Aloes viol.* ʒiß. *Extr. Helleb. nig.* ℈i.

Miſc. F. Pilul. S. Pillen gegen die Nacht auf 10. mahl.

Malo aliquatenus remittenti ulterius oppoſuimus 6. ſequens Electuarium.

℞ *Conſerv. fl. anth. borrag. rad. ſcorz.* āā ʒi.
Rob Juniper. ℥i,
Extr. cent. min. jun. āā ℈ii. *ſplen. bov.* ℈i
Eſſent. caſtor. carminativ. ara āā ʒi.
Sal. is Angl. ſuccin. præp. āā ℈ii.
Croc. ♂*tis aperit.* ʒß. *Spec. dianth.* ʒii.
☍ *cort. aurant. zed.* āā gtt. VI. *cinam. caryophyll. macis* āā gtt. IV.

Miſc. omnia F. l. a Electuarium D. S. öffnender Stärck-Zucker.

Doſ. ℥ß. pomeridie & antemeridie.

Hisce adhibitis cum Deo reſtitutæ ſunt.

III. SCORBUTUS.

SI quis *Scorbutum* cum *Proteo* compararet, illumque his verbis, quibus *Ovidius* *Scorbutus.*

dius lib. 8. metamorph. fab. 12 Proteum a... loquitur, delinearet, à verô illum ab... rare non putaremus:

Nam modò te juvenem, modò te vidi... Leonem
Nunc violentus aper, nunc quem tetig... timerent
anguis eras, modò te faciebant corn... taurum,
Sæpe lapis poteras, arbor quoq; ſæpe vidi...
Interdum faciem liquidarum imita... aquarum
flumen eras, interdum undis contra... ignis.

Tot enim tamque varias form... mentiri poteſt *Scorbutus*, ut ſatis diffic... ter quandoque dignoſci poſſit, ſæpe... medicum ſub perſonâ alterius morbi, ... cuius larvâ tectus militat, decipit.

Quàm argutus verò & aſtutus ... *Scorbutus*, verſutiſſimi tamen huius P... tei argutias eludit *Juniperus*, ideo... tàm per ſe antiſcorbutici medicam... titulum gerit, juxta *Barbett. prax. lib... cap. 3. Sebiz part. 4. ſpec. med. Pract. ... V. cap. 12. & alios*, quàm aliis antiſcor... ticis miſcetur eorumque virtutes au... & extollit, ſive ob humorum præpa... tionem eorumque vel per ſudores, ... per urinarum evacuationem & alt... tionem ad hibeatur.

Quando itaque humores ſcorb... ci p...

ci præparandi tunc optimè convenit ſequens:

℞ ♀i ⊕lat. ⊖ juniper. geniſt. abſinth. *Magiſt. corall. pulv. rad. aron. mundat. Elæoſacch. citr. cochlear. aniſ. cinamom.* ãã ℥iij.

Miſce pro 3. doſ. S. Reſolvier Saltz.

Si dicti humores evacuandi, tunc purgantibus *baccæ juniperi* aliaque antiſcorbutica adduntur, ut hiſce mediantibus purgantium vis ad ipſos humores peccantes adducatur. Sic

℞ *Herb. abſinth. cochlear. naſturt.* ãã M ß. *Flor. cent. min. pii. fol. ſenn.* ℥j. *aſplen.* M j *Rad. cichor. polypod.* ãã ℥ß. *rhabarb. helleb. nigr.* ãã ʒij. *Bacc. juniperi* ℥j. *ſem. geniſt. fœnic.* ãã ʒiß.

Conciſ. contuſ. D. ad chart. S. Laxirende Species zu 2. Maas Wein.

Si per ſudores materia ſcorbutica minuenda:

℞ *Rob Juniper.* ℥ß. ▽ *cochlear. card. bened.* ãã ℥j. ⊖ *CC. volat. ſuccin. volat.* ãã ℥viij.

Miſc. D. S. Schweißtränckle in.

Diureticum ſi deſideretur, tunc

℞ ⊖ *juniper.* ℈j. *ononid.* ℈ß Miſc. S. Urin treibendes Saltz.

Wolfincius lib. 8. Conſult. 7.

Humores ſcorbuticos alterantium

tot extant compoſitiones, quot capita
Sennertus aquam componit antiſcorbu-
ticam *lib. 3. Med. Pract. part. V. ſect. 2. cap.*
6. ℥iij *bacc. juniperis* conſpicuam, ut &
Miſturam ℨij. *extracti juniperini* exalta-
tam, utriusque deſcriptionem, ut & alia-
rum ▽um antiſcorbutic. juniperi bac-
cas recipientium vide in *Cochlearia curio-*
ſa B. D. Möllenbroccii.

Wierus teſtante Sennerto loc. cit. hoc
remedio infinitas curaſſe ſcribit:

℞ *Abſinth. vulg. gran. junip. contuſ.* āā M.
Lact. caprin. ℔iv.

Coqu. ad tert. vel quartæ partis con-
ſumtionem, poſt colentur cum forti ex-
preſſione, colaturæ add. croc. ʒß vel.
& ſemel atque iterùm ebulliant & den-
colentur. Decocti hujus hauſtus ter
die propinetur calidus.

Spiritus, quem *Deckerus* laudat,
ſcriptio cum *pag 78. Cochlear. curioſ.*
Möllenbrocii extet, nolumus hic eam re-
tere.

Vini medicati antiſcorbutici &
reviſiæ ejusmodi formulas plures tra-
Rolfincius Conſultat. 7. & 8. lib. 8. vid-
das.

Nobiliſſimus *D. D. Schenkius* p-
talem cereviſiæ vel vini antiſcorbu-
præſcribit formulam *ſect. 3. Syntagm.*
ſcrib. medicament. cap. 3.

℞ ...

℞ *Rad. cichor. ſcorzoner. oxylapath. penthaphyll.* āā Mß.
Summit. fumar. Mj. *ſem. ſinap. ammeos* āā ʒij.
Fol. naſturt. cochlear. beccabung. āā Mß. *agrimon. meliſſ.* āā pj.
Cort. cappar. tamariſc. āā ℥ß.
Bacc. juniper. laur. āā ʒij.
Conciſ. groſſo modo D. ad chartam S. Kräuter Species zum Bier.

Mixturis qui delectatur vel Electuariis adeat *Matth. Martin.* qui *pag.* 674. & *ſeqq.* varias tradit formulas, quas quoque collectas *cap.* 17. *Cochlear. Curioſ.* exhibet.

Mixtura Timæi à Güldenklee talis eſt:

℞ *Miſturæ ſimpl. ſpir. cochlear. naſturt. bacc. juniper.* āā ℥ß.
Miſce. Doſ. ℈j. ad ℈ij.
Lib. 3. Caſ. med. p. 164.

Vel

℞ *Spir. aron. naſturt. cochlear.* āā ℥iv.
✻ci ℥j. *elix. antiſcorb. Rolf.* ℥ij.
Eſſent. juniperinæ ℥iß. *miſtur. ſimpl.* ℥j. ʒij.
Miſc. omnia. S. Miſtura Antiſcorbutica Doſ. ℈j. ad ℈ij.

Electuarium Scorbuticum haud ingratum nec inefficax exhibet *Schröderus lib. 2. Pharmacop. Med. Chym. cap.* 51.

℞ *Conſerv. cochlear.* ℥ijß. *chamædr. mell*
roſ. incarnat. acetoſ. citr. ãã ʒvi.
Conditi calam. aromat. zinzib. rad
pimpinel. cort. citr. ãã ʒiij.
Extract. abſinth. Juniper.
Sem. ſinap. eruc ãã ʒij. *Cardamom*
Cinamom. ãã ℈j. ♀ ⊕ *lat.* ʒiß.
Ol. aniſ. ℈j. *cinamom.* ℈ß.
Cum *ſyr. d. cinamom.* & *cochlear.* ãã *q. ſ.*
mixtura.

Doſ. magnitudine juglandis manè je-
no ſtomacho aſſumta.

Elæoſaccharum Antiſcorbuticum
uſu nobis tale eſt.

℞ *Sacchar. Canar. opt* ℥ij. *Fecul. aron.* ʒ
°°° *cochlear. juniper.* ãã ʒß. *cort. aura*
℈j. *cinamom.* ℈ß. Miſce Doſ. ℈

Dolor ventris Scorbuticus. In *dolore ventris Scorbutico*, qui
mnes dolores colicos ſuperare dicit
internè commendat *Deckerus citat.*
ſpiritum ✱ci corticibus aurantior
infuſum cumque Spiritu Aniſi vel *Ju*
peri exhibitum, ut & clyſterem ſequ
tem.

℞ *Fol. cochlear. hyoſciam. F. chamom*
rom.
Fl. ſambuc. ãã Mß. *Summitat.*
ſinth. Mj.
Rad. elen. ℥iß. *Bacc. juniper. la*
ãã ʒv.

Co

Coqu. in ſ. q. ſeri lactis vaſis quàm optimè clauſis. Colatur. ℥viij. vel X. add.

Ol. cochlear. elect. lenitiv. d. bacc. laur. āā ℥v.

Vitell. ov. num. 1. *M. F. Cyſter.*

In *dolore crurum, manuum, pedum Scorbutico* ut & jam dicto dolore ventris externè proponit Cataplasma *idem Deckerus loc. cit.* nihilque in ventris dolore ſedando addit, quàm Sem. cumin. carv. āā ʒiij. ejus deſcriptio eſt talis: *Dolor crurum, manuum & pedum Scorbuticus.*

℞ *Flor. chamomill. Sambuc.*

Fol. naſturt. aquat. vel beccab. āā Mj.

Bacc. Juniper. Miß.

Conciſa craſsè & contuſa Coqu. in ſ. q. ſeri lactis vaſis optimè clauſis pro Cataplasmate calidè apponendo.

Simile quoque deſcribit Cataplaſma *Hofmannus* ad mitigandos dolores in Scorbuto p. 39. *Theſaur. Pharmaceut.* ol. baccar. juniperi exaltatum.

Poterius in ejusmodi doloribus ſequentem fotum ordinavit *Centur. 2. obſerv. 43. Baccasque Juniperi* in omni dolore commendat *Obſervatione ultimâ Centur. ſecunda.*

℞ *Bacc. juniper. laur.* āā ℔ß.

Fol. roſmarin. ſalv. menth. abſinth. majoran. āā Mij.

Flor. ſtœch. chamomill. hyperic. āā pj.

Coqu. in ſ. q. vin. & 🜄æ pro fotu.

Maculæ Scorbuticæ. Ad *Maculas ſcorbuticas* tollend[...] commendat *Sennertus* loco ſæpius cita[...] fomenta & balnea ex reſolventibus, di[...] cutientibus & emollientibus, quibus [...] mnibus *baccæ Juniperi* admiſcentur. U[...] gventa quoque addit ibidem ſequen[...]

℞ *Butyr. majal.* ℥ijß. *bacc. Junip[...] contuſ.* ʒvi.

Vin. ℥ij. Coqu. ad vini conſumtionem [...] colentur; vel coquatur in lacte naſtu[...] um atque abſinthium & baccæ junip[...] contuſæ, & cum lactis illius flore cr[...] inungantur:

Vel

℞ *Butyr. majal. inſulſ.* ℥j. *com. abſinth*[...] *Vermicular.* ℈j. *bacc. junip. contuſ.* [...] *Vini* ℥iij.

Coqu. ad vini conſumtionem & [...] lentur ac pingvedo ungventi loco u[...] petur.

Matth. Martin. in ſuo de Scor[...] *tractatu p. 748.* Decoctum ad mac[...] Scorbuticas & *Salomon Albertus tra*[...] *d. Scorbut.* fotum ad easdem præſcr[...] quorum deſcriptiones *baccas Juniper*[...] non exiguâ quantitate recipientes *v*[...] *Cochlear. Curioſ. p. 125.*

Tumores Scorbutici. *Tumoribus Scorbuticis* emollien[...] abigendis idem fomenta præſcribit [...] *nertus loc. cit.* in quibus *baccæ Juniperi* [...] poſtponuntur.

Nos lapſo anno in Perſonâ Illuſtri obſervavimus tubercula rubra Scorbutica per totum corpus, excepta facie, diſperſa, puſtulis, quæ ab affrictu urticarum excitantur, ſimillima, cum præcedente pruritu intolerabili & ſubſequente acidiſſimo vomitu & moleſtiſſimâ cardialgiâ provenientia, quæ jam aderant, jam aberant; hæc in conſilium vocati ſequentibus feliciter V. dierum ſpatio ſuſtulimus, ut poſtea uſque in hunc diem nunquam amplius apparuerint. *Obſervatio.*

Præmiſſo Diaphoretico exhibuimus Tincturæ corall. *Eſſent. juniper.* ãã ʒj. S. Bluthreinigung.

Potui indendam dedimus Tinct. Martis aperitivam & poſtea Miſturam Antiſcorbuticam. S. Antiſcorbutiſche Miſtur.

Sangvis per Scarificationem eductus erat acidiſſimus, ſicut & de materiæ aciditate ſuccum citri æquante, quæ per vomitum excludebatur, Illuſtris hæc Perſona conquerebatur.

CAPUT XX.

DE RENUM CALCULO VIRIBUSQUE JUNIPERI NEPHRITICIS DISCURRIT.

IN admirando Orbis terrarum ſyſtemate lacus, fontes ac flumina dari, quibus

immiſſa lapideam induunt formam duritiem, experientia ſatis comproba Utinam homo ab hâc lapideſcendi fa cultate eſſet immunis! Verùm & in iil varia calculorum generari genera ee dem, proh dolor! evincit experienti ita ut & eorum genera plus quàm qui genta eſſe autumet *Crollius in Baſil. C mic. p. 306.* quin in omnibus ferè corp ris partibus calculos generari plu morum teſtentur Autorum obſervati nes, ſicut fuſiùs de his videri poteſt *Sennertus lib. 2. Inſtitut. part. 2. c. 9.*

Obſervationes. Inprimis autem calculorum ſec frequenter in renibus & veſicâ offe ditur, maloque hoc tàm tenera æt quàm florida ac decreſcens corripitur, cuti in 2. infantibus aliquot ſaltem ſep manarum obſervare nobis licuit, & p terea *Illuſtriſſimus ac Generoſiſſimus Co ac Dominus*, DN. ANTHONIUS A BRECHT, *Comes de Schwartzburg & Ho ſtein* 3. ætatis anno præcedentibus m ximis cruciatibus, quibus à teneris eti obnoxius fuit, calculum per urinam l magnitudine ⬭ nucleum pruni citr accuratè æquantem excrevit, hodie nihil frequentiùs conqueruntur æ quàm de torminibus nephriticis, quil debellandis multa extant remedia, c bus omnibus *Juniperus* palmam ſi n

erip

ripiat, dubiam ſaltem facit, eaque propter in calculo & doloribus exinde provenientibus variè adhibetur.

Sic *baccæ Juniperi* maturæ, Nucl. perſicor. vel amygdalar. amar. num. X. vel XII. ſingulis vel alternis diebus asſumtæ ad præſervationem commendantur.

Deckerus ſequens Decoctum profuiſſe ejusque beneficio inſtillatis gutt. ij. *Balſami Sulphuris Juniperini* varios ægrum excreviſſe calculos obſervavit *in not. ad Prax. Barbett. cap. 8. p. 213.*

℞ *Cicer. rubr. Hord. mundat.* āā ℥ij. *Internè.*
Sem. Viol. purp. papav. alb. urtic. malv. āā ℥ß.
Oc. 69. contuſ. & in petiâ ligat. ℥ij. *bacc. juniper.* ℥j.
Fic. pingv. num. IX. Sebeſten num. VII. fruct. Alkekeng. num. IV.
Glyzyrrhiz. raſ. ʒVI.
Coqu. *in* ℔ iij 🜄*æ commun. in Colatur.* ℔ij. *diſſolv.*
Syr. papav. errat. d. 5. radic. Diacnic. āā ℥iß.
Spir. ✱*ci* ℈ij. Miſce.

Vel

Rad. Liquirit. ℥iß. *paſſular.* ℥ß. *Ficuum num. XV.*
Cicer. rubr. pj. *Gran. junip. exiccat.* ℥ß.
Sem. aniſ. ʒiij. 🜄*æ Veronic. q. ſ.*

Coquantur. Colaturæ dentur cali
℥iij. Hæc etiamſi videantur ſimp
ciſſima, uſu tamen & experientiâ co
pertum eſt ea poſt ſe alia chymica mu
tis paraſangis relinquere *Gryling. lib.*
med. Pract. part. 1. *cap.* 4.

Aquarum Nephriticarum diver
compoſitiones exhibet *Quercetanus*, q
bus omnibus *Baccas Juniperi* in non e
guâ quantitate admiſcet *cap.* 7. *Pharm*
cop. Med. Chym. aquæ Nephriticæ
dit *cap.* 33.

Tilemannus p. 2. 6. *de mater. med.*
lem proponit:

℞ *Rad. helen.* ℥ij. *pimpinell.* ℥ß. *fœn*
petroſelin. āā ℥vi.
Flor. geniſt. ononid. āā Mj.
Cort. aurant. ʒiij. *Bacc. Juniper.*
Sem. aniſ. carv. urtic. āā ʒiß. *mil.*
Raphan. ſaxifrag. āā ʒij.
Mithridat. ℥ß. *ſucc. liquirit.* ℥j.

Miſc. omnia. Infund. in vini veter.
malvat. ℔vi. Succ. limon. ℔ß. deſtill
tur in Mar. Bal.

Aliam D. G. R. exhibet *Hofman*
p. 26. *Theſaur. Pharmaceut. itaque par*
℞ *Fruct. fragor.* ℔iv. *Vin. malvat.*
▽*æ Juniper.* ℔iß. *rad. petroſel.*
Nucl. perſicor. ceraſor. non contuſ. ā
Stent in infuſione vaſe clauſo per m
ſem; Deſtill. & ſervetur pro uſu. Do
pra

præſervationem cochl. 1. ad ij. Curationem iij. vel IV. tempore matutino.

Liquorem hunc inter experimenta refert *Sebizius part. 4. Spec. Med. Pract. Sect. VI. cap. XI.*

℞ *Succ. limon.* ℥j. *vin. Cret.* ℥iß. *ſpir. bacc. junip.* ʒj.

Miſce.

Sequentis Liquoris antinephritici deſcriptionem *Vir Magnificus atque Excellentiſſimus D. D. FROMMAN, Conſul & Phyſicus Reipublicæ Patriæ Graviſſimus.* mecum communicavit eundemque ſequente dignatur elogio: Hic in omni calculorum genere eſt medicamentum incomparabile & ſummæ virtutis, instarque arcani ſummi hactenus mihi fuit & candidè jam depromitur.

℞ *Spir.* ⊖*is opt. raphanati, ſeu mediante raphano rectificat.*

♀*i* ãã ℥iß. ⊕*li philoſophic.* ℥ß.

Extract. granor. juniper. ʒiijß. *veronic. pimpinell.* ãã ʒiß.

Solut. oc. 69. ℥ß. ⊖ *ſuccin. fixat.* ℈ij.

Aſellor. ſ. milleped. ppt. ℥iij.

Spir. fragor. ex infuſione ſimpl. juxta Geſner. & Sebizium parat. ℥iß.

Eſſent. rad. ſaxifrag. granulat. flor. alb. ℥ß.

Extracta ſolvantur cum Spir. fragor. & Eſſentiâ, mox adde ſolut. oc. 69. Sal. ſuccin.

cin. & aſell. ppt. hinc Spir. Salis, ♀ii
⊕li. phil. commixta exactiſſimè di[illegible]
rantur per menſem quotidiè agitand[illegible]
Doſ. gutt. 9. ad ℈j in ▽. hederæ terreſ[illegible]

Aſelli ſic præparantur. Vino not[illegible]
loti leniter ſiccantur torrenturque & [illegible]
vantur iterùm vino, indeque aquâ fol[illegible]
ſtipitum fabarum. Hinc rurſus leni[illegible]
imbibuntur Spiritu Juniperino & [illegible]
kekeng.

Spiritus hos invicem mixtos co[illegible]
mendat *Rolfincius lib. 9. Conſultat.*
p. 826.

℞ *Spir.* ⊖*i* ℥ij. *Salis juniperin.* ℥ viii
Miſc. D. in vitro S. Stein-Spiritus.

Nec infimum locum *baccæ* ten[illegible]
Juniperinæ in compoſitione Spiritus N[illegible]
phritici & Lithontriptici *Mynſichti*, q[illegible]
deſcribit *Sect. 18. Armament. Chym. p.*[illegible]
ſicuti & illas Aquis iisdem titulis inſig[illegible]
tis adjicit *Sect. 19. p. 322.* nec illas exc[illegible]
dit clareto Antinephritico *Sect. 22. p.*[illegible]
deſcripto.

Syrupum Diureticum *D. D.* [illegible]
ita deſcribit *Uffenbach. lib. 1. Antido*[illegible]
ſect. 2. p. 383.

℞ *Succ. onon. ex toto cum floret,* ▽ *e ej*[illegible]
Succ. expreſſ. raphan. cerr. pimpi[illegible]
āā ℔j.
▽ *e malv. ex tot. Urtic.* āā ℔ß.
Equiſet. parietar. āā ℥iv.

B[illegible]

Bacc. alkekeng. ℨIV. *Juniper.* ℥ij.
Sem. petroſel. ℥j. IV. *frig. maj. contuſ.* āā ℨij.
Fl. chamomill. Rom. Mj. *geniſt.* Mß. *croc.* ℨj.

[E]bulliant leniter & infundantur ſ. a. in [C]olatura diſſolv. Sacchar. q. ſ. Coqu. in [fo]rmam Syrupi.

Aliam adhuc ejusmodi Syrupi de[ſc]riptionem idemAutor *loc. cit.* ut & oxy[m]ellis ad frangendum calculum *Gesneri* [a]djungit *lib. 1. Antidotar. ſect. 3.* quæ *bac[ci]s juniperinis* quoque exornatur.

Eſſentia vel Tinctura Juniperina hic [o]ptimè audit, cujus deſcriptionem dedi[m]us ſupra cap. 7. Commendatur illa hoc [m]odo vel ſolo Spir. Vini parata à *Sebizio [l]o ſupra jam citato & à D. Philipp. Müller* [p.] *62.* Miracul. Chymic. cui præſtans quo[q]ue & mirabilis audit. Huic nō valdè ab[ſi]milis eſt Tinctura, quam tradit *Tileman[nu]s p. 191. appendic. d. mater. med.* ean[de]mque doſin & formam utendi poſſi[de]t.

Eodem titulo dignum eſt *Elixir Ju[ni]perinum ſupra quoque cap. 7.* duplici mo[do] paratum, & meminimus, *quod. B. D. D. [Fri]derici P. P. Jenenſis quondam celeberri[mu]s* illius uſum frequentiſſimum in ne[ph]ritide haberet, ſicut etiam hoc variis [in] locis teſtatur *Protocollo - Medicum [Sc]r.* Qui

Qui autem majori compoſitio[nis]
apparatu delectatur, huic ſatisfacere [po-]
teſt Elixir Nephriticum *D. D. Rolfin[cii]*
quod ita parat:

℞ *Bacc. juniper.* ℥iij. *heder. arbor.*
alkekeng. ſeu ſolani veſicarii ℥ii
Sem. cynosbat. lithoſperm. ãã ℥j.
Rad. ſaxifrag. alb. tuberoſ. pimpi[n.]
ononid. raphan. ruſtican. ãã ℥j.
Fragor. matur. ſemin. turgent. ℥ij
Ligni Nephritic. ver. aquam cœr[uleo]
colore tingent. ℥j.
Fol. heder. terreſtr. veronic. virg.
ãã Mij.
Flor. melilot. chamæmeli ãã Mß.
Spir. Salis ℥ij. *Spir. è fecib. Vin. q.*

Stent in digeſtione per ♀♂ tres, tin[ctus]
& Eſſentiâ imprægnatus Spiritus ſe[paren-]
tur ad uſum. Exaltari poteſt Spir. S[alis]
⊕li. Doſ. ℈ß. ℈j. ʒß. in liquore conv[eni-]
ente. *Lib. 4. Chim. Sect. 2. cap. 14.*

Aliud deſideranti tale exh[ibet]
B. D. D. Schenkius Sect. 3. Syntagm.
ſcrib. med. cap. 2. p. 147.

℞ *Spir. ſam buc. & Junip. è baccis* ã[ã]
His infund. *Nucl. perſicor. ceraſor.*
Officul. cynosbat. ſem. mil. ☉*is* p[…]
cucurbit.
Bacc. alkekeng. fragor. myrtill. ã[ã par-]
tes æquales.

Stent aliquamdiu in digeſtione [...]

n[...]

entatione, poſtea quod tinctum eſt de-
ntetur, novus iterùm Spiritus affun-
tur, donec omnis vis fuerit extracta.
iritus decantati & virtute lithontripti-
impрægnati deſtillentur l. a. Spiritus
olectus edulcoretur ad modum aqu.
tæ. Tranſcoletur per manicam F. Elixir.

Simile Elixir Nephriticum deſcribit *röderus lib. 2. Pharmacop. Med. Chym.* *p. 52.* cui *baccas Juniperi* quoque ob in-
ntes earum dotes abeſſe noluit.

Miſturam Nephriticam ſequentem
ltum profuiſſe teſtatur *D. Deckerus* *citat.*

▽. *petroſel.* ℥ij. *fœnic. Theriacal. ſimpl.* ãã ℥j.
Acet. ſtill. ℥ß. *oc. 69.* ʒj. ℅ *gran. Juniper.* gtt. v.
Spir. ⦶. *dulc.* ℈j. *Laud. opiat.* ğij.
Syr. d. V. radic. ℥j. Miſce.

uſu nobis talis eſt Miſtura:

Spir. ⊖*li lithontript. Rolf. ſalis* ãã ℥ß.
Fung. Cynosbat. ℥iv.
Extract. Junip. ononid. ſaxifrag. ãã ℥ß.
Eſſent. oc. 69. ʒvi. *Sal. juniper. ſuccin.* ãã ʒj.
Syrup. heder. terreſtr. ℥vi.

c. digerantur per aliquot dies calore
i. Serventur ad uſum. S. Stein Miſtur.
ſ. ℈j. ad ʒß.

Extractum inſuper *Juniperi* ad ne-
phri-

phritidem maximi uſus eſt, inprimiis
hoc affectu frequentiſſimè illo, ut &
juniperino uti, literis ad nos datis com
mat *Nobiliſſimus Dn. ANDREAS S.*
GIUS, Medicinæ Licentiatus & Seren
mæ Abbatiſſiæ Quedlinburgenſis Archi
meritiſſimus. Extractum compoſitum
quis deſideret, adeat *Quercetani P*
macop. dogm. reſtit. cap. 26. ubi Extract
Nephriticum majus & minus, utrum
juniperi ſuperbiens robore, deſcrip
inveniet.

Pulveris Nephritici loco eſſe
ſunt Species Dianitri *Mynſ.* quarum
ſcriptio juniperi baccas continens vi
poteſt *Sect. V. Armament. Chym. p. III*
& Sali nephritico *baccas Juniperi* idem
℥ IV adjungit, ſicut *ſect. XI. p. 290. cita*
bri videri poteſt.

Unzerus tract. d. nephrit. p. 178.
cum maximo fructu dolore nephr
affectis exhibuiſſe teſtatur.

℞ ⁂ *ſtill. juniper.* ℈ij. *terebinth*
chamomill. ℈j.

M. D. in vehiculo conveniente ibi
deſcripto.

Cum autem olea ita per ſe diffi
ter aſſumantur, Elæoſaccharum ſeq
compoſuimus, cujus uſus tàm in d
ſiſtendo quàm calculo atterendo &
pellendo ſpe nunquam nos fruſtravi

℞ ♀ *expreſſ. arillor. cynosbat.* ℈ij.
Spirit. juniper. terebinth. ãã ʒß.
Magiſter. anodyn. ʒj ⊖. *juniper. petroſel.* ãã ʒß.
Sacchari q. ſ. Miſc. S. Stein-Pulver.

Morſulos Nephriticos ſupra deſcripſimus, quibus ſequentes addimus pilulas:

℞ *Extract. juniper. parietar.* ãã. ʒij.
Terebinth. in aqu. ſaxifrag. coct. ʒß.
Pulv. aſellor. præp. ʒj. ⊖. *juniper. petroſel.* ãã ℈j.
Miſc. F. cum ſ. q. *Elix. Juniper.* maſſa vel pilulæ juſtæ magnitudinis. Doſ. ʒß.

Externè in omnibus inſultibus Nephriticis commendantur Balnea, quoniam *teſte Tralliano* illa non dolores ſolùm leniunt, ſed meatus quoque dilatant, parantur illa ex emollientibus & ſpecificâ virtute calculum reſpicientibus, à quibus baccas juniperi non excludi, palàm eſt. Sic *Riverius lib. 14. cap. 1. Med. Pract.* talem parat inſeſſum. *Externè.*

℞ *Radic. lil. alb. alth.* ãã ℥ij.
Herb. V. emoll. ãã M IV. *heder. terr. veron.* ãã Mij.
Flor. chamæmel. ſambuc. aneth. ãã p. IV.
Sem. lin. ℥iß. *Bacc. Juniper.* ℥j.
Incisa D. pro inſeſſu ſemicupis.

Oleum Nephriticum externum ſſa
pe citatus *Mynſichtus ſect. 23. Armament*
Chym. p. 462. ita parat.

℞ °°*ſuccin. alb. rect f.- terebinth.* ℨ
niper. āā ℥IV.

Ferment. pan. cib. ⊖ *commun.* ♀*i aa*
āā ℥j.

▽. *heder. terr. petroſel. ononid.* āā ℔ ℔ i
Miſc. & per alembic. deſtilla, oleum
paratum ſervetur ad uſum.

Præſentaneam ſæpe nobis operra
præſtitit ſequens.

℞ °°. *coct. Scorpion. melilot. chamom*
āā ℥ij.

expreſſ. amygd. amar. arill. Cynosb
āā ℥iß.

ℌ *at. Tereb. Junip.* āā ℥j. *petroſel.* ℨ
Miſc. S. Euſerlich zertheilendes Ste
Oel.

CAPUT XXI.

USUM JUNIPERI IN MORI
VESICÆ APERIT.

I. DE CALCULO VE SICÆ.

Quæſtio an Medici ſit morbos in curabi'es aggredi.

AN *medici ſit morbos aggredi incur*
les, quæſtio eſt famoſa, ad quam
ſpondetur negando, quoniam dice
Roderico à Caſtro lib. 3. Med. Polit. cap
Me

Medicus ſanitatem nunquam conſequitur & plus ignominiæ, quàm utilitatis & gloriæ reportabit.

Morbi incurabiles per ſe.

Morbi autem *incurabiles* ſunt vel *per ſe* vel *per accidens. Per ſe incurabiles* ſunt, qui nullâ arte vel ope humanâ ſanari queunt, quales ſunt morbi hæreditarii & congeniti, morbi in numero deficiente, ut defectus membrorum originalis, vel accidentalis, maraſmus inveteratus, cancer confirmatus, ſphacelus, morbi magicis artibus introducti, utpote qui medicamentis naturalibus tolli non poſſunt. *Per accidens* verò *incurabiles* dicuntur, quorum remedia certa & contraria non quidem ignorantur, & aliàs quoque ſanabiles ſunt & ſanantur, in hoc tamen vel illo individuo ob certa accidentia curari non poſſunt, quales ſunt morbi, qui ægri naturam viresque penitus debilitarunt, & licet curabiles fuerint, ob extremam tamen naturæ imbecillitatem omniumque virium defectum curari non poſſunt.

Morbi incurabiles per accidens.

Morbi ſimpliciter lethales.

Præterea *Morbi Incurabiles* vel ſunt *ſimpliciter lethales*, vel *utplurimùm lethales* vel *chronici. Lethales* ſunt ſimpliciter qui neceſſariò hominem ad mortem perducunt. *Utplurimùm lethales* ſunt, à quibus homo utplurimùm moritur, expertum tamen eſt nonnullos hiſce labo-

Utplurimùm lethales.

Chronici. rantes vitam continuaſſe. *Chronici* ſun[t] qui quidem lethales non ſunt, curari t[a]men non poſſunt, ſed hominem ad mo[r]tem usque comitantur.

Medicus itaque morbos, qui *per* [se] *incurabiles & lethales* ſunt, non aggred[i]tur, neque hos, *qui per accidens incura[bi]les* ſunt, victis nempe naturæ viribus, [s]enim dicente *Deuſingio ſect. 14. Secun[d]... fœtus Muſſipont. p. 130.* fruſtra & cum [o]probrio artis medicus curationem t[en]tabit: Cum enim hic naturæ miniſte[r] & Naturæ vires morborum curatri[ces] ſint, fruſtra Medicus laborabit defici[ente] naturâ, & certè oſtendet ſe ignor[are] quid & ubi medicina valeat.

Qui verò *incurabiles* putantur & *plurimum lethales* ſunt & vulgò *depl[orati]* habentur aggredi poteſt optimo j[ure] præmiſsâ tamen prognoſi dubiâ & ... dicto amicis vel adſtantibus mod... ventus, ſic & morbos chronicos nor... gredi recuſet, non quidem ut ple... eorum ſublationem promittat, ſed palliativè dolores & moleſtias lenia[t] tamque tolerabilem efficiat.

Calculus Veſicæ. *Calculus Veſicæ* à nonnullis e... pro inſanabili habetur affectu, ut ab ... *ſto, Mercato Capivaccio*, & aliis; ſi... medicus ex illorum ſententiâ illum ... randum non ſuſcipere deberet, ſed ...

iam exempla extant quamplurima feli-
iſſimæ tàm per curam Pharmaceuticam,
uàm Chirurgicam calculo Veſicæ affe-
torum reſtitutionis, ideò non videmus,
ur miſeri hi calculoſi ſint relinquendi,
Medicus potius omnem moveat lapi-
em, ut dolores ipſis leniat, calculum
rangat & expellat, & ſi aliter fieri
on poſſit, tandem tentatis remediis ge-
eroſiſſimis per tranſpoſitionem Chi-
urgicam priſtinæ ſanitati reſtituat.

Sic *incomparabilis Sennertus lib. 3. Med. Pract. part. 7. ſect. 1. c. 2.* meminit Hiſtoriæ *Wilhelmi Laurembergii, Profeſſoris Roſtochienſis*, qui ſequentibus à Calculo Veſicæ liberatus fuit

℞ *Aſell. præparat.* ℨj. *Spir. Juniper.* ℨij.
Jur. cicer. rubr. ℥x.
Miſc.

Poſtea hoc non ſatisfaciente, hoc uſus eſt medicamento:

℞ *Aſell. præp.* ℨij. *lepor. præp. ſang. hirc. præp.*
Spong. roſ. ſylv. ſem. violar. purp. ãã ℨj.
Spec. lithontript. ℨij. M. F. Antidotum.
Cujus antidoti ſumſit ℨij.
Decocti diuretic. ibid. deſcript. ℥x.
Spir. Juniper. ℨij. Miſce:

Hiſce aſſumtis & continuatis, addi-
s dolorem ab orificii veſicæ læſione

ortum lenientibus 17.ſeptimanarum ſp...
tio ab iſto calculo liberatus eſt.

Sic quoque *Savanarola tract. 6. ca...* *19. Pract. major.* commendat *Juniper...* *ejusque oleum injectum p. m. 231.*

Inſeſſum pro doloribus lenien... in calculo veſicæ talem paravit *Tim...* *à* Güldenklee *lib. 3. Caſ. Med. p. 277.*

℞ *Herb. veronic. parietar. ☿ial. ma...* *c. tot. ſaxifrag. ononid.* ãã Mij.
Flor. chamomel. Miij. *Sambuc.* Mj...
Rad. alth. lilior. petroſel. fœnicul. ãã ℥...
Sem. lin. ℥iij. *fœn. græc.* ℥j. *Bacc. ...* *niper.* ℥iij.

Groſsè inciſ. & contuſ. Coqu. in ſ. q. ... pro inſeſſu.

Plura de his cum ſuperiori ca... dicta ſint nolumus addere, & poſ... quoque eorum nonnulla optimè &... veſicæ calculo adhiberi.

II. ISCHURIA.

Veſica Uſus. VEſica homini à maximo Creator... hunc eſt largita finem, ut ſecundæ... ctionis excrementum ſeroſum & ac... um urinam videlicet excipiat, & j... deinde tempore iterùm expellat. Q... ſi urina in veſicâ juſto diutius reti...

Internè. tur, oritur affectus, qui *Iſchuria ſeu U...* *ſuppreſſio* nominatur. Hæc ut tolla... præmiſſis præmittendis:

℞...

℞ ☍ *ceræ, juniper. terebinth.* āā ℈j.
Sacchari q. ſ. Miſce. Doſ. ℈j. ad ʒß.

Hoc nunquam nos fefellit.

Sic internè quoque *Aquam Juniperi* prodeſſe teſtatur *Grylingius lib. 4. Med. Pract. part. 2. cap. 6.* & Spiritus diureticus ſequens optimè hic quoque commendari meretur, quem tradit *idem Autor part. 3. De Univerſal. Evacuat. gener. pag. 7.*

℞ *Rad. vincetoxic. valerian. pimpinell.* āā ℥j.
Liquirit.
Herb. beton. capill. ♀*is* āā Mj.
Sem. bardan. mil. ☉*is. fœnic. anis.*
Bacc. juniper. āā ʒij. *alkekeng. num.* X. *Flor. geniſt.* pij.
Vin. alb. q. ſ.

...tent aliquamdiu in infuſione loco calido. Deſtillentur ſecundum artem.

Doſ. cochl. 1. ad 2. vel plura, prout morbus requirit.

Vel

℞ *Gland. maj. oblong. German.* Dachß-Eicheln/
Herb. fragar. geran. bacc. juniper. āā Mvi.

Conciſ. contuſ. affund. vini opt. ℔ij. coqu. ad caſum 2. digitorum, de hoc Decocto manè & veſperi aſſumatur cyathus unus. *Conrad. Kunrath p. 43. medull. deſtill.*

 Exter-

Externè. Externè commendatur Balneum ex *baccis & ſcobe Juniperi*, ut Cataplaſm *ex baccis Juniperi contuſis* & cum mel mixtis *à Sebizio part. 4. Specul. Med. Prac. ſect. 7. cap. 8. Poterius* præmiſſo clyſtè Iſchuriam 3. horarum ſpatio ſequen fotu curaſſe teſtatur *Curat. 19. Centur. ſervat. 2.*

℞ *Bacc. laur. juniper. ſem. cumin. fœn* ãã ℥iv.
Fol. rut. abſinth. majoran. praſſ. alb. o gan. calamenth. puleg. ãã Mij.

Bulliant in ſ. q. vini & aquæ & fotus Id pectini admoveantur. Poſtea inun tur idem locus *Ol. Scorpion.* & intrò mantur gutt. 4. ol. Oli cum juſc pulli.

Sic & *Timæus à* Güldenklee Cly rem emollientem *Bacc. Juniper.* ℥ß e natum in hoc affectu feliciſſimo cum fectu & Balneum ſequens ordinavit.

℞ *Rad. lil. alb. rub. tinct. ariſtot. rot.* ãã
Herb. malv. parietar. abrotan. ar miſ. origan. prunell. vulg. lev beder. terr. ãã Mij.
Flor. chamomill. Miij. *ſambuc. hyp* ãã Mj.
Sem. lin. ℥ii. *fœn. græc.* ℥iß.
Bacc. juniper. ℥iij.

Inciſ. & conquaſſata Coqu. pro Bal
Ungventum ſequens magnum c que pollicetur levamen.

℞ *Vngv. alth. ſimpl.* ℥ß. *Ol. Scorpion. coct.* ℥j.
°° deſtillat. juniper. thereb. ana ℈j. M.
S. Euſerlich Sälblein.

III. STRANGURIA.

AVari eſt tenaciter & invitè reddere, antea quod accepit. Sæpè avaritiæ titulo notari poſſet veſica, quæ urinam guttatim & cum dolore emittit in ſtranguria, quæ, cum maximè moleſta ſit, ſui requirit ablationem, propterea hic optimè adhiberi poteſt Miſtura Diuretica *D. Angeli Salæ*, quam in *appendice Mixturarum, Præpar. Anatome Eſſentiarum Vegetabilium annexâ p.m.* 228. ita parare docet. *Stranguria.* *Internè.*

℞ *Eſſent. parietar.* ℥ij. *Rad. ononid.* ℥iß.
Pimpinell. hircin. ſem. ſaxifrag. alb. ana ʒvi.
Glycyrrhiz. bacc. Juniper. ana ℥j.
Fruct. alkekeng. ℥iij.
Elæoſacch. charefol. ʒj.
Miſce Doſ. à ʒß ad ʒj vel ℈ij.

Vel

℞ ▽. *gran. Juniper. ſine vino parat. portulac. plantag.* ana ℥j.
Syr. portulac. ℥j. *Trochiſc. d. alkekeng.* ℈j.
⊖ *juniper. ſuccin. pix.* ana ℈j.
Miſc. D. S. Harntreibendes Tränckklein. *Externè.*

Externè commendat *Sebizius part. Spec. Med. Pract. ſect. 7. c XI.* ſequens :

℞ *Avenæ* Mij. *Bacc. Juniper.*
Herb. puleg. rut. āā Mj.

Coqu. in menſura 1. aquæ, vapor calen-tis decocti excipiatur per inferiora. Re-ſiduum ingredientium conjiciatur in ſacculum, calideque regioni veſicæ ap-plicetur.

Vel

℞ *Ung. anodyn. ſev. hirc.* āā ℥ß.
℅ *maſtich. juniper.* āā *deſtillat.*
Miſc. S. Sälblein.

IV. MICTIO CRUENTA.

Mictio cruenta. SIcut quilibet viſo vel audito cruen- imbre expaveſcit & contremiſcit, c- mala graviſſima ſubſecutura idem a- nunciare ſoleat, ita meritò homo, - aquei humoris loco ſanguinem per u- nam excernit, terrorem concipit, q- niam ſanguinis illa excretio parùm b- ominari ſolet, quapropter ne gravi- ſecum trahat mala, omni ſtudio inc- bendum, ut cauſæ cruenti hujus ni- removeantur.

Optimo cum ſucceſſu in tali c- purgato corpore adhiberi poteſt - quens:

℞ *Tinct. corall. rubr.* ♂*is adſtring.* ā-
Eſſent. juniper. ℨß. Miſc. S. Miſtu-

Externè Balſamum ſequens mul- præſtare ſalutem tempore tribulati-

ffirmat *B. D. D. Rolfincius. lib. 9. Conſultat. 4.*

℞ ℴℴ *N. Moſch. expreſſ.* ℥iij. *menth. criſp. abſinth. cinamom. caryophyll. alb. angel.* ā ā ℥x.
Juniperini ℈j.

In pyxide eburneâ M. S. Magen=Balſam.

In hujus defectu *vel ſolum oleum Juniperi* officium faciet, cum & illud prodeſſe teſtetur *Conrad. Kunrath medull. deſtill. p. 441.*

CAPUT XXII.

JUNIPERUM MEDICAMENTUM UTERINUM AD UTERI MORBOS PRONUNCIAT.

I. UTERI DOLORES.

POſſibile eſſe uterum variis doloribus affici nemo facilè negabit, cum ille corporis pars ſit membranoſa exquiſitoque ſenſu prædita, ſæpiusque per experientiam uterini dolores nobis innoteſcant graviſſimi variis ex cauſis vel humoroſis vel vaporoſis aliisque excitati. *Uteri dolor.*

In his tanquam ad ſacram anchoram ad *juniperina* videlicet confugere licet *medicamenta*, eoque magis, ſi malum flatibus ortum ducere videatur.

Sic

Internè. Sic ad dolores uterinos *baccas & Spp* *Juniperi* commendat *Sebizius part. V. Spp* *Med. Pract. Sect. 2. cap. XI.*

Rodericus à Caſtro in doloribus ute nis uterinum proponit clyſterem *lib.* *de morb. mulier. cap. 8.* qui talis eſt.

℞ *Fol. origan. petroſel. helen. aneth.* *themiſ.* āā Mß.

Sem. nigell. cumin. dauc. aniſ. āā *bacc. juniper.*

Spic. nard. nuc. moſch. junc. odor *cinamom.* āā ʒß.

M. F. Decoctio in ſ. q. vini opt. ad me as pro Clyſtere uterino.

Aquam Theriacalem *idem* tra *Autor loc. cit.* quæ

℞ *Fol. ſalv. ebul. beton. hyperic. chama* *ſambuc. chamæpyt. origan. pu* *rut. hyſſop. caryophillat. gent* *ariſtol. rot.* āā Mß.

Polypod. ſchœnanth. ſpic. caſſ. lign. *cis* āā ℥j.

Bacc. laur. ʒß. *F. chamomill.* ʒij. *n* *perſicor.*

Balſamin. pimpinell. chelidon. agrim āā ℥ij.

Roſmarin. ℥j. *diptamn. tormentill.* *bioſæ* āā ℥iv.

Sem. bardan. ʒj *aniſ. fœnicul.*

Serpill. pom. alkekeng. gran. jun *petroſel.* āā ℥ß.

S

Sabin. naſturt. āā MB. *carvi, cumin. Seſel.* āā ʒß. *rad. ireos tamariſc c. flor.* āā ℥ß.

Ex his omnibus F. Pulvis, qui dividatur in 6. partes, quarum 1. ponas in ſ. q. aqu. Vitæ ter deſtillat. per diem naturalem, deinde deſtillabis. Poſtea alteram partem pulveris in aquâ ſi deſtillatâ macerabis, ſimiliterque deſtillabis, & ſic deinceps. Ultimum liquorem ſerva & adde:

Nuc. moſch. macis, cardamom. cinamom. zedoar. āā ℥iij *agalloch. ſandal. alb. & rubr. coſt* āā ℥ij. *eſſ. d. cord. cerv.* ℥j. *theriac. antiqu.* ℥j *zinzib. amom. cubeb. gran. paradiſ. galang. piper.* āā ʒiv. *Moſch.* (*ſi dives ſit*) ℥j *vel amplius.*

Per triduum omnia in prædictâ aqua madefiant, deinde in MB. lento igne iterum deſtillentur, tandem adde mell. deſpumat octavam partem & cum per diem quieverint, deſtilla & ſerva: tam ſunt eximiæ hujus aquæ vires, nec ſolùm dolores ſedat & flatus diſcutit, ſed plerisque aliis morbis à causâ frigidâ aut malignâ ortis etiam opitulatur.

Externè non ſemel in doloribus urinis experti ſumus ſequentis linimenti vires, *Externè.*

Ung. anodyn. ℥ß. ℴℴ *deſtillat carv meliſſ. juniper. ſuccin.* āā ℈ß.

Miſc. S. Euſerl, Mutter-Sälblein. II.

II. TORMINA POST PARTUM.

Dolor poſt partum. CUm ſexum fœmininum nunquam fſr quentiùs de doloribus uterinis cco queri audiamus, ac poſt partum, merri & hoc loco de illis agimus.

Sequenti oleo magnam adſcri efficaciam *Riverius*, quod tempore ic neo componi & in officinis aſſervari bet, *lib.* 15. *Med. Pract. cap.* 21.

℞ *Radic. ariſtol. rot. ir. Flor. pæon.* ãã *cyper.* ℥ß.
Fol. ſicc. arthemiſ. matricar. orig puleg. calament. dictamn. c abſinth. ſabin. rut. betonic. ſ ãã Mj.
Flor. anthous, ſtœchad. lavendul. an chamæmel. hyperic. ſambuc. ãã M
Gran. laur. juniper. ãã ℥ß.
Sem. rut. pæon. dauc. agn. caſt. ãã
Caryophyl. nuciſt. cinamom. zin ãã ʒij.

Omnia conciſa & contuſa Miſc. ac in veter. ℔vi. macerentur, ſtent per ſe manam in vaſe fictili clauſo, dein ſu calidos cineres ſpatio 4. vel 5. horar bulliant, poſtea oleum exprimatur & uſum aſſervetur.

Porrò ſequens fotus ut præſcri tur autor eſt idem *Riverius loc. cit.*

℞ *H*

℞ *Rad. alth.* ℥ij. *Herb. V. emoll.* ā̄ā Mj.
Foll. mel.ß. matricar. arthemiſ. ā̄ā Mij.
Sem. Carv. ʒß. *Bacc. juniper.* ʒij.

…ciſ. D. ad ſacculos duos quadratos in …ćte coquendos & hypogaſtrio tepidè …ternatim applicandos.

Elixir Juniperinum additis ol. carvi …utt. ij. & cum eſſentiâ anodynâ mixtum …cum ▽ menth. exhibitum nec non li…mentum in dolore uterino deſcriptum, … quamplurimis puerperis præſentane…n præſtitiſſe operam novimus. *Obſervatio.*

III. SUFFOCATIO UTERINA.

QUanta commoda ſexus fœmininus ab utero ſentit, tanta quoque incom…oda ab eodem experitur, & ſic verè di…ur:

…mmoditas omnis ſua fert incommoda ſua.

…uidem non ad ſexus ſolùm propaga…nem, ſed ad ſanitatis quoque con…vationem uterus mulieribus da…, at maximis quoque cruciatibus … illo provenientibus è contrario …t obnoxiæ, è quibus non poſtremi, … ab *Uteri* proveniunt *Suffocatione.* …lum hoc variis inſignitum eſt nomini…s, vocatur enim *uteri ſuffocatio*, *ſtran…atio*, *Præfocatio*, *Paſſio Hyſterica* & *Syl… lib. 1. Prax. Med. cap. 2, 19. & 22. Suffo…io Hypochondriaca* audit, quoniam ſym- *Uteri Suffocatio.*

ptomata-

ptomata, quæ in acceſſione illius obſ[illegible]
vantur, non tàm ex utero, quàm hyp[illegible]
chondriis affectis provenire putat. N[illegible]
nulli etiam *uteri aſcenſum* & *ſuffocation[illegible]*
eundem ſignificare morbum autuma[illegible]
ſed optimè monet *Rodericus à Caſtro lib[illegible]*
d. morb. mulier. cap. 17. in uteri aſce[illegible]
tot tamque varia ac gravia ſymptom[illegible]
non adeſſe, ut in ſuffocatione uterin[illegible]

In πολυμόρφῳ hoc affectu *Juni[illegible]rus* quoque præſtò eſt, ideoque & in[illegible] ſimplicia hyſterica refertur *à Savana[illegible] tract. VI. Pract. major. cap. 21.* Adhibe[illegible] ea tàm in paroxyſmo, quàm extra pa[illegible]xyſmum.

Clyſteres tempore paroxyſmi [illegible]hibiti multum ſpondent levaminis; *Riverius lib. XV. Med. Pract. cap. 6.* præſcribit enema:

℞ *Rad. bryon.* ℥j. *Herb. arthemiſ. p[illegible]*
meliſſ. beton. ãã Mj.
Sem. carv. ʒiij. *bacc. juniper.* ʒij.
Coqu. in ſ. q. ▽æ commun. in Cola[illegible]
℥x. ſolv.
Mell. anthoſat. ℥iij. *ol. rut.* ℥j.
Elect. biecr. pier. log. ℥ß. *Tereb[illegible]*
cum vitell. ov. ſolut. ʒij
M. F. Clyſter pro neceſſitate aliqu[illegible]
reiterandas.

Similiter clyſterem tempore p[illegible]xyſmi adhibuit *Platerus*, cui *vaccæ* [illegible]

[Juni]peri erant additæ, cujus deſcriptionem [t]radimus ſupra de ſyncope.

Internè *Spiritum Juniperi* à pauperioribus mulieribus adhibitum paroxyſmos hyſtericos feliciſſimè ſolviſſe & [a]b illis liberaſſe non ſemel vidimus. *Internè in paroxyſmo.*

Sic aquam Hyſtericam *Spiritu Juniperi Timæus à* Güldenklee *p. 406. Deſcript. medicament. caſ. med. annexæ* & *Quercetanus* Extractum Hyſtericum majus *baccis Juniperi cap. 26. Pharmacop. dogm. reſtitut.* nobilitat.

Tinctura Granorum Actes *Hartmanni* & *Mynſichti* ſi cum *Spiritu Juniperi rectificatiſſimo* præparetur, multò melior, [e]t penetrantior evadit, ſicut hoc ſæpè [ſ]umus experti.

Elixir Juniperinum vel per ſe vel [c]um *eſſentiâ caſtorei* permixtum hyſteri[ci]s optimè profuiſſe & multoties *à Nobi[l]. J. D. D. Friderici p. m.* exhibitum ma[x]imo cum fructu novimus illudque in[su]per confirmat *Protocollo Medic. MScr. [v]ariis* in locis.

Elixir uterinum ſequens tradit *B. [J]. D. Hofmannus Theſaur. Pharmaceut. [pa]g. 62.*

Spir. Juniper. opt. balſamic. ℔iß.
Croc. Auſtr. ℥ß. *caſtor.* ʒij. *ferment. anodyn.* ʒij.
Elæoſacch. ſuccin. ʒß.

U Mixta

Mixta ſtent in digeſtione aliquamdi
poſtea filtrentur. Doſ. à gutt. V. ad
in vehiculo convenienti.

Inter generoſiora quoq; præſidia ref
ri meretur Balſamus polychreſtus dić
Magnif. Dn. D. FROMMANNI, Conſ
& Phyſici Northuſani meritiſſimi, cujus l
eſt deſcriptio:

℞ ⚭ *ſuccin. alb.* ʒvi. *junip. tereb.* ãã
laur. expreſſ. ℥j.
Galban. ℥ß. *oliban. myrrh. aloës* ãã
Caſtorei ʒiij. *flor. ♀is* ʒx. *rad. angel.*
Croc. ʒiß. *cubebar. cardamom.* ãã

Terenda terantur & infundantur ℘ c
hinc per retortam deſtillentur S. Ba
mus polychreſtus.

Sequens eſſentia uterina comp
ob inſignes, quas poſſidet, dotes n
frequenter in uſu eſt.

℞ *Herb. matricar. menth. meliſſ.* ãã
Flor. anth. Mß. *chamomill. hort*
vend. ãã pij.
Sem. carv. ℥iß. *ſeſel. aneth.* ãã ʒv
Rad. zedoar. ℥j. *acor. coſt. amar.* ãã
Cort. aurant. ʒvi. *bacc. Juniper*
laur. ℥j.
Caſſ. lign. ʒvi. *anthophill.* ℥ß. *m*
cubeb
Cardamom. excorticat. ʒiij.
opt. ʒiijß.
Camphor. ℥j. *myrrh. ſuccin. alb.* ã
Gum. ſagapen. ʒiij. C

Caſtorei ℥iß. *Opii crud.* ʒiij. *balſ. Indic. ver.* ʒj.

Conciſ. contuſ. infund. in ſ. q. *Spir. Juniper.* opt. rectificat. digerantur per ♂ ℞. tinctum quod eſt decantetur, novus ſpiritus affundatur, conjuncti liquores parùm exhalent, quibus poſtea adde

Ol. deſtill. ſuccin. ʒj. *carvi, meliß.* ãã ℈ß.

Circulentur juſto calore tàm diu, donec oleorum veſtigia amplius non appareant, & poſtea ſervetur ad uſum.

Doſ. in uterinis affectibus à ℈j ad ß. Sed prægnantibus non exhibeatur.

Externè in paroxyſmo ſacculum ſequentem adhibet *Riverius loc. ſupr. cıtat.* *Externè in paroxyſmo.*

℞ *Rad. angel.* ℥j. *Herb. beton. meliß. matricar.* ãã Mij. *arthemiſ. puleg.* ãã Mj.
Sem. lin. ℥ß. *carv.* ʒiij. *Bacc. junip.* ʒij.

Incidantur omnia ad ſacculum quadratum, qui in vino rubro coctus applicetur.

Nec inutiles ſunt ſpecies ſequentes pro ſuffitu in paroxyſmo hyſterico.

℞ *Lign. ſantal. citr. juniper.* ãã ℥ß.
Gumm. benz. ſtorac. calamit. ãã ʒiij.
Verruc. equ. ʒvi. *Gall. moſch. q. v.*

Conciſ. contuſ. M.S. Species zum Rauch.

Prunis candentibus imponantur & utero excipiatur fumus.

Linimentum ſequens umbilico &

ventri inunctum magnum ſemper ex-
buit in hyſtericis inſultibus levamen
℞ ○○ *menth. matricar. juniper.* ãã ℥
gagat. ſuccin. ãã ℈j.
Bal. d. Peru. ʒj. *Axung. caſtor.* ʒʒ
Miſc. F. linimentum S. Mutter S-
blein.

Extra Paroxyſmũ. Extra Paroxyſmum commend-
tur medicamenta humores peccan-
alterantia, evacuantia, diaphoretic-
diuretica, quibus omnibus *Junip*
cum ſuis partibus propter ſingula-
ἐνέργειαν admiſcetur.

Interna. Sic *Platerus lib. 1. Obſervat. pag.*
ſequens Vinum uſuale matronæ hyſ-
cis accidentibus obnoxiæ ordinavit.
℞ *Rad. valerian. Meu* ãã ʒvi. *Imp-*
tor. angel. ãã ʒiij.
Herb. ſicc. meliſſ. majoran. arth-
thym. ãã ʒiß.
Abſinth. ʒij.
Flor. roſmar. pœon. lavend. ãã
Sem. cymin. ʒj. *pœon.* ʒij. *fœnic.* ʒ
Bacc. laur. Juniper. ãã ʒß.
Fol. plantag. ſicc. num. X.
Infund. in Menſur. X. Vini, & de e-
bat.

Diaphoreticum deſiderantibus
in affectu hyſterico ſæpius exhibui
℞ *Tinctur. uterin. Mynſ. juniper* ãã
Spir. ✱ *ci. C. C.* ⊖ *e volat. imp-*
ãã ℈j.

Miſc. D. S. Schweißtreibende Mutter
Miſtur Doſ. ʒß ad ℈ij.

Diureticum tale ordinavimus poſtea.

℞ *Mag. oc. 69. ⊖ juniper. ſuccin.* ãã ℈j.
Miſc. D.S. Urintreib. Saltz auf 2. mahl.

Singulare quoque eſt electuarium uterinum ſequens.

℞ *Conſerv. fl. anth. meliſſ. menth.* ãã ℥ß.
Condit. rad. enul. zedoar. ãã ʒvi. *caryophill.* ʒiij.
Electuar. diacor. ℥j.
Extract. cort. aurant. Juniper. cubebar. ãã ʒj.
Spec. aromat. roſ. incompl. diagalang. ãã ℈iv.
⊖ *Vis angelic. Oli ♂tis* ãã ʒij.

Miſc. omnia F. electuarium inſtillando ad finem.

℅ angel. bacc. juniper. cort. aurant. carv. ãã ℥v.

in pyxide S. Alterir und ſtärckender Zucker.

Externè ad præſervationem paroxiſmi hyſterici jam laudatus Platerus *lib. obſervat. p. 200.* ſequens Decoctum pro diluvio & triplicatis tunc ingredientibus pro Balneo quoque cum ſucceſſu ſe preſcripſiſſe teſtatur. *Externa extra Paroxyſmũ.*

Rad. ireos, Rub. maj. lil. ãã ℥ij.
Herb. arthem. nepet. matric. meliſſ. ãã Mj.
F. chamomill. anthous,

Bacc. Laur. Juniper. ãã pj.
Sem ſeſeleos ℥ß. Miſce
Pro decocto ad fotum.

CAPUT XXIII.

JUNIPERUM MENSIUM MORB… DEPELLERE PROMITTIT.

I. MENSIUM RETENTIO.

Menſes cur flores dicantur.

HAud imperitè *Benedictus Sinabal…* *lib. VI. geneanthtropœjæ* ſed ingen… sè ſciſcitatur, *unde menſium fluxus fl…* vulgari nomine appelletur, putat… *tractat. 1. cap. 1. cit. libr.* ideò *flores* d… quod in *primo juventæ flore* appare… quodque, ſicut arbor, è qua *flores* er… punt, non ſterilis ſed fœcunda cenſe… ita & mulier, cui menſtrualis catha… debito modo, tempore & figura acc… utplurimùm fœcunda audiat, nec r… quod *floridus hic ſangvis*, non fœti… non tabo remixtus eſſe debeat, vel … que quod *mulieres floridas* ſanguineas… fluxus reddat, quod etiam adeò ve… eſt, ut quæ illâ defraudantur, illic… chloroſin, cachexiam, phthyſin, hy… pem ſimilesque non minùs perniti… quàm deformes ægritudines, form… ſpeciem atq; omnem vitæ floridum… corem deturpantes ac deſtruentes … dant, quare cum magna pars ſanitat…

[l]egitimo menſium fluxu poſita ſit, meri-[t]ò ſi ille ſupprimatur, in tempore quæ-[r]endum eſt auxilium.

Menſium ſuppreſſio.

Variis autem ex cauſis *menſium* con-[ti]ngit *ſuppreſſio*, & quidem vel ſanguinis [v]itio, ſi ejus adſit vel nimia copia, vel ni-[m]ius defectus, humorum copia ſi illi a-[b]undent ſangvinemque corrumpant, [i]nprimis ſi pituita ſangvinem incraſſet [e]t ferè coagulet vaſaque per quæ tranſire [d]ebet, obſtruat. Contingit quoque *menſi-[u]m obſtructio* vel ab uteri clauſura, vel à [v]aſorum anguſtia, quæ tamen utpluri-[m]ùm à nimiâ pituitâ ortum ducit, inter-[d]um etiam, quod tamen raro evenit, à [co]arctione & conſtrictione ob nimium [...]ritur.

Si itaque menſes ob ſangvinis, quod [p]lerumque fieri ſolet, craſſitiem, vel pi-[t]uitoſorum humorum abundantiam, [ſ]upprimantur, à plerisque autoribus [J]*uniperina* adhibentur *medicamenta*. Sic [i]nter ſimplicia menſes moventia *Baccæ* [J]*uniperi* referuntur *à Sennerto*, *Roderico à* [C]*aſtro*, *Sebizio*, *Barbette*, aliisque quam-[p]lurimis. Compoſitis quoque variè ex [J]*unipero* præparata admiſcentur *medica-[m]enta*, ſive ad præparationem, ſive ad [e]vacuationem alterationemve humo-[r]um peccantium ſint exhibenda.

Aqua, Spiritus, ⊖ *Juniperi* in menſi-

 um

um retentione commendantur *à Sebiz.* *part. V. Specul. med. Pract. ſect. 2. cap. 2.*

Interna Vinum Medicatum tale exhibet *D. Dekerus in not. ad Prax. Barbett. cap. XI. p. 233.*

℞ *Rad. imperator. dictamn. alb.* ãã ℥
acor. ℥ß.
Fol. arthemiſ. puleg. calam. mont. Mß. *ſabin.* Miß.
Sem. dauc. ſeſel. ãã ℥ß. *bacc. junip.* ℥
Cinamom. acut. cort. aurant. ãã ℥iij
Conciſa & groſſo modo contuſa inſuantur ſacculo & affundantur
Vin. gallic. pint. iij.

De quo bis de die aſſumantur ℥ inſtillatis ſpir. Salis Armoniac. gutt. v.

Aliud deinde incidens, aperiens purgans idem ſubjungit pag. ſequen. quod tale.

℞ *Rad. ariſtol. rot. galang. rub. tinct.*
Bryon. ãã ℥iij.
Ellebor. nigr. ℥j *gialapp.* ℥ß.
Fol. puleg. ſabin. calam. mont. ãã M
Bacc. laur. juniper. ãã ℥ß. *Trohiſc. albandal.* ʒj.
Caryophill. ℥ß. ♀i *crud.* ʒj.
Concif. & contuſ. inſuantur ſacculo & affund. vin. gallic. pint. IV.

Doſ. alternis matutinis ℥iij. cum VI. gutt. Spir. ✳.

Evacuato corpore humoribusq

prr

præparatis & evacuatis malum ſi morem gerere recuſet, ulterius exhibenda, menſes quæ provocare valeant, inter quæ locum haud poſtremum tenent diaphoretica & diuretica. Sint autem diaphoretica talia, quæ Sale volatili abundant, per hæc enim humores craſſi, viſcidi & pituitoſi optimè alterari & attenuari poſſunt, admonente *Sylvio lib. 3. Prax. med. cap. 3.* is medicamenti eò facilius ad extremos vaſorum viarumque ſinus penetrabit, in quem finem non ſecus ac alii magnæ famæ medici tale parat Apozema.

℞ *Rad. apii, leviſtic.* ãã ℥ ß.
Raſ. lign. guajac. ℥iij. *ſaſſafr.* ℥ß.
Bacc. Juniper. laur. ãã ℥ß. *herb. ſcord. puleg.* ãã Mj.
Summit. cent. min. Mß. *Sem. milii* ℨij.
Coqu. ex aquâ purâ ad colatur. ℥xxx. add.
Syrup. arthemiſ. card. bened. ãã ℥ß.
Tinctur. cinamom. caſtor. ãã ℥ß.
Ol. ſuccin. gutt. IV. Miſce.

Hujus Apozematis hauſtulum calentem ſumat ægra manè, atque ſtragulis commodè tecta ſudorem expectet, quando poſt horulam nondum prodeat, aſſumpto juſculo illum promoveat, idque ſæpiùs repetat, inprimis circa tempus conſuetum fluxus menſium, quo ſimul ad uterum denuo propellatur ſanguis.

Rodericus à Caſtro ſequentis decocti

meminit *lib. 1. de Morb. Mulier. cap. 44* quod diuretica vi pollere videtur.

℞ *Faſeolor. cicer. rubr.* ãã pj. *ſem. junip.* ℨij
Rad. rub. ruſc. raphan. ſylv.
aſparag. petroſel. ããℨß.
Chamædr. recent. Mj. *Sem. ammeos*
aniſ. fœnic. ãã ℨij.

F. ſ. a. Decoctio.

Sequens Decoctum ad menſes de- ſcribit *Tabernæmontanus lib. 3. Herbar. part. 2. cap. X.*

℞ *Bacc. Juniper.* Mj. *Rad. rub. tinct.*
Cinamom. myrrh. ãã ℨß.

Coqu. in ſ. q. ▽æ arthemiſ. ad tert. part. conſumtionem. Colaturæ add.

Borrac. Venet. ʒij.

Miſc. bibatur hauſtus manè & veſpe- calidè. Decoctum quoque ad menſium ſuppreſſionem *baccis Juniperi*, & pilul de ſabinâ, quas maximè in hoc affec depraedicat, *Oleo* exornat *Mynſicht. Armamentar. Chymic. p. 389. & 154.*

Savanarola tractat. VI. Practic. major. cap. 21. in cauſa frigidâ & coarcto ſequentem præſcribit ſyrupum:

℞ *Calament. domeſt. & ſylveſtr.*
Puleg. rad. enul. camp. ireos, matric.
Rad. Juniper. hypericon. ããMj.
Rub. tinct. zedoar. doronic.
Sem. nigell. dauc. polii,
Praſſ. ſquinanth. ãã ℨIV.

Co

Coqu. omnia in ℔vi ▽æ, bulliant ad conſumtionem medietatis & coaduna utraque calamenta & adde ℔ij, coque & initio decoctionis immitte

Spic. caſs. lign. aſar. caryophill. maſtich. ãã ℨj.

Et ſint ſubtiliter pulveriſata in panno lineo poſita ad bulliendum & addantur ℥iij aceti ſquillitic. ſi non ſit quod prohibeat eum. Doſis eſt ℨij in aurora cum aqua matricariæ. Miſturam talem extollit *Grylingius lib. 4. Med. Pract. cap 9.*

℞ *Extract. Juniper.* ℨvi. *croc.* ℨß. *Rob ſambuc.* ℥ß. *pulv. ſabin.* ℈j. *cinamom.* ℨß.

Syrup. cinam. ℥iij. *conſerv. borrag.* ℥ß. ⁰₀₀ *aniſ.* gtt. iij. *cinam. chamomill. deſtillat.* ãã gtt. iv.

Miſc. F. Miſtura.

Pulverem ex ⊖ibus exhibet *Idem Autor loc. cit.*

℞ ⊖ *juniper. arthemiſ. chamomill.*

♀*i alb.* ⊕*li* ãã ℨß. Miſce.

Eſſentia uterina noſtra ſupra deſcripta ſpem & expectationem frequentiſſimè implevit, ut & ſequens miſtura.

℞ *Miſtur. ſimpl.* ℨij. *tinctur.* ♀*i* ℨiß. *Elix. Juniper. eſſent. ſabin. croc.* ãã ℨj. *Syrup. adianth. Fernel.* ℥ß. *ſpir.* ✱*ci* ℈iv.

Miſc. S. öffnende Miſtur. Doſ. à ℈j ad ℈ij pro ratione circumſtantiarum.

Exter-

Externa. Externè in menſium obſtructione ſuf-fitus ex baccis lauri, *juniperi*, ex caſſiâ li-gneâ, caryophillis, Xyloaloe, nuce mo-ſchat. junco odorato, herbis ſiccis aliiſ-que rebus odoratis adhibet. *Rodericus* à *Caſtro loc. citat.*

Balneum ad menſes provocandos ex ſequentibus parare jubet *Grylingius loc. ſupra citat.*

℞ *Herb. arthemiſ. chamædr. chamæpyt.*
Abrot. ſerpill. āā Mj. *meliſſ.* Miß.
Salv. rut. puleg. abſinth. āā Mß.
Flor. chamomill. bacc. juniper. āā Mij.
Sem. lin. ℥j. *Flor. ſambuc.* Mß.

Inciſ. & concluſ. D. ad chartam S. Species pro balneo.

Balſamum uterinum talem exhibet Schröderus *lib. 2. Pharmacop. med. chym. cap. 87.* ad menſtrua movenda & ſuffocationem uterinam tollendam maxime proficuum.

℞ *Galban. puriſſ. ſerapin. elect.* āā ʒvi.
Aſ. fœtid. ʒß. *Gum. ammoniac.* ʒj.

Diſſolv. in *Ol. Juniperi* & Tereb. addendo ol. Laur. ſtill. ℈ß. ſuccin. ℥ß. M.

II. NIMIUS MENSIUM FLUXUS.

Πᾶν τὸ περισσὸν τῇ φύσει πολέμιον: Omne nimium naturæ inimicum. Hoc

Nimius menſium fluxus. ſi unquam verum ſit, verum eſt in *fluxu menſium*, ubi non minùs defectus quàm exceſſus naturam debilitat, con-

cepti

ceptionem & propagationem generis humani impedit totalemque ſterilitatem inducit ipſamque quandoque vitam adimit. Inprimis *nimius menſium fluxus* naturæ maximè eſt inimicus, & oritur ille (1) *vel à nimiâ ſangvinis copiâ* (2) *à variâ vitioſâ ſangvinis qualitate tenuiori, ſeroſioſiori, acriori, ſalſiori &c.* (3) *à vaſorum laxitate*, (4) *à nimio medicamentorum ἐμμηναγωγῶν uſu.*

In hocce malo *Juniperum* etiam aliquid commodi præſtare mirum non eſt, cum non abſurdum ſit unum idemque medicamentum diverſis & contrariis morbis poſſe adhiberi, quoniam nonnulla medicamenta diverſas vires poſſident & ob diverſam quoque præparationem ad diverſos uſus optimo jure poſſunt adhiberi, ſicut illud exemplo martis ſuccini aliorumque ſatis elucescit. Sic & *Juniperus* tàm menſium obſtructioni, quàm nimio eorundem fluxui optimo opponi poteſt jure; Notum enim eſt, medicamenta acida acrimoniam bilis ⊖inam, ſalsa, ſpirituoſa, oleoſa lymphæ aciditatem & acrimoniam nimiam temperare, at talia ex Junipero præparari poſſunt, cur ergò non commodè adhibeantur?

Si itaque nimium menſium fluxum ab acriori & ſalſiori ſangvinis qualitate vitioſâ vaſa erodenti provenire videamus,

mus, optimè conducet ad emendatio-nem vitioſæ hujus qualitatis *Spiritus* e *ligno juniperino*, *Spiritus* ⊖*is juniperini* *Magiſterium Juniperi &c.* vel per ſe vel a-liis permixtis ſi adhibeantur. Sic hau ita pridem in ſimili caſu *Spir. ex ligno Ju-niperi* cum tincturâ ♂is adſtring. ãã m-ſtum optimo cum ſucceſſu exhibuimus.

Obſervatio. Similiter in nimio menſium flu- ab acidiori & acriori qualitate ſangvin ſerosâ proveniente ſequens præmiſſo e-lectuario hydragogo ſuprà deſcripto aliâ hic loci matronâ honeſtâ exhibu-mus.

℞ *Pulv. cydoneor. exſicc.* ℥ß. *Terr. ſig.* *Bol. armen.* ãã ʒj. *Sal. corallor. juni-per.* ãã ℈iv.
Magiſter. anodyn. ʒß. *Elæoſacch. ma-ſtich.* ʒij.

Miſc. F. Pulvis D.S. Anhaltendes Pulv-

Addidimus ulterius miſturam ſeque-tem:

℞ *Eſſent. vulnerar. Rolf.* ℥ß. *anodyn.* ʒ *Tinctur. Juniper. ſambuc. ex rob un-usque confect.* ãã ʒj.

Miſc. D. S. Still Miſtur.

His adhibitis malum victas d- palmas coactum eſt.

D. D. JOH. CUBA in *Tractatu G-manico* Frauen Artzeney *dicto Baccas* *corticem Juniperi* ad nimium menſi flux-

fluxum, ſi contundantur & cum vino exhibeantur, commendat, ut & *baccas Juniperi per ſe comeſtas p. 23.*

Sic & *gummi Juniperinum* carbonibus injectum ſi corpus & muliebria illo fumigentur, nimium menſium fluxum ſiſtere dicit *Conrad. Kunrath p. 425. medull. deſtillator.*

III. FLUOR ALBUS.

Κακοῦ κόρακος κακὸν ᾠόν. Mali corvi malum ovum; Verè hic quadrat, *fluor* enim *ille muliebris* malus malorum quamplurimorum nuncius & prodromus eſſe ſolet graduque non teſtudineo ad ſterilitatem ipſamque mortem mulieres deducit.

Eſt autem *Fluor albus* præternaturalis humorum vel alborum vel ſanioſorum, ſeu citrinorum ſeu lividorum aut viridium, viſcidorũ nonnunquam, nonnunquam tenuium & aquoſorum, cum, vel ſine dolore ex utero excretio ab humore excrementitio, modo bilioſo, modò phlegmatico, melancholico nonnunquam, nonnunquam ſeroſo, ſeu à nimio acriori ſero vel pituitâ ortum ducens. *Fluor albus quid.*

Affectus plerumque eſt chronicus, in vetulis ferè incurabilis, tàm virginibus quàm maritatis, junioribus æquè ac adultioribus familiaris multaque ſe-

cum

cum trahit incomoda. Maturanda itaqu
curatio & ſerum acre & mordax alteran
dũ & evacuandũ, pituita præparanda
educenda, uterus, Maſſa Sanguinea, pa
tesq; Sanguificationi inſervientes robo
randæ adq; priſtinum ſtatum reducend

Internè. Quoties itaque pituita peccat, tu
apprimè conveniet ſyrupus *Zacuti* pitu
tam præparans uterinam, quem deſcr
bit *Grylingius part. 2. de ſecund. univerſ*
Evacuat. genere pag. 93.

℞ *Capill. ♀is eupator. aſplen.* āā Mj, *Flo*
cordial. ℥iij
Sem. 4. frig. maj. āā ʒß. *ſem. aniſ. fœn*
Cinamom. āā ʒij. *Glyzirrhiz.* ʒiß.
Scord. meliſ. ſcorzoner. Miij. *aſari* ℥
Nuc. moſch. bacc. juniper. āā ʒß.
Matricar. arthemiſ. rut. rec. āā Mij
Confect. alkerm. hyacinth. āā ʒiij. *d*
margarit. ʒiv.

Coqu. in ▽. q. ſ. ad remanent. ℔iij. Co
tur. add.
Syrup. capill. ♀is. Glyzirrhiz. āā ℥v
d. arthemiſ. ℥iij.
Sacchar. q. ſ. F. Syrupus.

Doſ. ℥iv. ſingulis auroris.

Pituita ſi evacuanda & alteran
ſequens conveniet Vinum Medicatur

℞ *Rad. V. aperient.* āā ʒij. *Turpeth.* k
modact.
Mechoacann. āā ʒiij. *Cichor.* ℥
He

Herb.arthem.menth.lingv.cerv. ā Mj.
Summitat. centaur. min. Mj. *Fol. ſenn.* ℥vi.
Flor.anth.cheir. ā pij. *bacc.junip.*℥iß.
Sem. cartham. ℥v. *aniſ.fœnic.* ā ℥iiß.
Conciſ.contuſ.D.S. ſpecies zum Kräuter-Wein.

A causâ ſeroſâ idem excitatus fluxus curabitur educendo ſerum per electuarium Hydragogum Sylvii ſupra deſcriptum vel per ſequentem potionem.

℞ *Rad. bryon. jalapp.* ā ℥ß.
Fol. ſenn. ℥ij. *Soldanell.* ℥iß.
Herb. matricar. flor. geniſt. ā pi.
Bacc. juniper. ℥iij. *Cinamom.* ℥j.
Conciſ. contuſ. infund. per noctem in 🜄 vor. acarc. q. ſ. Manè ebulliant & colentur. Colaturæ add.
Syr. fl. acac. diacartham. ā ℥ß.
Magiſter. gumm. gutt. ℈ß.
Miſc. D.S. Purgir-Träncklein auf 2. mahl.

Suffitum externè è baccis lauri & juniperi commendat *Sebizius part. V. Spec. Med. Pract. ſect. 2. cap. X.* *Externè.*

Mulierem *Viſena* curavimus de *pago* Riedchen 6. menſium ſpatio fluori albo obnoxiam ſequentibus. *Obſervatio.*

(1) Vino Medicato jam deſcripto, varieque repetito.

(2) Diaphoreticum tale ordinavimus.

℞ *Flor. ✱ci, C. C. volat. juniper. fix.* ā ℈
♀ii diaphoret. ʒj.

Miſc. S. Schweißtreibend Pulver au
etzliche mahl.

(3) Diureticum tale fuit.

℞ *Rob Juniper. ebul.* ā ℥j. *Sal. juniper*
geniſt. ā ℈ij.
Eſſent. oc. 69. ʒiß.

Miſc. S. Harntreibender Safft.

(4) Ad alterationem viſcerum hec
uſi ſumus Decocto.

℞ *Lign. guajac. juniper. Saſſafras* ā ʒii
Rad. Scorzoner. cichor. aſparag. ā ʒi
Herb. roſmar. meliß. ā Mj. *Bacc. juni*
per. ℥j.
Sem. leviſt. dauc. ā ʒj.

Coqu. in ſ.q. ▽æ commun. Colatur. ad
Syrup. cinamom. capill. ♀is ā ℥j.
Rob Juniper. ℥iß. *Miſtur. ſimpl.* ℥

Miſc. D. S. Bluthtreibender Tranck.

(5) Addidimus poſtea

℞ *Tinct. ♂is adſtring. coraller.* ā ʒj.
Elix. Juniper. ʒiß. Miſc. S. Miſtur.

(6) Emplaſtrum externè ordin
vimus tale.

℞ *Emplaſtr. d. bacc. laur. cerot. d. galb.*
ā ℥ij.
Gumm. ſandarac. Ar. ʒij. *Maſti*
bdell. ā ℈IV.
Trochiſc. de karab. ſem. plant. acetoſ. ā
Ol. Juniper. q.ſ.M. F.l.a. Emplaſtru

Hi

Hiſce adhibitis varieque repetitis, felici-
ter cum DEO reſtituta etiamnum ſana
vivit.

CAPUT XXIV.

JUNIPERUM IN MORBIS CIRCA CONCEPTIONEM CONTINGENTIBUS LAUDAT.

I. STERILITAS MULIERIS.

Sterilitas ejusque incommoda.

QUanta quamque varia ex ſterilitate proficiſcantur incommoda, verbis ropemodum explicari non poteſt, quoiam non contemtum ſolùm maximamue infelicitatem ſterilis inducat conjuum vita, ita ut *Hermes Triſmegiſtus* es in extremâ omnium calamitate verſaputet, qui abſque liberis è vitâ diſceunt priſcique tanto odio & horrore ſteitatem ſint proſecuti, ut cœlitùs ſupplii loco illa immitti crederetur, & Chonthios innuptos & ſteriles ſepulchri nore non dignatos fuiſſe, rerum geſtam docent monumenta, verùm ſanitati iam & propagationi generis humani roq; amori & dulcedini conjugum adrſatur, & dicente *Benedicto Sinabaldo* . 6. *Geneanthropoeiæ tract. 2. cap. 1.* imrfectionem arguit, quoniam imperfeim & dimidiatum ferè putatur animal, od ſterile eſt. Propterea jure meritoe mulier ſterilis curet, ut opprobrium

hoc à ſe avertat & mariti amorem ſib[i]
conciliet. *Juniperi* itaque opem implo[ra]
ret, *πάνχρηϛ*ος *enim hæc planta* non ſa[-]
nitatem ſolùm corporis, ſed liberoru[m]
quoque ſexusque propagationem poll[i-]
cetur. O nobiliſſimum utiliſſimumq[ue]
DEI donum ſalve!

Internè. Cum autem frequentiſſimè ſteri[li-]
tas ab uteri vitioſâ frigidaque qualita[te]
& diſpoſitione proficiſcatur, ad ha[nc]
emendandam humoresque pituito[ſos]
temperandos, attenuandos & digere[n-]
dos ſequentes commendat Rotulas *R[o-]*
dericus à Caſtro lib. 2. d. morb. mulier. cap.

℞ *Pulv. caſtor. puleg. aniſ. cumin.*
Fruct. juniper. lign. aloës ā ʒß.

Cum ſaccharo diſſoluto in ▽ meliſ[ſ.]
phyll. & bugloſs. q. ſ. F. rotulæ.

Oleum præterea ligni Juniper[i]
deſtill. uterum roborare & ad concept[io-]
nem idoneum reddere teſtatur *Con[r.]*
Kunrath medull. deſtill. p. 424. Aquam h[anc]
conceptum adjuvare teſtatur *Rolfin[c.]*
lib. XI. Conſultat. 2.

℞ *Cinamom. elect. caryophill. cubeb.*
Nuc. moſch. macis, piper. long. gal[
ā ℥j.
Zedoar. ſem. ammeos, ſeſel. ā ʒß. *g[r.]*
juniper. ℥j.
Vin. rhenan. ▽. *roſmarin. m[*
meliſſ. ā *q. ſ.*

S[

Stent in digeſtione diebus VI. & deſtillentur, poſtea ſingulis diebus poſt paſtum de eo poteſt aſſumi ad cochl. ij.

Quod ſi ob nimiam pinguedinem ſterilitas contingat, tunc ſequens electuarium concinnat jam laudatus *Rodericus à Caſtro lib. 3. de morb. mulier. cap. 3.*

℞ *Sem. aniſ. fœnic. agn. caſt. rut. cumin. carv.*
Zinzib. maſtich. nuc. myriſt. galang.
Ammeos, amon. gran. Juniper. fol. majoran. ſicc.
Puleg. lacc. ſandarac. Arab. rad. gentian.
Rad. ariſtol. rut. ā part. æqual.

Pulveriſentur ſubtiliter, de quo pulvere capiat per horas duas ante paſtum ʒj. cum aceto vel cum melle vel oxymelite. Fiat Electuarium, cujus Doſis ℥j.

Suffitum ſequentem commendat *Rolfincius loc. ſupra citat.* *Externa.*

℞ *Reſin. benzoin.* ℥ß. *Laudan. d. barb.* ʒiij.
Thur. myrrh. ā ʒij *gum. junip.* ʒiij.

Miſc. D. ad ſcatulam. S. Rauch-Pulver.

Balneum contra ſterilitatem & difficultatem imprægnationis probatiſſimum tale componit *Mynſicht. ſect. 28. Armament. Chym. pag. 412.*

℞ *Rad. rub. tinct. petroſel. polipod. valerian.* ā ℥iij.
Sem. rut. ſylv. lolii ā ℥ij. *Frutic. junip. virid.* ℥iß.

Herb. matricar. ſerpill. meliſſ.
arthemiſ. fumar. ā ʒj. *major. lau*
agrimon. melilot. verbaſc. ā ʒv
calaminth. chamomill. origan. ā ℥
Conciſ. contuſ. Coqu. ſ. q. ▽æ. F. ſ.
Balneum.

II. FALSA INGRAVIDATIO.

Falſa Ingravidatio.

QUamvis aliàs aliisq; in rebus obſe vetur ſæpiſſimè illud *Horatianum* quod montes parturiant, & mus ridic lus enaſcatur, in nulla tamen re mag obſervatur quam in impraegnation quæ ſæpe expectatur irrito ſubſequen eventu, quoniam præterlapſo geſtati nis tempore ſpes prolis in flatus, aqua aliusve rei læviſſimæ ſubſtantiam co vertitur, ſicut exempla teſtantur qua plurima. Plerumque in hoc affectu p cant flatus, vel humorum ſeroſorum, terdum & viſcidorum pituitoſorum bundantia. Si itaque ſeroſi humo abundent tunc

Interna.

℞ *Herb. ☿ial. arthemiſ. puleg.* ā Mj. *G*
tiol. ʒj.
Rad. bryon. apii ā ℥iß. *bacc. junip.* ʒ
Cort. med. ſambuc. ebul. ā ℥ij. *Flor.*
niſt. ℥ß.
⊖ ♀i ʒj.

Conciſ. contuſ. D. S. Species zum
führenden Wein.

A flatibus ſi ortum ducat mal

tı

tunc optimè convenient ſpecies pro Clyſtere ſequentes.

℞ *Herb. rut. calaminth. puleg. flor. chamamel.* ā Mj.
Rad. ariſtol. rot. angel. ā ℥ß. *althea* ℥j.
Bacc. laur. Juniper, ā ʒvi.
Sem. cumin. aniſ. contuſ. leviſtic. ā ʒiij.
Conciſ. contuſ. Coqu. in ſ. q. ▽æ. Colaturæ ℔j, add.
Elect. d. bacc. laur. ℥j. *mell. anthoſat.* ℥ß.
Ol. juniper. rut. chamomill. ā *coct.* ℥ß.
Miſc. F. Clyſter.

Internè *aquam vitæ juniperinam* commendat *Roderic. à Caſtro lib. 2. de morb. mul. cap. 20.* de uteri inflatione, & cum hoc *Sebizius Baccas & Spiritum Juniperi* extollit *part. V. Spec. med. Pract. cap. 4.*

Noſtram ſi conſulamus Experientiam curavimus mulierem *ex pago Görsbach* prægnantem ſe putantem ſequentibus. *Obſervatio*

(1) Clyſtere jam deſcripto ſæpius injecto.

(2) Manè & Veſperi.

℞ *Spir. theriacal. camphor. Junip.* ā ℥j.
Eſſent. caſtor. ʒiß. *carminat. noſtr.* ʒiij.
Elix. Junipe. ʒij. *tinct. croci* ʒj.
Miſc. D. S. Vermiſchte Mutter Eſſenz. Doſ. ʒß.

(3) Tempore meridiano hunc aſſumebat pulverem.

℞ *Sem. aniſ. fœnic.* ā ʒii. *carv.* ʒi.
Rad. calam. aromat. cort. aurant. Ze-doar. ā ʒiß.
○○ *Olat. juniper.* ℈ß. *macis, ſuccini, gutt.* VII. *cinamom. gutt.* IV.
Miſc. D. S. Trieſenet wieder die Blehun-gen.

(4) Balneum tale parare curavimus:
℞ *Herb. meliſſ. puleg. origan. ſerpill.* Miii.
Flor. chamomill. cent. min. ā Mii.
Rad. diptamn. alb. angel. ā ℥ii.
Bacc. Juniper. ℥ii. *Laur.* ℥iiß.
Lign. Juniper. ℥iß.
Sem. nigell. ℥ij. *cumin.* ℥j. *aniſ.* ℥ß.
Conciſ. contuſ. S. Species zum Bad quæ in ſ. q. ▽æ coquendæ.

(5) Egrediens è balneo ventre ſequentibus inungat.
℞ *Ol. Nuc. Moſch. expreſ.* ʒß.
Ol. chamom. juniper. ā ℈j. *acor. nu-liß.* ā gr xv.
Aurantior. mac. ā ℈ß.
Ceræ q. ſ. Miſc. F. l. a. Balſamum.
Hiſce adhibitis ſine prole quidem, integræ valetudini reſtituta domum abiit.

III. MOLA.

LÆtam ſpem ſobolis ſæpiſſimè quoq deludere videmus *rudem illam indi-ſtamq*

ſtamque uteri molem, mola quæ dicta eſt. Affectus ab errore facultatis formatricis ortus, plenus fallaciarum & periculi ſæpeque mortis immaturæ autor. *Mola.*

Quamprimum itaque ille animadvertitur detractâ, ſub quâ latere conſvevit, larvâ, maturanda eſt Curatio, ne *mola molem* in nimiam excreſcat & induescat.

Ante omnia corpus evacuetur per urgantia, ubi vinum medicatum tale ommendat *Gryſingius lib. 4. med. Pract. art. 3. cap. 1.* *Interna.*

℞ *Rad. V. aperient.* ā ℥iij. *herb. arthemiſ. meliſſ.*
Flor. chamomill. ā Mß. *Fol. ſenn.* ℥x.
Rad. bryon. ℥j. *Hermodact.* ℥ß. *Mechoacann.* ℥vi.
Bacc. juniper. Mß. *cinamom.* ʒij. *Macis* ʒß. *croc.* ℈j.

iſc. F. inciſis & contuſis Nodulus pro ino.

Rodericus à Caſtro lib. 3. de morb. mur. cap. 7. præmiſſis præmittendis hoſce rochiſcos præparat.

Cinamom. myrrh. ā ℈iiß.
Fol. ſiccor. rut. ſabin. puleg. calaminth.
Gumm. ſagapen. opopanac. ā ʒj.
Gran. juniper. cardamom. mentaſtr. ā ʒß.

Miſc. F. Trochiſc. quorum detur pond...
ʒii. cum apozemate ibi deſcripto, v...
cum Decocto Sabinæ aut faſeolorum...

Rolfincius lib. XI. Conſultation. 3. Di...
retica purgantibus ſubjungit & tale pr...
ſcribit.

℞ ⊖ *prunell.* ℈i. *Sal.* ✱ *ci* gr v.
  ℅ *ſuccin. bacc. juniper.* ā gr VI.

M. D. S. Urintreibendes Saltz. Doſ. v...
IX. X. gr. in aquâ petroſel.

Non inutilem experti ſumus ſim...
in caſu pulverem ſequentem.

℞ *Caſſ. lign. teſtic. equor. pulv. ſecund...*
  ā ʒij.
  Borrac. venet. croc. ā ʒi. *Sacchar.* ℥...
  ℅ *ſabin. juniper.* ā ℈ß. Miſc.

F. Pulvis S. Treib-Pulver. Doſ. ʒß. ad...

Externa. Externè linimentum ſequens um...
lico inungendum commendari meret...

℞ *Axung. ſerpent. ver.* ʒß. *Pingved...*
  ſer. ʒii.
  Ol. caſtor. coct. ʒii. *ſabin. juniper...*
  deſtillat. ʒi.
  Succin. ℈i. *pulv.. colocynthid.* ℈IV...

Miſc. omnia F. Unguentum.

Balneum in fœtu mortuo tale c...
cinnavit *Timæus à* Güldenklee *lib. 4.* ...
med. p. 224. id quod & in molâ expelle...
officium facere non dubitamus.

℞ *Rad. ariſtol. rot. lil. alb. arthemiſ...*
  theæ, Rub. tinct. ā ʒiij.

Sem. lin. ʒvi. *fœnic.* ʒi. *carv. cumin.*
petroſel. ā ʒiß.
Bacc. laur. ʒii. *juniper.* ʒvi.
Herb. ☿*ial. malv. melilot. puleg. meliſſ.*
ā Mij. *ſabin.* Mj.
Flor. chamomill. Miij. *cent. min.* Mij.

Inciſ. & conquaſſat. includantur 2. ſacculis, qui ex ▽a ſimplici coquantur pro inſeſſu & fotu muliebrium.

Caput XXV.

JUNIPERI VIRTUTES IN MORBIS CIRCA PARTUM ACCIDENTIBUS REPRÆSENTAT.

I. ABORTUS.

CUm uterus quidem concepit, onus tamen ſuum ad certum usque pariendi empus non retinet, ſed illud vel ex uteri ubricitate vinculorumque laxitate aut olutione, vel ob matris debilitatem fœusque enecationem à ſuffocatione aut limenti ſubtractione ortam immature xcludit, *abortum* feciſſe mulieres dicunur. Hic ut præcaveatur omni ſtudio eſt icumbendum. *Abortus.*

Adhibitis præmiſſis præmittendis obſervatis exactiſſimæ diætæ regulis quens in uſu nobis eſt eſſentia in innueris mulieribus experta. *Interna.*

Flor. roſ. rubr. balauſt. bellid. ā ʒß.
Rad. biſtort. ʒvi. *Gran. cherm.* ʒß.

Bacc.

Bacc. juniper. nuc. moſch. caryoph. ā ℥

Succin. alb. ʒv.

Infund. in ſ. q. Spir. vin. malvatici v
Hiſpanici, digerantur per P.♂ 3. Colent
& Colaturæ add. Tinct. Coralor. ad p
citum. S. Bewahrende Eſſentz. Doſ. ʒj.

Externa. Ad uterum expurgandum & rob randum nec non conceptioni idone reddendum tale componit Balneum *P terus lib. 3. obſervat. p. 744.* ante concept nem adhibendum.

℞ *Rad. lil. alb. valerian. bryon.* ā ℥iii

Herb. matric. calaminth. fol. laur. r

Semin. Juniper. ā Mj.

Flor. lavend. roſar. ſambuc. ā pj.

lauſt. ʒß.

Baccar. laur. pj.

Coquantur in ▽ pluviali, addendo M ſur 1. Vini rubri & tantundem ▽æ fab rum extinctionis ferri & aluminis ℥j.

Simile Balneum parat *Tilemar p. 380. d. mater. med.* quod ʒß. *Fruti Viridium Juniperi* exornat.

Vel

℞ *Mell. ad juſtam conſiſtentiam in ſat. q. v.*

°° deſtillat. Juniper. ſalv. rut. ā *q.*

Miſc. & ventri prægnantium adhibea Potes etiam oleis hiſce °° Nuc. mo Macis, caryophillor. & ſpic. ā adde

cum cruſtâ panis dicto loco applicare. *Conrad Kunrath. medull. deſtill. p. 448.*

II. PARTUS DIFFICILIS.

CUr ſola mulier in *partu* tantos patiatur dolores quatuor enumerat cauſarum genera *Rodericus à Caſtro lib. 4. de natur. mulier. cap. 6.* Prima eſt DEI effatum & pœna ob commiſſum peccatum Geneſ. 3. Multiplicabo ærumnas tuas & cum dolore liberos paries, Altera eſt debilitas ſexus fœminini in homine, quippe qui genus maſculinum robore non æquat aut ſuperat, ſicut in brutis fieri convevit. Tertia eſt, quod mulieres non ſint tàm laborioſæ ac bruta, ſed deliciis & vitæ ſedentariæ aſſvetæ, unde etiam illæ, quæ laboribus & exercitiis ſunt aliquatenus aſſvetæ facilius parere creduntur reliquis. Quarta eſt magnitudo capitis in fœtu humano, quod magna ex parte majus eſt brutorum in utero contentorum capite, ſicut Autor loco citato prolixiùs de hâc materiâ diſſerit. *Partus difficilis.*

In partu difficili pleraque exhiberi ſolent medicamenta quæ menſes movent molamque expellunt, cum itaque de iis actum ſit, crambem bis coctam nolumus repetere, unicam ſaltem pilularum formulam addentes, quam commendat *D. Eucharius* Röſslein *cap. 5. tractatus* Schwangerer Frauen Roſen-Garten *tit p. 25.* ℞ *Herb.* *Internè*

℞ *Herb.ſabin.*℥v. *Rut.*℥iß *Bacc. Juniper.*
ʒij.
Aſ.fœtid.gum. ammoniac. Rub. tinct.
ā ʒij.
Miſc. F. Pilulæ, Doſ. ʒj. in decoct.ſabin. . . puleg. vel cicer. & ſucc.rutæ.

Expertum, imò ſecretum ſingula... eſſe deprædicat *Benedict. Victor. Faven... tin Cap. 45. Empiric. p.* 287. ſi ſequens con... dimentum in cœna alternis diebus aſſu... mat mulier partui proxima, ad dolore... in partu leniendos & avertendos.

℞ *Granor. Juniper. Laur.* ā *num.* vij.
*Caſſiæ lign.*ʒß *Cinnamom. integr.* ʒj.
Omnia ſimul ponantur in ventre turtu... ris unius pinguis & carnoſi, deinde c... quatur in veru cum pinguedine pulli... mulieri pro eſu porrigatur.

Miſtura ſequens hic locorum... partu difficili optimè audit.

℞ *Eſſent. juniper. flor. cheir.* ā ʒj. *Sab...*
croc. ā ʒß.
Spir. cinamom. ʒß. *O. ſabin. croc.* ā gtt...
Miſc. D. S. Starcke Treib-Miſtur. Do...
ʒß. ad ij.

Plura petantur ex ſuperioribus ... interioribus diſcurſibus.

Secundinæ & Lochiorum retentio.

III. SECUNDINÆ ET LOCHIO-
RUM RETENTIO.

RES certè mira eſt continens & rec... ptaculum fœtus humani poſteri...
egre...

egredi ex utero ac ipſum contentum, imò
n illo nonnunquam per longum tempo-
is intervallum commorari & retineri,
um tamen ipſa natura, ab ejus retentio-
e abhorreat indeque magna oriantur
ormenta ipſiusque vitæ pericula, ideo-
ue in tempore quærendum eſt auxilium,
ſecundina poſt Partum in utero deti-
eatur, aut lochia ſupprimantur.

Quamvis verò & ad Secundinæ ut
ad Lochiorum retentionem & expul-
onem eadem conveniant medicamen-
, ad partum difficilem, molam, men-
um retentionem quæ commendantur,
ſpecie tamen in hoc affectu *baccas Ju-
peri* extollit citatus D. Röſslein *lib. citat.
g. 27.*

Sic & *folia Juniperi* tàm ad fœtum
ortuum, quam ad ſecundinam expel-
ndam cum aquâ & melle cocta & ex-
pita laudat *D. D. Cuba* in Frauen-
ckeney *pag. 80.*

Savanarola eadem folia ſuffitus loco
hibet ad retentionem Secundinæ *tra-
t. 6. Practic. Major. cap. 21.*

Ad lochia retenta ſequens linimen-
n paravit *Timæus à* Güldenklee *lib. 4.
. med. p. 227.*

Ungt. d. alth. ℥vi. *ol. amygd. dulc. lil. alb.
Pingued. Gallin.* ā ℥ß. *croci* ℈i. ○○ *de-
ſtillat. laur.* ā ℈i.

ce F. Linimentum.

IV.

IV. DOLOR POST PARTUM
Vid. CAP. XXII.

CAPUT XXVI.

JUNIPERUM IN MORBIS EX-TERNARUM PARTIUM EX-CELLERE ATTESTA-TUR.

I. ARTHRITIS.

POſteaquam in affectibus internis vi-tutes *Juniperi*, quid videlicet præſtaa *illa* queat, contemplati ſumus, ideoqu ordinis poſtulat ratio, ut & vires *ipſiu* quas in curandis externarum partiu morbis poſſidet, aſpiciamus, quapr pter illos primum conſiderabimus aff ctus, qui ad certum & determinatum l cum reduci non poſſunt, ſed modò hu modo illi membro, imò omnibus ſt corporis partibus externis accidere lent, poſtea & reliquos, quæ certis ternarum partium membris ſunt fam liares, enumerabimus.

Arthitis. Primò prodeat *Arthritis* moleſti mus ille articulorum dolor, tàm vag quàm fixus *chiragræ vel Podagræ* nom tunc inſignitus, in quo ſedando mult certè valet *Juniperus* cum partibus ſ internè vel externè ſi adhibeatur.

Internè. Internè ad medicamenta anti thritica baccæ, *Spiritus, Oleum, Rob*, *tract*

ractum Juniperi referuntur à *Macaſio art. 2. Promptuar. mater. med. ſect. XI. ap. 16. & Schönbornio manual. Med. Pract. ag. 236. & ſqq.*

Compoſitis *Antiarthriticis & Anti-odagricis* medicamentis *partes Juniperi* lerumque admiſcentur, ſic aquam An-arthriticam *D.C.* talem exhibet *Hof-annus in Theſaur. pharmaceutic. pag. 3.*

℞ *Calam. aromat. galang. cyper. rotund. Coſt. aromat. pyrethr.* ā ℥VI.
Herb. roſmarin. ℥j. *ſalv.* ℥VI. *major.* ℥ß.
Fl. chamomill. rec. ℥VI. *ſtœch. Ar. thym.* ā ℥ß.
Nuc. moſch. ℥iij. *bacc. juniper.* Mj.

roſſo modo conciſ. affund. Spir. Vin. henan. ℔IV. macerentur per ♀♂ IV. & eſtilla ex MB. ad ſiccitatem. Uſus ejus m internus, quàm externus eſt Doſ. chl. I.

Aliam ita jam *laudatus* proponit *Autor. libr. citat. pag. 4.*

Maſtich. thur. myrrh. bdell. ammoniac. Opopanac. mumiæ ✱ *ci* ā ℥j. ⊖ ♀i ℥iß.
Alum. ℥IV. *bacc. juniper* ℥X. ⊕li *Rom.* ℔iß.
Mell. ℔ij. *Spir. Vin.* ℔VIII. *Spir. bacc. juniper.* ℔ij.

æparata l. a. macerentur per octiduum calorem lenem ſæpiùs agitando. Tunc

 deſtil-

deſtillentur ex arenâ cum duobus cohh
biis, tandem adde

Caſt. ℥ß. *Campb* ʒij. *ſpir.* ⊖ ℥ß. Miſce
Aqua Arthritica *Mynſichti* ita deſcribitt
ab eodem *ſect. 20. Armament. chymic. p. 3*
℞ *Caryophillor.* ʒvi. *rad. hermodact. baa*
juniper. ā ℥ß.
Nuc. moſch. ʒij. *Herb. verben.*
ſambuc. ā Mij.
Fl. lavend. ſpic. nard. majoran. r
marin. beton. ā Mj.
Mixta infund. in vin. Rhenan. ℔v. dig
rantur per ℘♉ 24. poſtea per alembicu
deſtillentur, S. Aqua Arthritica.

Aquæ Antipodagricæ *Thomæ Th*
tini deſcriptionem tradit *Philipp. Mü*
rus p. 177. Myſter. med. ſequenti modo
℞ *Cinam.* ℥iß. *Nuc. moſch.* ℥j. *Macer.*
Galang. ℥ß. *caryophillor.* ℥ß. *croc.*
moſch. g̃xv.
Perl. præp. corall. præp. ā ʒj. ▽*æ lave*
cinam. ā ℥j.
▽*æ roſ.* ℥ij. *ol. ſpic. nard. junipe*
℥j. *ſuccin.* ʒij.
Contuſa in pulverem conjiciantur in
genam ſtanneam 4. menſur. capacem
funde Spir. Vin. menſ. j. in cinere leni
ſimul putreſcant ad 3. hebdomad. D
de menſtruum coletur per linteolum
feces Specierum ex ollulâ ad ignem in
neres urantur & cinis eidem priori m
ſt

ruo injiciatur, digerantur atque imma-
erentur. Tandem ſine fecibus per lin-
eum transmittes & deſtillabis per Bal.
lar.

Crato, teſtante *Sennerto cap. 7. tra-
at. d. arthritid.* hoc deſtillatum ad præ-
rvationem arthritidis commendavit,
unum quotidie cochlear vel ſæpius in
ptimana de illo aſſumatur.

Herb. meliß. valerian. bacc. junip. ā q. v.
pergantur Vino bono & macerentur
▽ meliſſæ, poſtea deſtillentur.

Sal ſequens à *Grylingio lib. 5. med.
act. part. 1. cap. 1.* magni æſtimatur.

⊖ *abſinth. card. bened.* ā ℈ij. *Junip.* ℈iv.
♀i ℈j. *arthemiſ. cichor.* ā ℈ß. Miſc.
c & ſimilia ⊖ia quoniam ob acerri-
m ſaporem difficulter ab ægris aſſu-
ntur, nullo ferè convenientiori vehi-
o., quam cum juſculo inſalſo, aſſu-
ntur eaque loco Salis communis in
orum cibis condiendis adhibentur,
egri ad medicamenta aſſumenda pa-
n proclives commodè falli poſſunt, ſi-
illud ſæpius cum ſucceſſu vidimus &
erti ſumus.

Sequentia invicem mixta ſæpe ar-
iticis non ſine fructu exhibuimus.

Eſſent. juniper ♂lis aperit. ā ʒj. *ano-
dyn.* ʒß.
Tinct. lign. Saſſafras ʒij. Miſce. S.
nderliche Glieder Miſtur.

Externè. Externè quoque in arthritide vari
juniperina adhibentur *medicamenta.* S
Spiritum juniperi in tenuis fortunæ hom
nibus arthritide correptis ſæpius lo
dolentibus cum maximo vidimus ad
bitum ſucceſſu, & *Avia noſtra* crucia
bus arthriticis ad mortem usque obr
xia dolores hoc unico leniebat medi
mento, nec ab alio unquam plus ſola
& auxilii inveniebat, quàm à ſequenti
℞ *Bacc. Juniper. recent. q.v.*
Contund. in mortario affuſo *Spiritu pr*
prio vel in defectu ullius Spir. Vin. &
taplaſmatis loco dolenti applicetur.

Aquam antiarthriticam extern
ita componit *Sennertus cap. V. tractat.*
arthrit. p. 42.
℞ *Cancror. fluv. num.* VIII. *gran.*
niper. Mj.
Myrrh. thur. ā ℥j. *Vin. opt.* ℔j.
Miſc. & deſtillentur.

Oleum Juniperi è baccis & ligno i
antiarthritica refertur *à Schönbornio*
242. manual. med. Pract.

Sal antipodagricum externum
præparat *Hofmannus p. 100. Theſaur. p*
maceut.
℞ *Lign. Juniperin. craſſitia inſigne*
Perterebra illud & cavitatem reple
communi orificiis firmiter obtur
combure igne aperto & accipies ⊖

♀e & ⊖e alkali *ligni juniperini* impræ-gnatum, quod in Spir. Vin. ſolve, tumoribus enim podagricis impoſitum utile eſt.

Celebre eſt Balſamum Podagricum *Crollii* ad tollendos dolores podagricos causâ frigidâ ortos, deſcribitur *p. 303. Baſil. Chymic. Crollii ita:*

℞ *Ol. mandibular. inferior. veterum equorum tempeſtatibus diu expoſitarum.*

Vel *Ol. ex oſſibus hominis violentâ morte, reſte vel rotâ perempti ſiccis* ☉*i &* ☽*æ multis annis expoſitis.*

Vel *olei ex ſangvine Cervino*

Cujuscunque hujus olei aliquoties per ſe rectificati.

℞ ℥j. *ol. laterin. terebinth. Junip.* ā ℥iij.
Miſce & deſtilla omnia adhuc ſemel in Bal. Mar. & poſtea inungatur locus affectus.

Sic & Balſamo Podagrico *Mynſichtus oleum Juniperi* aſſociat, cujus deſcriptio videatur *ſect. 24. Armament. Chym. p. 484.* Balneum *Matthiolus* teſtantibus *D. Schöʒio part. 9. Spec. Med. Pract. & Schönborn. loc. ſuprà citat.* anthriticis parat admirandæ virtutis *è Scope ligni Juniperini* in ſ. q. ▽æ ad tertias decoctâ.

Scholʒius Conſil. 238. hoc decoctum articulis arthriticorum admoveri conſulit.

℞ *Bacc. Juniper. rad. althea* ā ℥j.

Fol. laur. myrth. ſalv. beton. orig. a
calamint. major. flor. ſtœchad. ā M.
Sem. lign. fœn. grae. ā ℥ij.

F. Decoct. in lixivio ſarmentor. vit. ad-
dendo Salis commun. ℔j.

Simile Decoctum fotus loco com-
ponit *Simon, Pauli quadripartit. Botan.*
p. 269. & Deckerus in not. ad prax. Barbet.
p. 151. utrumque *baccis Juniperi* claru..

Suffimigium tale præcipit *Sennertus p. 41. Tractat. d. arthritid.*

℞ *Lign. aloës. gumm. Junip. ſuccin. thur.*
Sem. hyoſciam. ſtorac. calamit. taca-
mahac. gumm. animæ ā ℨj.

Pulveriſentur craſſiuſculè, pulvis ſup
ignitos carbones conjiciatur & fum-
parte affectâ per dimidiam horam ex-
piatur.

Vel

℞ *Gumm. Juniper. thur.* ā ℥ij. *lad.*
benz. ā ℥j.
Cinamom. caryophill. Nuc. moſch. ā
Pulveriſata excipiantur gumm. tra-
canth. q. ſ. F. Trochiſci pro ſuffitu. *Id.*
pag. 43. loc. citat.

Unguentum ſequens in arthritic-
causâ frigidâ multum prodeſſe *Au-*
eſt Paræus lib. 17. Chirurg. cap. 15.

℞ *Catellor. junior. rejectis pellibus, ca-*
tibus, pedibus & inteſtinis num. i

Include illos anſeri pingviori & adde

Ranar. vivar. num. X.

Viperar. in fruſta conciſ. ſine exuviis num. IV.

Theriac. mithridat. ā ℥ß.

Fol. ſalv. anth. rut. thym. ā Mß.

Bacc. laur. Juniper. conquaſſat. ā ℥ß.

Nuc. moſch. zinzib. piper. caryophill. ā *contuſ.* ℨj.

Hæc omnia anſeri include & pingvedinem inter aſſandum deſtillantem colli-ge, poſteaque cum ſ. q. ceræ Terebinth. Venet. & parum ∇æ Vitæ F. Ungventum.

II. LUES VENEREA.

Quemadmodum legitimus Veneris uſus multa corpori præſtat humano commoda, ſic è contra nimius & illegitimus ejusdem abuſus varias producit calamitates, ut verè dictum ſit:

Balnea, Vina, Venus conſervant corpora noſtra,

Corrumpunt eadem Balnea, Vina, Venus.

Exemplo nobis eſſe poteſt graviſſimus ille affectus *Morbus Gallicus* ſeu *Lues Venerea* dictus, qui eſt morbus venenatus & contagioſus ab humorum malignâ diſpoſitione & infectione ortus variisque ſymptomatibus ſtipatus. *Lues Venerea.*

 Acqui-

Acquiritur hic affectus nonnunquam vitio proprio humoribus ſcil. maximè corruptis & malignâ qualitate infectis, ſicuti in matrona famæ integerrimæ, quæ cum infectis nullâ planè conſvetudine uſa erat, in viciniâ contigiſſe novimus. Nonnunquam & quidem ſæpius per contagium affectu hoc imbuuntur & contaminantur ægri, & vel in generationis primordiis parentum, vel ex lacte nutricis, ex concubitu & conſvetudine ſeu familiaritate cum infectis illum contrahunt, quo de aliquando plura.

Symptomata habet multa & varia, ita, ut dicente *Sinibaldo lib. 9. Tractat. genthropejæ cap. XI.* dies deficeret, cuncta ſymptomata lui gallicæ, quæ ... eſt ſoboles, recenſere vellemus. *Antonius Muſa* Vir de re medica optimè meritus ducentum triginta quatuor, teſte *eodem Sinibaldo*, Gallici morbi enumerare dicitur ſpecies.

Huic protheo variabili & πολυμόρφῳ optimè quoque opponitur *Juniperus* & ſpecificis ob majorem penetrandi vim & efficaciam multoties additur.

Sic *Juniperum Hornius pag. 157.* *A... Moſis* & *Decoctum Juniperi ſimplex* ad ... em Veneream commendat *Poterius c...* *Internè.*
2. Pharmac. Spagyr. p. 30. & ad eund...

ai...

affectum *p. 116. & 117. cit. loc.* Extractum parat antivenereum duplex, Purgans unum alterum non purgans.

Extracti antivenerei purgantis hæc eſt deſcriptio.

℞ *Raſur. lign. guajac.* ℔ vi. *Rad. Sarſaparill.* ℔ iv.
China elect. ℔ ij. *Rad. Mechaocann.* ℥ vj.
Fol. Senn. ℥ ix. *Lign. Saſſafr. Bacc. junip.* ā ℔ ß.

Infund. igna & radices in ſ. q. ▽æ commun. cum ol. Sali & 🜍is ʒij. in loco calido per 8 dies, coquantur poſtea in urinali vitreo vel terreo vitreato cum ſuo capitello ad conſumtionem 2. tertiorum, quæ humiditas in recipiente ſervetur pro novâ infuſione parandâ. Coletur decoctum & in colatura macerentur Fol. Senn. & Rad. Mechoacann. per 3. dies, bulliant parum & denuò colentur. Dum hæc fiunt prima aqua à Decocto educta fecibus reaffundatur cum novâ humiditate, ſi ea opus fuerit novaque infuſio paretur, quæ priori unita ſimul per urinalem cum ſuo alembico in extracti formā adducuntur. Saccharum nonnunquam addimus ad ſelibram & ut ſolidius reddatur pulverem ſequentem admiſcemus.

℞ *Sarſaparill.* ℥ iß. *Chin. elect.* ℥ ß. *Fol. ſen.* ℥ j.
Caryophill. ʒ j. *Sal. ſupra ſcriptor.* ℈ j.

Miſc.

Miſc. F. Maſſa. Doſ. ℈ij. ad ʒiij. bis in die.

Non purgantis Extracti brevior deſcriptio eſt talis.

℞ *Cort. lign. Indic.* ℥vj. *raſur. ejusd. ligni* ℔iij.

Chin. elect. Sarſaparill. ā ℔ij.

Bacc. Juniper. ℔ß. *Sem. card. ben. carvi* ā ℥iij.

Fol. ſucciſ. ſcabioſ. ā Miij.

Rad. Cyper. vincetoxic. ā ℥ij.

Infund. omnia parum contuſa in ſ. q. vini generoſi, F. Extractum, cui ⊖ ex fæcibus factum adde. Doſ. ʒij. ad ʒiij.

Clyſteres *Joh. Caſp. Sparr.* ex Rad. Cucum. Aſin. Bryon. Jrid. Gentian. Herb. origan. calaminth. Puleg. Polii, Rut. Marrub. Saturej. Serpill. Hyſſop. Thym. abſinth. Veron. Fumar. Salv. Cent. min. ariſrot. Bacc. laur. & *Juniper.* Pulp. colocyntid. Sem. cumin. Carv. Fœniculi decoct. & Colaturæ additis Ol. Rut. Laur. Anet. Abſinth. Amygd. amar. Jrin. matricar. Elect. Hier. picr. diacolocyntid. Bened. laxativ. diaphœnic. Ind. maj. & min. Diacarthamo q. ſ. componit p. 53. Diſſert. posterior. d. lue Venerea.

Antonius Chalmeteus in Enchirid. Chirurgic. Aquam Philoſophicam magnis extollit laudibus ita paratam.

℞ *Raſur. lign. guajac.* ℔ß. *vin. alb.* ℔[illegible] ▽*æ defæcatiſ.* ℔viij. *fumar. cichor. chamomill.* ā ℔j. *Polypod. quer.* [illegible]

Ma[illegible]

Maceretur. hor.xij, adde,

Epithym.℥ij. *Aſplen.*℥vj. *Sem. Junip.* ʒij.
Cort. Citr. ℥j. *Conſerv. roſar. cichor. Borrag. buloſſ.* ā ℔ß.

Conſ. Enul. Theriac. ā *quart.* 1. *Deſtillent.*
Deſtillato add. Sacchar & cinamom. q.v. Doſ. ℥iij. iv. ad V.

Sequentem potum 3. hor. poſt cœnam & prandium aſſumendum tradit *Tabernæmontanus part. V.* des Arzeney Buchs *cap.* 3.

℞ *Bacc. juniper. laur.* ā ℥ij. *Sem. ſinap.* ℥ß. Coqu. in ℔vi ▽æ ad conſumtionem medietatis. Doſ. ℥iij.

Externè *Joh. Colle in ſermon. de lue* ♀eâ ſequens exhibet Decoctum ad partes affectas ſæpius abluendas faucesque gargarizandas. *Externè.*

℞ *Lign. guajac. Juniper. Rad. Sarſapar.* ā ℥j.
🜔*is* ℥ß. *Ariſtol. rot. Angel.* ā ℥ij.
▽*æ commun.* ℔iij.

Miſc. F. infuſio & poſtea Decoctio ad tertiæ partis conſumtionem.

Joh. Renodæus lib. V. inſtitut. Pharmaceut. cap. 27. Pulverem pro ſuffitu compoſuit talem.

℞ *Granor. Juniper. Thur. maſtich. ladan.* ā ʒiß.
Cinnabar. ℥iß.

Miſc. terantur omnia & ad uſum ſerventur.

Plate-

Platerus in ſymptomatibusq; luis ♀eæ comitibus, ut ſenſu ardoris & punctionis, maculis & puſtulis, capitis dolore & aurium tinnitu inter alia hoc ſudatorium adhibuiſſe teſtatur *lib.1. obſervat.p.999*

℞ *Rob ſambuc.* ℥iij. *Juniper.* ℥iß. *Syr. ca papav.* ℥ij.
Narcot. Autoris ʒj. *Spir. Juniper.* ʒij. Miſce.

In dolore circa oſſa vago perque vices affligente à lue ♀eâ orto ſequenti uſum ſe eſſe teſtatur *idem Autor lib.3. obſerv. p.725.*

℞ *Tabul. diacod. aut.* ʒß. ▽*æ nicot.* ℥ *Theriacal.*
Spir. Juniper. ā ʒij. Miſce.

Eſt diaphoreticum.

III. ERYSIPELAS.

Quemadmodum roſa florum omnium utiliſſima & amœniſſima, uſusque maximi, ita è contra affectus *Roſa* vel *Eryſipelas* dictus non gaudii vel amœnitatis, ſed dolorum moleſtiarumque eſt plenisſimus nullique propemodum corporis parti parcere novit. Inprimis autem externis corporis partibus inimiciſſimus eſt, ad quem debellandum præmiſſis præmittendis *medicamenta Juniperina* maximi ſunt uſus, ob vim diaphoreticam

Eryſipelas.

Sennertus lib. 2. de febrib. cap.

Solenandro ſequens depromit Electuarium.

℞ *Theriac. opt.* ℥i. *Terr. ſigill. vel bol. arm.* ʒiß.
Gran. juniper. rec. rad. tormentill. ſem. card. bened. ā. ʒß.
Spec. Elect. d. gemm. diamarg. frig. ā ℈j.
Oſſ. d. cord. cerv. ſem. acceloſ. corall. rubr. præparat. ā ʒß.
Cum ſyrup. acetoſ. citr. q. ſ. F. Electuar. Doſ. ʒi. ad ii.

Minoris apparatus, ejusdem tamen effectus eſt ſequens.

℞ *Rob ſambuc. juniper.* ā ℥ß.
Sal. CC. vol. junip. card. bened. fix. ā ℈ß.
Miſc. D. S. Schweißtreibender Saft auf 2. mahl.

Externè Pulverem fumalem pro Eryſipelate commendat *Grylingius lib. V. Med. Pract. part. 3. cap. XV.*

℞ *Gumm. ſandarac. Ar.* ℥i. *Heder. maſtich. thur.*
Roſ. rubr. ſem. coriandr. præp. ā ℥ß.
Caryoph. lign. aloës, ſuccin. ladan. ā ℈ii.
M. F. Pulv. groſſus pro fumo.

Non ſemel tenuioris fortunæ homines Eryſipelate infectos ſolis, ob inopiam, *baccis vel fruticibus Juniperi* pro ſuffimigio uſos eſſe cum optimo vidimus ſucceſſu. Vel

℞ *Bacc. Juniper. q. v.*

Coqu.

Coqu. in aceto & linteis duplicatis locco dolenti applicentur. *Conrad. Kunrath. med. dull. deſtill. p. 431.*

IV. VULNERA.

Vulnera. OMnibus corporis partibus externis & internis *vulnera* infligi poſſe quotidiana docet experientia, nullum hîc membrum ſingulari gaudet libertate: ideò, quid in *vulneribus* præſtet *juniperus* videbimus.

Interna. Internè in vulneribus deſtillatum ſequens adhibet & deſcribit *Philippus Müllerus Myſter. med. p. 184.*

℞ *Granor. Juniper. contuſ.* ℔iij.
Pyrol. utriusque, matriſylv. rad. fœnic. alb. ā Miß.
Ophiogloſſ. Miß. *Conſolid. maj. ariſtol.* ā ℥v.
Perſicar. ℥v.

Deſtill. omnia ſecundum artem.

Poterius ſect. I. *Pharmacop. Spagyr. cap.* I. hoc deſcribit Decoctum vulnerarium.

℞ *Fol. coron. ſanic. beton. agrimon. capil. ♀is* ā Mj.
Bacc. Juniper. pj. *Liquiritiæ parum.*

F. cùm ▽â & Vino Decoctum.

Externè ungventa & alia medicamenta vulneraria ſæpiſſimè ingreditur *gummi & oleum Juniperinum*, ut & ipſa nonnunquam *Juniperi bacca.*

S

Sic jam *citatus Poterius cap. 4. cit. libr* oleum componit vulnerarium ſequentibus præditum ingredientibus.

℞ *Summitat. hyperic. c. flor. & ſemin. q. v.*
Ol. olivar. q. ſ. ſucc. hyperic. parùm.

Macerentur in loco calido per aliquot dies, factæ colaturæ recenſentes flores & ſummitates reddantur novaque fiat infuſio, in cujus colatura diſſolv.

Terebinth. venet. ℔ß. *Thur.* ℥iij.
Maſtich. vernic. ā ℥ij.

Miſc. F. oleum.

Aliud Balſamicum oleum omnium præſtantiſſimum ſubjungit idem hoc modo confectum.

℞ *Rad. aſclepiad.* ℔ß. *ariſtol. rot. valerian.* ā ℥ij.
Fol. ſymphit. maj. plantag. filipend. alchimill. bugul. ā Mij. *bacc. junip.* pj.
Summit. hyperic. c. flor. & ſem. MVI.
Flor. chamomill. ſpic. ā Mj.
Verm. terreſtr. ℔j.
Ol hyperic. cum 2. infuſionibus parat. Lumbricor. ā *q. ſ.*

Macerentur octiduo in fimo equino, eximantur, deinde prælo forti ſubigantur quoad omnem humiditatem profundant, factâ colaturâ adde

Myrrh. ℥iß. *maſtich. thur. vernic.* ā ℥ij.
Terebinth. deſtillat. pic. naval. ā ℔ß.

Impleantur poſtremò & uſui reſerventur.

Obſer-

Obſervationes & effectus de hoc ole[...]
videri poſſunt *loco citato.*

Balſamum vulnerarium Metenſi[...]
um ita deſcribit *Schrôderus lib. 2. Pharma[...]*
cop. med. chym. cap. 87.

℞ *Ol. oliv. ſem. lin. purific.* ā ℔ß. *laur.* ℥[...]
Bacc. Juniper. ſtill. ℥ß. *Caryophill.* ʒj[...]
Aloës ſuccotr. ʒij. *Tereb. Venet.* ℥ij[...]
Vir. æris ʒiij. *⊕l. alb.* ʒiß.

Pulveriſand. Pulveriſ. & coquantur ſi[...]
mul lento △ dum virorem acquirat ol[...]
um. F. Balſam. Celebre Emplaſtrum ſt[...]
cticum *Crolii p. 323. Baſil. chimic. deſcrip[...]*
gumm. quoque Juniperino ℔ß. *pondere ga[...]*
det. & Emplaſtro ſequenti puncturali o[...]
um quoque additur, quod ita paratur:

℞ *Ol. roſar.* ℥iv. *Colophon. reſin. pic. n[...]*
val. ā ℥vi.
Ceræ ℥iv. *⊕li alb.* | *Ceruſſ. venet. l[...]*
calamin. ā ℥ijß.
Oliban. myrrh. ā ℥ij. *Maſtich.* ℥[...]
Mum. ʒiß.
Terr. ſigill. ſang. Dracon. ā ʒß. *Cor[...]*
rubr. præparat. ℥j.
Lap. magnet. præp. ʒiß. *camphor.* ʒ[...]
Ol. ovo. ʒiß. *Spic.* ʒj. *Juniper.* ʒiß.

Miſc. F. l.a. Emplaſtr. *Gryling. lib. V. M[...]*
Pract. p. 3. cap. 20.

Ungventum Polycirreſtum ut & Bal[...]
mum vulnerarium, unum *baccis*, alter[...]
oleo Juniperi inſignitum *idem* deſcri[...]

Au[...]

Autor loc. cit. videndus. Singularem obſervationem in vulnere de ſperato ſclopo illiſo tradit jam laudatus *Poterius Curat. 100. Centur. 1. obſervat.* & ad calorem conſopitum & ſemimortuum revocandum hoc fotu uſum ſe eſſe teſtatur.

℞ *Verbaſc. hyperic. flor. ſalv. roſmarin. Laur. abſinth. verben.* ā Mj.
Bacc. Juniper. Laur. ā pij. Miſc.
F. Decoct. in ſ. q. ▽æ & vini.

Idem *Poterius Curat. 30. & 31. Centur. 1. Obſervat.* in vulneribus juncturarum cum oſſium fractura ad detergenda vulnera ſequentē ſe adhibuiſſe fotum refert.

℞ *Ariſtol. rot.* ℥j. *myrrh. elect.* ʒij. *bacc. juniper.* pj.
Fol. Prunell. alchimill. Vincetox. ā Mj.
Paretur Decoct. in ſ. q. ▽æ & Vini cum modico ſale communi.

Ad vulnera venenata ſeu malignam qualitatem inducentia ſequentem quam maximis extollit laudibus *Agricola Tractat. 3. Chirurg. p. 396.*

℞ *Rad. Angel. Tormentill. mandragor. Croc. metall. cum Spir. Salis fixat. Croc. opt.* ā ℥iß.
Bolet. cerv. Myrrh. ā. ʒvi. *Cort. Citr. 2. Lign. Saſſafr. Bacc. juniper. CC. raſpat.* ā ℥i.
Terr. ſigill. ℥ij. *Theriac.* ℔ß.
Miſc. omnia & cum Vin. malvat. ℔iij. vel

iv. digere calore leni, poſtea deſtillentu per alembicum Doſ. cochl. 1. ſæpius itc rando.

Ad ſanguinem profluentem è vu neribus ſiſtendum ſequens exhibet *Conr rad. Kunrath. medull. deſtill. p. 421.*

℞ *Lign. Juniper. 🜔is, alum. uſt. ā parr æqual.*

F. exinde Pulvis vulneribus inſpergend

Idem p. 444. libr. cit. ſingulare com ponit vulnerarium internum, quod ta men brevitatis ergò nolumus ad ponen ſed curioſum Lectorem ad locum cit tum remittimus.

Ad extrahenda ex vulneribus ſp cula aliaque talia ſequens proponit *Ti mannus p. 409. de mater. medic.*

℞ *Rad. Nymph. aron. polypod.* ā ℥j. *Ra* ℥ij.

Cymar. Juniper. ℥j. *ling. cerv.* ℥ß.

Exſiccentur F. Pulvis, Miſceatur cu pinguedin. lepor. ℥j. liquefiat ad igne add.

Dactyl. maj. ℥ij. *Petrolei* ℥j.

F. Emplaſtrum pelli leporino induce dum.

Cum etiam tempeſtates aliæq aëris mutationes magna vulneribus commoda poſſint comparare, ideò n imperitè monet *Ambroſ. Paræus lib. chirurg. cap. XI.* ut loca, in quibus co

mora

morantur vulnerati rebus odoratis ſæpè perfumentur, variaſque ibidem præſcribit medicamentorum formulas, quibus omnibus *juniperina* addita ſunt *medicamenta*, ſicut loco citato videri poteſt.

V. ULCERA.

Continui ſolutionem non vulnera ſolùm, ſed *ulcera* quoque variè efficiunt & lædunt, atque in omnibus corporis partibus carnoſis, ſub quibus muſculoſas, glanduloſas, parenchymaticas & illam quoque partem, quæ ὀνόνυμος & unicuique parti propria ac peculiaris eſt cum *Sebizio part. 8. Spec. Med. Pract. cap. 11.* complectimur, à re corrodendi facultate prædità excitari poſſunt. *Ulcera.*

Ulcera ſunt varia, inprimis tamen ſunt vel *Interna* vel *Externa*, eaque vel *ſimplicia*, vel *compoſita*, prout à cauſarum varietate excitantur. De internis hoc loco agere non lubet, ſed tantum de externis & quid in hiſce *Juniperus* præſtet inquiremus. Ad ulcera ſordida abluenda & purificanda *aquam* commendat *Juniperi Tabernæmontanus lib. 3. Herbar. part. 2. cap. X.*

Decoctum ad Ulcera *Poterius* deſcribit in *Pharmacop. Spagyric. p. 25.*

℞ *Fol. plantag. anagall. querc.* ā Mj.
Rad. ariſtol. rot. ℥j. *Bacc. juniper.*

Flor. chamomill. ā ℈j. *alum. crud.* ʒiij.
Coqu. parùm in ▽â fabrorum q.ſ. Ser-
vetur ad uſum.

Ulcera à veneficio introducta.

Ad *ulcera à veneficis* excitata, è qui-
bus variæ quandoque prodeunt res ſor-
didæ & dolorificæ, ab incantatione in-
troductæ, ſequens Emplaſtrum maxim
cum ſucceſſu, præmiſsâ proprii ſtercor
(ſit venia dicto) impoſitione & in veſi
câ bubulâ fumigatione applicuiſſe te
ſtatur *Joh. Agricola Tractat. V. Chirurg.*
parv. p. 648.

℞ *Rad. filic. maj.* ʒij. *Bacc. Juniper.* M
Herb. antirrhin. adiant. aur. ante oc
tum ☉*is collect.* ā Mij. *verben.* M
Concif. contuſ. coqu. in ſ.q. ▽æ adiant
exprimantur, expreſſioni add.
Sangv. catell. jun. ʒij. *Corall. rubr.* ʒ
ceræ ℔ß.
Reſin. ex viſco coryl. parat. ʒj. *ter*
binth. ʒij.
M. F. l. a. Emplaſtrum.

Ulcera narium.

Singularia medicamenta ſequen
in ulceribus narium commendat *Se*
nertus lib. 1. med. Pract. part. 2. ſect. IV. c
1. atque ad illorum exſiccationem
quens Cataplasma capiti imponend
tradit.

℞ *Limac. num.* viij. *Cruſt. pan. ſilig.*
toſt. ʒj.
Contund. & admiſce *Pulv. Balauſt.*
rubr. ā ʒß. *Gu*

Gum.Sandarac. Ar.℥j, *Thur. maſtich.* ā ℥ij.

Album. ovor. num. ij.

Contund. & F. ſ. a. Cataplasma.

Ex *Rondeletio* Trochiſcos pro ſuffitu præſcribit tales.

℞ *Ladan.pur.Hypociſtid.maſtich.myrrh.* ā ℥ij.

Storac. rubr. & calamit. Cort. Thur. Sandarac. Ar.

Auripigment. rubr. ā ℥ij.

Excipiantur cum Terebinth. F. Trochiſci pro ſuffitu manè & veſperi in cubiculo.

Vel

℞ *Gum.Sandarac.Ar.Myrrh.* ā ℥ß.

Oliban. maſtich. ℥iß. *Ladan.* ℥ß.

Cum ſ. q. Terebinth. F. Trochiſci.

Ad ulcera membrorum à frigore læſorum ſequens commendat Linimentum D. *Scultetus Obſervat.* 89. *Armament.Chirurg.p.*216.

℞ *Bacc.juniper.contuſ.* Mj. *Butyr.liquat.* ℥iv.

In hoc butyro baccas juniperi coqu. ad nigredinem; Colaturam ſerva ad uſum.

VI. SCABIES.

NOn turpis ſolùm, ſed maximè quoque moleſtus affectus *Scabies* totique corpori dicam ſcribit, & eſt infectio cutis cum pruritu, dolore & puſtulis interdum, nonnunquam etiam cum malignitate *Scabies.*

conjuncta ex acrimonia ſalſa, bilioſa vel ſeroſa ortum ducens.

Humores itaque peccantes alterandi & evacuandi, & quidem per purgantia & diaphoretica.

Vinum alterans & Purgans tale ſcabioſis præſcribere ſolemus.

℞ *Herb. fumar. cuſcut. ſcabioſ.* ā Mß.
Flor. cent. min. Mj. *Fol. Senn. ſ. ſ.* ℥iß.
Rad. ſarſaparill. helleb. nigr. ā ℥ß.
Rhabarbar. ʒij. *Cort. fraxin.*
Bacc. juniper. ā ℥j. *Sem. geniſt. cartham.* ā ʒiij.
⊖ ♀i ʒiß.

Conciſ. contuſ. D. ad chart. S. Blutreinigende Species zum Purgier-Wein.

Electuarium Sudoriferum tale tradit *Gryling. part. 3. de tert. Evacuat. Univerſal. gener. p. 80.*

℞ *Extract. Junip.* ʒiij. *Rob ſambuc.* ℥
Extract. mithridat. theriac. ā ℈ß.
⊖ *abſinth. juniper. chamomill. card. bened.* ā gr. VI.
Spir. ſambuc. Rot. man. chri. p. ā ℈VI.
Conſerv. citr. ʒij. *Syrup. acet. citr.*
Miſce.

Simile huic idem deſcribit *lib. V. part. Med. Pract. cap. X.*

Vel

℞ *Miſtur. ſimpl.* ʒß. *Rob Juniper. Eſſent. ejusd.* ʒß.

▽æ fumar. ℥ij. *Theriacal. bezoard. noſtr.* ℨj.

Miſce D. S. Schweißtränckleín auf 2. mahl.

Elixir Juniperinum non vice ſimplici ſcabioſis exhibuit *B.D.D. Friderici*, teſtante id variis in locis *Protocoll. Medic. MScr.*

Externè non infelix Practicus quidam ſequens in ſcabie adhibet unguentum.

℞ *Rad. biſtort.* ℨj. *Sarcocoll. lot.* ℨiiß.
Sandarac. Ar. ℈IV. *Tut. præp.* ℈ii.
camphor. ℈ß.
Terebinth. in ▽ fumar. quater lot. ℥IV.
Ungv. ex ſucc. helen. ℥VI. Miſc.

F. Unguentum. Poteſt etiam loco Unguenti ex ſucco helenii unguentum ad ſcabiem Auguſt. aſſumi.

Ad humiditates ex puſtulis & ulcuſculis ſiccandas *oleum* commendat *Juniperinum Sebizius part. VIII. Spec. Med. Pract. cap. 18.* ut & *Macaſius lib. poſter. Promptuar. Mater. med. cap. X.* qui & *lignum Juniperinum* pro balneo ſcabioſis adhibet.

Celebre eſt non ad ſcabiem ſolùm, ſed ad quasvis ferè corporis fœditates & maculas tollendas Unguentum medicamentoſum *Mynſichti ſect. 35. Armament. Chym. p. 495. deſcriptum & ℨi. olei Junip.* nobilitatum.

VII. CORPULENTIA NIMIA.

Corpulentia nimia.

QUamvis bona corporis conſtituti & juſta magnitudo hominem merit recreare gaudioque imbuere ſoleat, at tamen ſi illa excedat & conſtitutio cor poris ejusque magnitudo nimiùm quan tum augeatur, non moleſtiam ſolùm, ſe turpitudinem quoque corpori parer conſvevit humano; imò nimiam corpu lentiam & obeſitatem propagationem generis ſui impedire palàm eſt, quapro pter & illa quandoque tollenda eſt, i quem finem ſequentes componit pilula *de Sandaracâ Mynſichtus ſect. 7. Arma ment. Chym. p. 154.*

℞ *Sandarac. Ar. elect.* ℥ß. *Extract. poly*
🜿*i alb.* ā ʒii. *Succin. alb. ppt piper. nig.*
Alum. roch. Sarcocoll. rubr. ā ʒß.
Lacc. ablot. nitr. ppt. ariſtol. rot.
Sem. rut. ſylv. petroſel ā ℈j.

Miſc. & cum ſucc. inſpiſſat. cent. min. Maſſa. Doſ. Pilular. ℈ß. quotidiè ſurgen ti è lecto.

Sic & *Conrad. Kunrath. in medull. d ſtillat. p. 426.* ad nimiam corporis mole attenuandam commendat *oleum deſtill tum ex Sandaraca ſeu Vernice* ad guttas quotidie cum oxymelitis cochlear. 1. v 2. jejuno ſtomacho exhibitum.

Electuarium contra ſterilitatem

nim

nimiâ pinguedine ſupra *cap. 24. hujus tractat.* ſub titulo ſterilitatis deſcripſimus, quod *loc. cit.* videri poteſt.

Quod ſi nimia pingvedo matricis duntaxat orificium afficiat, *Arnoldus, notante Bened. Sinibaldo lib. 4. Geneantrop. tract. 1. cap. 8.* hujusmodi proponit inceſſum:

℞ *Malv. Rad. & fol. bis malv. palear. aven.* M IV.

F. Decoctio, in qua mulier usque ad umbilicum inſideat, poſt ſuffumigetur os uteri rutâ, calamentho, origano, marrubio, fol. laur. *juniperis* & ſimilibus.

VIII. ATROPHIA.

Cum homo non alitur debilem illum & decolorem fieri atque emaciari *Galenus lib. 12. meth. med. cap. 1.* pronunciarit, & quî aliter fieri poteſt? denegato enim nectare vivifico, ſangvine videlicet ad nutritionem idoneo, corpus vel univerſum, vel pars quædam illius determinata, cui aditus ſangvinis eſt præcluſus, vel ſi ipſe ſangvis ad nutritionem non ſit idoneus, emaciari, & tabe conſumatur neceſſe eſt. *Atrophia.*

Ad hanc avertendam & profligandam optimè conducunt ex *Junipero* confecta medicamenta, quippe quæ qualecunque ferè ſangvinis vitium corrigere cauſasque ſangvinis defectum inducen-

 tes

tes amovere & emendare optimè valent, ſicut abundè ex ſuperioribus liquet. Propterea miſſis ſangvinem humoresque ſangvini admixtos alterantium & corrigentium, Diaphoreticorum Diureticorumve formulis, externa ſaltem, in membrorum atrophia adhiberi ſolita, videbimus. Liberalis & prolixus in his deſcribendis eſt *Grylingius lib. V. part. 3. me... Pract. cap. 16.* ubi varias ungventorum formulas, *oleo* omnes *Juniperino* claras exhibet, è quibus præ reliquis elegimus ſequens, longo utpote uſu compertum.

℞ *Summit. Sabin. Juniper. fol. leviſti... rec.* ā Mij.

Fl. chamomill. pii. *Gran. Juniper.* p...

Incidantur omnia & contundantur p... rùm, quibus adde

Ol. Laur. lil. ā *q.ſ. ad contegendum*

Axung. porcin. quartar. j. ▽*æ vit.* ℥...

Coquantur omnia donec omnis humiditas ſit conſumta, colentur & exprimantur, adde

Ol. ſpic. vel Juniper. ℈ij. *vel plus*

Pulv. ſinap. ℥ß. *Rad. Pyrethr.* ʒiij...

Piper. rot. vel long. vel zinzib. ...

Ceræ q.ſ. F. Linimentum.

Balſamum reſumtivum, qui loco ſecundo adhiberi poteſt, ita componit idem Autor.

℞ *Cancr. fluviat. num.* XV.

M...

Mur. ſylveſtr. in tergo lineâ nigrâ ornat. num. VIII.

Coqu. mures cum vino pingvedoque ſupernatans recipiatur, cui & cancris addatur

Terebinth. Cypr. Butyr. majal. ā ℔j.
Bacc. juniper. Miij.

Deſtill. △e lento & deſtillatum in Bal. Mar. rectificetur. S. Schwind-Balſam.

Plura qui cupit, adeat Autorem loco jam allegato.

Sequens pro attractione nutrimenti ad membra atrophiâ laborantia exhibet *Tilemannus d. mater. med. p.156.*

℞ *Piper. long. nigr.* ā ʒij. *cinamom.* ʒß.
Zinzib. ʒij. *rad. aron. pyrethr.* ā ʒiij.
Bacc. juniper. Miß.

Conquaſſat. add. Spir. Vin. ℔iv. & applicetur.

Vel

℞ *Ol. Lumbric.* ℥ij. *piper. euphorb. caſtor.* ā ℥j.
Juniper. ʒij. Miſce.

Fabric. Hildanus cap. 24. lib. von der Glied-Waſſerſucht.

X. OSSIUM DISLOCATIO ET FRACTURA.

NOn Apollinis reſponſum è tripode quod profectum veritati magis eſt conſentaneum ac egregia illa *Scaligeri* verba ita de natura *lib. 1. de plant.* diſſe-

rentis

Naturæ laus.

rentis: *Natura animali anima eſt. Ipſ… ſibi fabricat calces, dentes, cornua ad vitam … tuendam. Itaque iis & utitur & ſcit, qu… ſit utendum modo, ſine ſubjecto, aut phant… ſia ulla. Qui animam fecit, certis eam præ… ceptis oneravit, partim generalibus, parti… contractioribus. Illa ſunt quæ pertinent … unionem ſuam cum corpore conſervandam, cujus nullus Autor debet eſſe extimus: Ejus ita … ſtudioſa movet cor; coquit in ventriculo; … coquit in jecore, perficit in venis, digerit in … membris, mutat in corpus, ſuffert, unit, in… ſtaurat, redintegrat.* Et certè videm… hoc quotidie in proprio corpore, quee… ordinem quælibet corporis pars in offi… cio ſuo ritè exequendo & à naturâ … aſſignato ſervet, nec latum unguem … illo recedat, & ſi forte fortuna illa in … ſuo ordine perturbetur, quanta ex h… oriatur moleſtia.

Oſſium ſtructura.

Exempli loco ſit nobis oſſium ſtr… ctura, quam artificiosè illa omnia … per διάρθρωσιν, ejusque tres ſpeci… ἐνάρθρωσιν, ἀρθρωδίαν γίγγλυμον, … per σύμφυσιν absque medio ut per … φύσιν, ἁρμονίαν, γόμφωσιν vel per m… dium ſive συγχόνδρωσιν ſive συνεύρω… vel συσσάρκωσιν ita ſunt invicem in… ſe connexa, ut ſi ullum à ſitu locoque … deſtinato & conſveto removeatur, m… nifeſtus & exquiſitus inde doloris ſen…

oria…

briatur, ſicut in oſſium] dislocatione hoc quotidiè maximo cum damno & moleſtia ægri experiuntur.

Oſſa autem à ſede naturali deturbantur varias ob cauſas, 1. ob cavitatis oſſa excipientis vel laxitatem, vel anguſtiam, ob ligamentorum nimiam emollitionem, relaxationem, tenſionem aut ruptionem, varias ob cauſas provenientem, 3. ob violentam expulſionem. Quoties igitur oſſium contingit luxatio, tunc inprimis os laxatum manu chirurgi reponatur, repoſitum in ſede ſuà ut permaneat, curetur, cauſæ luxationis removeantur & ne iterùm illa contingat, omni ſtudio præcaveatur. Si oſſium luxatio ab humoribus viſcidis, glutinoſis & ♀eis exoriatur, tunc ſequentem Spiritum maximo cum fructu exhibuiſſe prædicat *Joh. Agricola Tractat. 8. Chirurg. parv. p. 859.* — *Oſſium dislocatio.*

℞ *Criſtall. è nucl. perſic. Rad. Eryng. ononid. verben.* ã ℥j.
Herb. ſaxifrag. lign. frax. ã ℥iß. *Bacc. laur. juniper.*
Oc. 69. ã ℥ij. *Sem. urtic. Roman. lapath. maj. geniſt. mil.* ⊙*is* ã ℥j.

Ex baccis lauri & *Juniperi* atque ſeminibus F. cum Spir. Vin. extractio more ſolito, extractionem cola & in Colatura diſſolvere, criſtallos ſupra dictos, poſtea

ſtea Salis ♀i albiſſ. ℔i. affunde hanc, & quidem per vices, compoſitionem digere per ℘♂ octo lento calore cinerum postea cum ſ.q.argill.figul.impaſta & for ma globulos, quos in umbra exſiccato poſtea per retort. pelle△e aperto, appoſito recipiente ſatis magno, & prodibit Spiritus elegantiſſimus & penetrantiſſimus, cujus Doſ. à ʒß. ad ʒi. in vehiculo convenienti.

Externè conveniet Emplaſtrum Diaphoreticum Mynſichti, ℥i. *Sandarac. Ar.* clarum, cujus deſcriptio videri poteſt ſect. 36. Armamentar. Chym. p. 511.

Sequens Emplaſtrum jam laudatum Agricola libr. cit. p. 868. in oſſium luxatione extollit.

℞ *°° deſtillat. ex oſſib. human. rect.* ℔ß. *Nuc. moſch. expr.* ℥iij.
Colophon. Succin. citr. ā ℥iß. *Bdell. ammoniac.* ✝ *ſol.* ā ℥j.
Terebinth. ℥ii. *Sandarac. Ar. Thur. maſtich.* ā ℥ß.
Terr. ⊕*l. dulc.* ℥i. *Croc.* ♂*is* ℥ß. *C ra q.ſ.*

Miſc. F. l. a. Emplaſtrum.

Sequentem ſacculum in oſſium femoris luxatione adhibuit *Fabric. Hildan.*

℞ *Fol. & flor. beton. anthos, abſin. origan. ſalv.*
Flor. prim. ver. lavend. ā Mj. *roſar.*

Baa

Bacc. juniper. viſc. querc. ā Mij. *Sem. aniſ.* ℥ij.

Conciſ. contuſ. D. ad ſacculum.

Sic & in eodem malo ſuccum lumbricorum cum▽*å juniperi* & lavend. ſine vino deſtill. parare & adhibere docet idem *loc. cit.* In oſſium fractura *Idem Hildanus* ſequens ungventum adhibuiſſe teſtatur *cent. 3. obſerv. chirurg. 90.* *Oſſium fractura.*

℞ *O*[l] *lumbric.* ℥ij. *juniper.* ʒij.
Liquor. lumbric. ℥j.

Miſc. F. Ungventum.

I. CONTRACTURA ET MOTUS IMPOTENTIA.

IMpoſſibile eſt, inquit *Averrhoës 1. de cœl. com. 81.* corpus naturale ſine naturali motu eſſe, tùm etiam quia alioquin tale corpus otioſum eſſet; Hoc autem ipſa fugit natura, quippe quæ nunquā otioſa, ſed ſemper negotioſa exiſtit, unde & Symbolum Collegarum Academiæ Naturæ Curioſorum tanquam fideliſſimorum Naturæ Imitatorum ortum, quod quisque eorum NUNQUAM OTIOSUS inveniatur, cum & ipſam quaſi vitam denegari velint illis nonnulli Philoſophorum, qui otioſi vitam conſumunt, ut & his, qui liberè ſe movere nequeunt, eum vivere dicant à ſe ipſo, & non ab eo quod movetur, ideoque ex hoc ſatis liquet eorum miſeria, qui motus impotentia

tentia laborant, cum ex eorum mente potius ad mortuorum quàm vivorum claſſem pertineat.

Tollitur, autem motus variè, 1. Paralyſi & Apoplexia, 2. muſculorum nimiâ refrigeratione, 3. Atrophia, 4. à nimia tendinum extenſione 5. Tumore & dolore muſculorum, 6. ſoluta unitate, 7. à oſſium luxatione, 8. à vitiis ligamentorum, 9. humoribus duris, ſcirrhis nodis in muſculis & inprimis circa tendines genitis, quod vitium propriè Germanos Contracturam appellare teſtatur *Sennertus lib. 1. med. Pract, part. 2. cap.* 10. ab exſiccatione & induratione tendinum, muſculorum & interdum cartilaginis oſſium capita munire ſolitæ. Priores octo cauſas relinquimus, & hoc loco de duobus ſaltem poſterioribus hic agimus motionis impeditæ vitiis.

Contractura.

Ad hæc tollenda

℞ *Rad. Ebul* ℔iv. *gentian, bacc. lau. Juniper.*

Herb. rut. ſylv. ā Mij. *Fl. chamom.*

Fol. Agrimon. ſalic. querc. ā Mj.

Miſc. S. Species pro Balneo. *Sennert. 1. Med. Pract. 2. cap. 26.*

Simile Balneum Contractis ſuadet *Conrad Kunrath Tractat. 20. Medull. ſtill. p. 421.*

℞ *Frutic. Juniper. conor. abiet rad. ur. Ebul.* ā *part. æqual.*

Incluſ. ſacculo coqu. in ſ. q. ▽æ in lebete & huic patiens bis in die immergatur.

Tabernæmontanus part. 4. Des Artzeney Buchs *cap. 9.* hoc commendat Decoctum.

℞ *Cydon. in arbore putreſc. caſtor.*
Bacc. laur. juniper. fol. ſalv. ā q. v.

Conciſ. contuſ. coqu. in vino, quo membra rigida laventur.

Philipp. Gryling. lib. 5. Med. Pract. part. 3. cap. 18. itidem Decoctum ex *ſummitatis Juniper. cum baccellis, herb. ſalv. agreſt. origan. fol. querc. abſinth. & fruct. abiet. ā q. ſ.* in aqua ad conſumptionem humiditatis & ad ſpiſſitudinem coctis parat, hocque exhibet Unguentum Regale compoſitum.

℞ *Herb. rut. rec. ſalv. anth. beton. abſinth. meliſſ. menth. aneth. fl. chamomill.* ā Mx. *Iv. arthet.* MIV. *Majoran. abrot. puleg. card. bened. hyperic.* ā Miij.

Inciſ. & contuſ. infund. in ol. olivar. recent. & clari ℔xxx. ſtent in infuſione vini Franc. ℔IV. Deinde coquantur ad conſumptionem aquoſitatis, in fine add.

Ungv. d. alth. ℔iij. *ol. laur.* ℔VI. *lumbr. Ol. chamomill. vulpin. roſar.* ā ℔j.
Spic. juniper. petrol. terebinth. ā ℥ij.
Ceræ q. ſ. M. F. Unguentum.

Ad contracturam Scorbuticam Incomparabilis *Sennertus* ſequens Ungventum

exhibet *lib. 3. Med. Pract. part. V. Sect. 2. cap. 7.*

℞ *Ungv. dialth.* ℥ß. *ol. chamomill. lil. alb. aneth.* ā ℥ij.
Gran. Juniper. contuſ. ℥i. *M. F.* Unguentum.

CAPUT XXVII.

IN MORBIS CAPITIS EXTERNIS JUNIPERI EFFICACIAM REVELAT.

I. TINEA.

POſteaquam affectus partium externarum, qui multis diverſiſque partibus ſunt communes, conſideravimus, reſtat ut promiſſi memores & reliquorum externorum membrorum morbos contemplemur, uſumque Juniperi porrò laudum encomio proſequamur. Ordiamur à capite: Hic primum occurrit fœdum & moleſtum illud vitium TINEA dictum, & eſt affectio capitis ulceroſa, fœtida, cruſtoſa, ſquamoſa vel ficoſa, interdum & contagioſa, achoribus & faviis deterior, ab humore acri, ſalſo & quandoque maligno, orta, medicamentis ægrè cedens.

Tinea.

Præmiſſis præmittendis medicamentis alterantibus & evacuantibus deraſis capillis eorumque bulbis extractis ad ablationem & extirpationem fermenti

menti alieni & ad deterſionem humorum ☽oſorum inde promanantium tale ordinat Lixivium *Franc. Grembſius p. 204. arbor. integr. & ruinoſ. hom.*

℞ *Stercor. gallin. in furno exſiccat. part. 2. vel ℥ij. ovium part. 1. vel ℥j.*

Ciner. ſarment. vit. lign. querc. Juniper. ſtipit. fabar. part. med. vel ℥ß.

Coqu. cum ▽ extinctionis F. lixivium, in quo coqu. abſinth. beton. marrub. lupin. fab. ā q. v. addendo parum ⊖is.

Sic & *Nobiliſſimus D. D. Febr, Argonauta noſter honoratiſſimus, pag. 148 hierpicr.* Decoctum ſeu lixivium ex abſinth. *ſummit. juniper.* & radic. ſcrophular. cum cineribus fagi vel vitis paratum ſingulari virtute ad tineam prodeſſe teſtatur.

Vel

℞ *Fol. nuc. jugland. querc.* ā Mj. *cort. med. querc.* ℥ß.

Bacc. Juniper. Miß. F. Decoctum pro lotione capitis.

Poſt lotionem pars affecta inungi poteſt ungvento quodam idoneo vel illo, quod in tineâ adhibuit Platerus referente illo *lib. 2. Obſervat. p. 543.*

℞ *Ol. nuc. lign. Juniper.* ā ℥ij. *Lucernar.* ℥iß.

Nuc. integr. uſtar. ʒvi. *Fulig. furn.* ℥ß. *Litharg.* ʒß. *Fugitivi extincti in Laricea* ʒvi.

Alum. ℥ij. *Ærug. æris* ʒj. *Sem. Juniper.* ʒij.
Acet. fortiſſ. ℥ß. *mell.* ℥j.

Agitentur invicem cum Laricea ſ.q. donec fiat inſtar nutriti. Utatur bis in die.

II. CAPILLORUM PROFLUVIUM ET CANITIES.

TAnta eſt Creatoris maximi erga genus humanum benignitas, ut nihil in corpore hominis fruſtra, ſed omnia potiùs inſignis utilitatis ergò fecerit, ſicque & capillos, qui tamen excrementa nonnullis audiunt, duplicem ob uſum & utilitatem ſecundum *Lodoicum Vaſſaum Tabular. Anatomicar. 3. p. 209.* homini ſit elargitus, ut 1. ad partes operiendas & 2. ad craſſiora excrementa conſumenda conducant, quibus commodis duplicem adhuc addit uſum *Bartholinus lib. 3. Anatom. reform. cap. 1.* nempe ut partium corporis ſint ornamentum & præterea temperamenti, animi morum atque morborum occultorum quandoque indicia. *Capillorum profluvium.* His itaque homo ſi ſpolietur, non turpitudine ſolùm, ſed vario inſuper afficitur incommodo.

Hoc ut præcaveatur, vel facta jam calvities tollatur.

℞ *Lixiv. è cinerib. querc. fact.* ℔v. *Galla non perfor.* ℥ß.

Herr

Herb.adianth. ℈j. *Fol. querc. roſ.* ā ℈ij.
Bacc. juniper. ℈j. *Acat. ladan.* ā ʒij.

Ligatis in peciâ acat. & ladano coquantur reliqua in lixivio ad tertiæ partis conſumptionem, factâ colaturâ lavetur caput & ut ſpontè exſiccetur, permittatur. *Gryling. lib. 5. Med. Pract. part. 3. cap. 1.*

Oleum Juniperinum ſpecificâ virtute pilos producere & eorum profluvium prohibere notat *Sebizius part. 2. Spec. Med. Pract. ſect. 1. cap. 1. & Macaſius promptuar. Mater. Med. lib. poſterior. cap. 17.*

Ad Canitiem nimis citam avertendam *Lignum Juniperi* conciſum, vel fol. myrth. nuces cupreſſ. Cort. Abiet. Gallas &c. lixivio admiſcere ſvadet *Tabernæmontanus part. 1.* des Artzeney-Buchs *cap. 3.* *Canities.*

III. FACIEI VITIA.

TAntæ eſt utilitatis & præſtantiæ *Juniperus*, ut non ad ſanitatem ſolùm conſervandam, ſed ornamentum quoque corpori conciliandum præclarè faciat, & cum formoſa facies muta ſit commendatio, ad pleraque faciei vitia fœditatem illi conciliantia non ſine fructu adhibetur. Sic ad lentigines & impetigines *oleum Juniperi part. 2. Spec. Med. Pract. ſect. 3. cap. 1. & 14.* & ad Varos *Spiritum juniper. cap. XI. cit. loc.* commendat *Sebizius.* *Lentigines: Impetigines.*

Ad aqualam ſeu Veſiculam palpe- *Aquala.*

bræ ſuperiori frequenter inſidentem ſuoque pondere apertionem ejus impedientem *baccas Juniperi* idem adhibet *Sebizius ſect. V. libr. cit. cap. 9.*

Ciliorum mollities. Ad mollitiem Ciliorum in oculos delabentium ibique dolores ac lachrymas & conſequenter fœditatem faciei conciliantium hanc componit aquam *Sennertus lib. 1. Prax. med. part. 3. ſect. 2. cap. 8.*

℞ *Fol. querc. verben.* ā Mj. *Viſc. è pyro, fo'. bux.*
Germ. Juniper. alum. ā Miiß.

Affund. aceti & aquæ pluv. ā q.ſ. Deſtill. in veſicâ & hâc aquâ palpebræ bis in die illinantur.

παλμὸς palpebrarum. Faciem quoque fœdat palpebrarum παλμὸς ſeu palpitatio, ad quam tollendam ſequentem præſcribit aquam *Bartitſchius part. 9. ὀφθαλμοδουλείας c. 13.*

℞ *Cort. ſalic.* ℥iv. *Bacc. Juniper.* ℥iijß. *Herb. ſalv.* ℥iijß. *Caſtor.* ℥iß. *Bacc. laur.* ℥j.

Pulveriſatis & mixtis omnibus affund. vini Moſchatellin. ℔iij. digere per ℘ c. viii. deſtilla & ſæpiùs hâc aquâ inunge, ſponteque areſieri permitte.

Caput XXVIII.

COLLI STRUMAS TOLLERE JUNIPERUM ASSERIT.

Cum

CUm collum medium ſit inter caput & thoracem de ſtrumis illius ut externo affectu peculiari hoc capite agendum eſt. Vocatur hic affectus Strumæ, Scrophulæ, & à nonnullis Bronchocele; Differunt tamen hæ appellationes aliquatenus inter ſe ratione ſitus, ortus, conſiſtentiæ & cauſarum, de quibus autem agere cum jam noſtri non ſit inſtituti, videri poteſt de his *Langius lib.* 1. *Epiſt.* 43. *Platerus lib.* 3. *obſervat. Sennert. lib.* 2. *Prax.* *Strumæ* *Scrophulæ.* *Bronchocele.*

Ad tumorem quemcunque durum, ſcirrhoſum vel cancroſum commendat *Deckerus in not. ad Prax. Barbett. p. m.* 59. ſequens deſtillatum. *Tumor.*

℞ *Gumm. galban. pur.* ℥ij. *opii Theb.* ʒij.
Spir. Vin. aromatic. ℥vi.

(Ex ſalviâ, rutâ, *bacc. juniper.* ſem. carv. aniſ. fœnic. &c. deſtillat. & cohobati.)

Mixta digerantur per octiduum deſtillenturque leni calore ex retortâ vitreâ, bisque ad minimum cohobentur.

℞ *Hujus deſtillati* ℥j. *Spir.* ✱ *ci* ℥j.

Digerantur iterùm leviſſimoque calore deſtillentur per alembicum humilem, & ſeorſim ſervetur ⊖ volatile in formâ ſiccâ.

℞ *Hujus* ⊖ *is volatil.* ʒß.
Butyri non ſalit. ſ. *ſæpius lavat.* ℥j. Miſc.

 F. Un-

F. Ungventum, cancro tumoribusque duris illinendum &c.

Peculiarem curam in virgine nobili ſtrumis laborante tradit *Gryling. lib. 5. Med. Pract. part. 3. cap. 19.* ubi præmiſsâ purgatione & ſcrophularum emollitione per linimentum & Emplaſtrum hoc vinum uſuale præſcribit.

℞ *Fol. beton.* Mß. *Salv.* Mj. *Lign. ſaſſafr.* ʒvi. *Gvajac.* ℥j.
Rad. ſarſaparil. ℥ß. *Pœon. flor. caryophill.* ā ʒiij.
Herb. chamadr. chamæpyt. ā ʒj. *radd. Glyzyrrhiz.* ʒß.
Bacc. Juniper. ℥iß. *Nuc. moſch. zinzib. cubeb.*
Sem. aniſ. coriandr. ppt. fœnic. card. bened. ā ℈ij.

Inciſ. & contuſ. includ. nodulo & menſur. ij. Vini infundantur.

Pulverem ibidem deſcribit, cujus tamen loco Vinum Syrupi inſtar quod eſt comparari docet, quod tale.

℞ *Rad. Pentaph. caryophillat. glyzyrrhiz. ſcrophul. filipend.* ā ℥ß. *ariſt. rot.* ʒiiß.
Herb. pimpinell. ſalv. beton. ā Mj.
Sem. urtic. fœnic. apii, coriandr. ppt. ā ʒj.
Flor. geniſt. Mß. *Cicer. rubr.* ʒvi. *Lign. guajac.* ʒj.
Lign. ſaſſafr. ℥ß. *bacc. junip.* ʒiiß. O. ʒij.
Vini ℔ij. *aquæ* ℥iv. *mell.* ℥ivß.

Coqu.

Coqu. ad remanentiam ℥xv. Colatura aromatiſetur cinamomo & rotul. man. Chriſt. Doſ. ℥iij. hor. 3. ante prandium.

Lochius teſte *citato jam Autore* corpore evacuato locum ſtrumarum hoc fomento ſpongiâ madefactâ fomentari juſſit.

℞ ▽. *vit. compoſ. ſimpl. Spir. junip.* ā ℥j.
Flor. chamomill. melilot. ā ʒj.
Sem. lin. fœn. graec. ā ʒii. *rad. ariſtol. rot. pyrethr.* ā ʒß.

Incidantur & coquantur parùm pro fotu. Plura videantur *loco citato.*

Caput XXIX.

ISCHIADICUM DOLOREM PELLERE JUNIPERUM PROBAT.

Quamvis ad arthritidem commodè referatur *Dolor Iſchiadicus*, quoniam ab iisdem ferè cauſis ac illa proveniat, lubuit tamen peculiari hoc capite de illo agere, cum ideò dolor iſte [illegible] *Dolor Iſchiadicus.*
dicus, quod circa oſſis [illegible]
animadvertatur ibique [illegible]
arroget. Malum eſt [illegible]
nax, propter loci p[illegible]
plitudinem ac ma[illegible]
am, quam amplu[illegible]
Curationem [illegible]
umque communem [illegible]
um differt, niſi quod [illegible]

purgantia fortiora, vomitoria inpri-mis, fortioraque medicamenta reſo-ventia & attrahentia requirat.

Interna, quoniam de iisdem in ar-thritidis conſideratione egimus, libente jam ſicco præterimus pede & extern ſaltem celebriora adnectimus medica-menta.

Ad pertinacem dolorem Iſchia-dicum ſequens adhibuit Ungventum *Il. Scultetus obſervat. 73. part. 2. Armamen Chirurg. p. 174.*

℞ *Pingved. tax. vulpin.* ā ℥iij.
Ol. maſtich. coct. ℥ij. *Spic.* ℥j. *junipe deſtillat.* ʒj. Miſce.

Vel

℞ *Flor. Hyoſciam. menſ. Jun. collect.* q. Indantur vitro & probè occludantu ſub terram ſepeliantur, ibi mutabunt in ∇m.

juniper. ʒj.
... loco dolenti applica. Hoc 3. ho... lenire affirma...
Conrad ... tract. 20. medull. deſti...
pag. 450 ibi et multa alia videnda.
... vat. fol. 514. ii ... ffectum inun... ſuſ. thym. ro... ran. addito o... *Poterius Cent...* ... pium ſeque...

i modo paratum in pertinaciſſimâ, a-
rociſſima, funeſtiſſimâ & planè deplora-
â Iſchiatide optimo cum ſucceſſu para-
vit illudque paululum mutatum *Curat.* 13.
eâdem utilitate repetiit.

℞ *Rad. Bryon.* ℔ij. *Ebul. faſcicul.* IV.
Bacc. juniper. ℔j.
Fol. prim. ver. Iv. arthet. menth. major.
Salv. roſmarin. chamomill. melilot.
ā M IV.

Conciſ. D. S. Species pro Semicupio.

Curatione 35. *Idem Autor* loco affe-
cto ſequentem fotum admovit.

℞ *Bacc. Juniper. laur. ſem. fœn. græc. lin.*
cumin. ā ℔ij.
Herb. menth. ſalv. roſmarin. Iv. arthet.
arthemiſ. ā Mj.

Coqu. in ſ. q. ▽æ & Vini pro fotu.

Thermas artificiales hic non in-
congruas ita parat *Tilemannus p.* 396. *d.*
mater. med.

℞ 🜍 *citr.* ℔iij
☿*i alb.*
Lumbri c
Herb. ro
cham
Fl. cham

Coqu. in ▽â

CAPUT XXX.
LAUDES JUNIPERI IN PEDUM DOLORE ET CLAVIS DECANTAT.

A Capite usque ad calcem pervenimus, reſtat itaque ut de pedum vitiis externis etiam agamus. Dolore ſæpiùs corripiuntur pedes, quo ambulandi facultas impeditur, inprimis maximos eis conciliat cruciatus Podagra, qua de cum in arthritidis conſideratione egerimus, jam ulteriùs nihil, brevitatis ergò monebimus.

Dolor pedum à frigore. A causâ frigidâ ſæpiſſimè dolor immittitur pedibus, ut à frigore aliisque cauſis refrigerantibus, qui ſi contigat, ſequens opponit eidem *B. D. D. Schenckius ſect. 5. Syntagm. præſcrib. medic. cap.*

℞ ▽*æ juniper.* ℥iij. *ſalv. e. v.* ℥iß.
Spir. roriſmarin. ʒiß. *Terebinth.* ℈j.
Sal: gemmæ [illegible]
M: i: linimentum [illegible] ſſe.

A clavis etiam dolor pedum frequenter oritur. [illegible] tubercula ſicca alba dura dolorifica epidermide craſſa, viſcida, [illegible] ad quos tollendos ſequens applicat Emp: [illegible]lingius [illegible] [illegible] med: p. part. 3 Ca[illegible]
[illegible] gumm. ammoniaci galbani ā ʒß.
[illegible] juniper. [illegible] Cera ℥ß.
[illegible] resolven[illegible]
[illegible]

C

CAPUT XXXI.
JUNIPERUM AD CONDITURAM CADAVERUM PARATUM OFFENDIT.

PErductis ad finem omnibus internis & externis corporis humani affectibus in quibus aliqua ſperanda à *Junipero* ſalus, illam poſt mortem quoque homini inſervire paratum offendimus, dum balſamicâ ſuâ vi corruptionem ab hominis cadavere arcere & incorruptibilitati illud reſervare conatur, aliis admixtis ſi exhibeatur, Exemplum nobis præbet *B. D. D. Rolfincius ſect. 1. lib. de purgantibus Vegetabilibus artic. 2. cap. 49.* qui hodiernam aloeticam & aromaticam myrrhationem mediocris impenſæ ita deſcribit, quam propter raritatem hic verbotenus adſcribere voluimus veniamque à B. L. nos impetraturos ſperamus.

Cadaverum hodierna conditura.

I. Aperto cadavere & infimo ventre eximantur omnia viſcera & in peculiari arcâ recondantur. In peculiari etiam ciſtâ excipiantur medii ventris contenta, Cor & pulmones cum flabello ſuo diaphragmate. Poteſt etiam eximi cerebrum aperta calvaria & in peculiari reconditorio aſſervari.

II. Cavitates ſingulæ mundentur ſpongiâ à ſanguine.

III. Mundentur iterum ſpongiâ imbuta ſequenti ſpiritu. ℞ *Alu-*

℞ *Aluminis rupei in ♁. vini diſſoluti* ℥IV
Spir. Vin. (vel quod fortè abbalſamicam vim penetrantium, Spir. juniper.) ℔ij.

& fortiter affricentur.

IV. Poſt factam ablutionem reſin Terebinthinæ Cypriæ, ſeu venetæ, incru ſtentur cavitates, ut pulveres melius ad hæreant.

V. Ventres ſeu cavitates ſequenti bus ſpeciebus ſeu pulveribus groſſis im pleantur.

℞ *Aloës hepat.* ℔ij. *Myrrh.* ℔j.
⊖*li leniter calcinat.* ♀ *citrini,*
Raſur. lign. ſanct. Rhod. ā ℔j. *Bol. armen*
Rad. leviſt. angelic. enul. gentian. rub Ireos Florent. valerian. ā ℥IV.
Bacc. Juniper. Miij. *Laur.* Mij.
Herb. ſcord. MIV. *Menth. criſp. balſ. mitæ corymbiferæ, ſalv. lavend. hy ſop. majoran. roſmarin. abſint abrotan. orig.* ā MVIII. *Fol. laur.* M
Flor. roſar. violar. cum calycul. ā Mi
Camphoræ ℥ß.

Incidantur groſſo modo.

VI. His peractis ventres conſuan tur & totum corpus inungatur ſequent balſamo.

℞ *Ol. abſinth. rut. ſpic. chamæmel. lau cocti* ā ℥IV. *juniperi, ſuccin.* ā ℥i *Terebinth.* ℥j. Miſce.

A

d incerationem induſii, quo corpus oſt inunctionem induatur.

℞ *Terebinth.* ℔ij. *Ceræ* ℔xv. *Diſſolvantur cum oleo communi pro cerato.*

VII. Inſuatur poſt linteo ſeu indu- o incerato. Cera vel aſſumi poteſt la, vel myrrhâ & aloë pulveriſatis per- ixta. Conſpergatur ſequentibus.

℞ *Herbar. abſinth. ſcordii noſtrat.* ā M vi.
Fol. ſaturej. thym. centaur. minor. ā M iij.
Sem. coriandr. ℥vi. *nigell.* ℥ij. *cumin. carv. aniſ.* ā ℥iß.
Rad. cyper. rotund. & long. enul. acor. ver. rubr.
Valerian. hortenſ. ſylveſtr. vincetox. Ireos Florent. ā ℥vi. *Libanotidis Theophraſti albæ* ℥x.
Flor. calendul. conſolid. regal. cartham. nymphea cheir. cyani, anthous hortenſ. ſylveſtr.
Summitat. polii montan. ā M j.
Succin. flav. mannæ, thur. ā ℔ß.
Aloës epat. myrrh. maſtich. benz. ſtorac. calamit.
Ladan. cinamom. caryophill. Nuc. moſch. macis, croc. ā ℥j.

ſce & omnia emunctoria, narium fiſſam, ani oſtium, inguina, interfœmi- um, axillas, narium hiatus, aures con- rge: Divaricatis cruribus applicari

ita

ita poteſt, ut caligæ ſuperindui cum th
race & totum veſtimentum applica
poſſint.

VIII. Recondito cadavere in ſa
dapilâ capilli pulvere cyprio odora
aſpergi, barba curari manusque illi
poſſunt 🜕 ſpicæ, petroleo, *juniperino*, T
rebinthinæ. Oleo anthous narium for
mina & auditorius meatus inungi,
goſſypio balſamo, ex 🜕 nucis moſch
expreſſo & 🜕 ſuccini parato, impræg
to obturari poſſunt.

Hoc modo curatum corpus adſ
vari & ſpectatoribus oſtendi per mul
poteſt ſeptimanas.

IX. Operculum ſandapilæ inter
illinatur *Spiritu & oleo juniperi.*

X. Cum noctu operculum imp
nere conſultum, ne vaporum exhala
prohibeatur, in ſupernâ parte foram
amplum faciendum eique adaptan
canales ferreus, ulneæ unius, vel dim
diæ æquans altitudinem.

XI. Viſcera exempta honavrri q
unt aſperſione ſequentis pulveris &
ciſtulâ ſuâ terræ matri concredi.

℞ *Pulv. roſar. rubr. chamæmel. rom*
ā Mij.
Lavendul. c. florib. Miij. *Rad. a*
verb. rubr.
Cyper. rotund. long. valerian. ireos F
ā ℥vi. *Cina*

Cinamom.℥j. *Aloës hepat.* ½ ℔ *myrrh. rubr.* ℥ij.
Mannæ, thuris ℥ß. *ſuccin. flav.*℥v.
Sandalorum omnium ã ℥ij.

Contundantur in minutum Pulverem S. Pulver zum Balſamiren.

CAPUT XXXII.

CUM USU JUNIPERI OECONOMICO CONCLUDIT.

USus Juniperi ſoli pharmaciæ ſe includi recuſat, ſed patrifamilias quoque & œconomiæ auxiliatrices ſuppeditare vult palmas, cui tàm prodeſt, quàm eundem delectat, ideoque paucis uſum œconomicum *Juniperi* delineabimus. *Uſus Juniperi œconomicus.*

1. Conducunt *baccæ Juniperi* ad ſaporem carnis ferinæ emendandæ; ſi illa aceto & *iisdem* condiatur, eamque diu à corruptione præſervant.

2. Saporem quoque emendant Braſſicæ capitatæ eandemque ne putreſcat, prohibent.

3. Crudâ & incoctâ braſſicâ capitatâ qui delectantur, illos hoc juſculi genus eidem affudiſſe vidimus.

℞ *Vini rubri q.v. Sem.cumin.fruct.acat. noſtr.*
Bacc. juniper. aceto macerat. q.ſ. Sinapeos q.ſ. ad gratum ſaporem.

4. Vinum à corruptione *Radix juni-*

niperi præſervare, dolio vel per ſe, vel additis lupulo, ſem. arthemiſ. flor. lavendulæ, incluſa dicitur, baccæque vitioſum vini ſaporem corrigere creduntur.

5. Cereviſiæ ſaporem à dolio contractum ſequentia mutare & emendare ajunt hujus rei periti.

℞ *Ov. ad durit. coct. num.* ij. *vel* IV. *vel q.v.*
Bacc. juniper. Rad. angel. caryophillat. *ā q.ſ.*

Miſc. & Cereviſiæ indantur.

6. In hypocauſto muſcis nimium referto ſi fumus *ex fruticibus ligno & baccis Juniperi* excitetur & per noctem in hypocauſto optimo clauſo relinquatur, fumum illum omnes muſcas occidere aſſerit *Conrad. Kunrath. medull. deſtill. p.* 24. Et hæc de Junipero ſufficiant.

Concluſio.

Ad portum ventum eſt! placido ſtant littore puppes
Velaque contrahimus tenſisque ad ſidera palmis
Jam dignas grates, Tibi, nunc perſolvimus imo
Pectoris ex fundo terræque polique Monarchæ,
Quod noſtris precibus venerandum adſcribere FIAT
Dignatus fueris, nam Te Duce & Auspice ſolo

Inge-

Ingenii tenuem modò per vaſta æquoris arva
Artis Apollineæ cymbam perducimus atque
Jam calamo mentis noſtræ ſenſa addere doctis
Artificum inventis, viresque & commoda acutæ
Juniperi licuit ſcrutari & ſiſtere mundo.
Alter nunc inſtat curſus diſcrimine pleno
Navi huîc, dum pontum, qui omnem complectitur orbem,
Pontum tam perdocti orbis, percurrere debet,
Et ſic per medios ſcopulos variasque procellas
Judiciûm luſtrare vias: Hæc tanta pericla
Navis ut effugiat TE, quæſumus, Argonauta
Omnipotens faxis, ſcopulis ne illiſa perire
Cogatur, faxisque hæc ne ſine fœnore multo
Ad patrias redeat terras laudisque decore,
Nominis inprimis divini artisq; medentum.
Tis porrò & noſtræ puppisque & proræ ſalutis
Noſtraque pro voto clementer cæpta ſecundes

Et Zoilûm avertas viroſæ ſcommat
linguæ
Sub clypeoque Tuo ſerves nos vindic
dextra,
Sic in TE toti ſperantes nulla pericla
Nullos latratus Momorum, ut Cynthh
clara,
Curamus, nullâ curarum mole grav
mur,
Sed læti auxilium Divum cantamus i
ævum.

F I N I S.

Colica paſſio & ejus Cura 232
Concluſio hujus tractatus 377
Contracturæ Curatio 360
Convulſio ejusque remedia 109
Cordis Palpitatio & ejus remedia 173
Cordi an conveniat Tremor 174
Corpulent. nimia quomodo tollenda 352
Cortex Juniperi 37
Ejus Vires ibid. ſeq.
DEcoctum ligni Juniperini 37
Decoctum gummi Juniperini 86
Dentiũ Dolor & ejus remedia 149. ſeqq.
Sordities 152
Caries 153
Sangvinolentia 154
Mobilitas ibid.
Harum remedia ibid.
Dentes malè colorati emendandi 153
Deſcriptio Juniperi 12
Diarrhœa ejusque medicamenta 238
Diarrhœa ex hypercatharſi 240
Dolor capitis & ejus cura 87. ſeqq.
Dolor Ventris Scorbuticus 268
Dolor crurum, manuum & pedum Scorbuticus 269
Dolor Iſchiadicus ejusque remedia 369
Doloris poſt partum remedia 294
Dyſenteria & ejus cura 240
Dyſpnœa 156
ELæoſaccharum Juniperi 69
Electuaria Juniperina 79

Elementa 4. in homine 1755
Elixir Antipeſtilentiale Crollii 688
Juniperinum 755
ἔκλυτις 1700
Epilepſiæ comparatio cum Pieſtero 1044
Remedia 1077
infantum cura 1099
Epiphora oculorum 135. ſeqq.
Eryſipelatis Cura 340
Eſſentia baccarum Juniperi 744
contra Vermes 23[illegible]
Anticolica 24[illegible]
Extractũ Junip. ſimplex & ejus Vires 7[illegible]
compoſitum 7[illegible]
FAciei vitia quomodo tollenda 36[illegible]
Fames nimia & ejus Cura 22[illegible]
Febris Tertiana 17[illegible]
Quartana 18[illegible]
Quotidiana 18[illegible]
Synocha ſimplex ibid.
Febrium differentiæ 17[illegible]
Febres malignæ 18[illegible]
earum differentiæ ibid.
Feld Cypreſſe 1[illegible]
Feurbaum ibid.
Flos Juniperi & ejus tempus 3[illegible]
Fluoris albi remedia 311. ſeqq.
Fruticum Juniperinarum Vires 3[illegible]
Fungus Juniperi ejusq; uſus 14. 15. 33. 43[illegible]
Grammet Baum 10[illegible]
Gummi Juniperi 1[illegible]
Vires 11[illegible]

INDEX.

ABortus quomodo præcavend. 323
Acetum Juniperinum 57
Αγρυπνία 117
Aloë Americ. quæ Sondershuſæ floruit 30
Aloë Slewizenſis 31
Ani exitus à dyſenteria 242
Antidota varia ex Junipero 260. ſeqq.
Apoplexiæ remedia 93
Aqua Juniperina 59
Aquæ ſimplicis laus 60
  Electio 60
  Proba ibid.
Aquula. 365
Arbor Americana oxyacantha 22
Ἄρκευθος unde derivetur 8
Ἀρκευθὶς unde dicatur ibid.
Ἀρκατεῖρα. 11
Arthritis & medicamenta arth. 328. ſeqq.
Aſthma & ejus remedia 156
Aſcarides 230
Ἀσφυξία 171
Aurium Tinnitus 138. ſeqq.
  Ulcus 142
  Dolor ibid.
  Excrementa egredientia ibid.
BAccæ Juniperi 24
  earum vires 37
  differentiæ 25

majores 22
minores ibid
cœruleæ ibid
rubræ ibid
nigræ ibid
virides 22
quando colligendæ 23
Baccarum Juniperi qualitates 23
Balſamum Sulphuris Juniperinum 66
Balſamum Juniperinum 66
Bronchocele ibid
Bufonis veneno reſiſtere Junip. obſervatum 221
CAchexia 244
Cadaverum conditura 3
Calc. renum ejusq; medicam. 271. ſeq
Calculoſæ obſervationes 27
Calculus Veſicæ 28
Calc. Veſicæ an morbus ſit incurab. 2
Canina appetentia 21
Canities quomodo avertenda 3
Capillorum profluvii cura 3
Carus 11
Catalepſis 11
Catharri 123. ſeq
Cephalalgia 18
Cephalæa ib
Ciliorum mollities 33
Claretum Juniperinum
Clavus quid?
Clavi quid? 3
Coma

Co

Luis ♀eæ cura 335
MAculæ Scorbuticæ 270
Malvaticum Juniperinum 74
Mania 118
Maniaca obſervatio 120
Memoriæ Imbecillitas 121
Memoria quomodo contingat ſecundum Carteſ. ibid.
Menſes cur flores dicantur 202
Menſium ſuppreſſio 303
nimius fluxus 308
Mictionis cruentæ remedia 290
Mola ejusque Cura 321. ſeqq.
Morbi incurabiles per ſe 283
per accidens ibid.
ſimpliciter lethales ibid.
utplurimùm lethales ibid.
Chronici 284
Morbos incurabiles an medicus debeat aggredi 282
Morſuli Antinephritici 76
Motus impotentia 361
NAturæ laus - - - 356
Nerii antidotum - 210
Nervi optici vitia - - - - 132
Noxæ juniperi - - - - 90
νυκταλωπία. - - - - - 133
OBmuteſcentia - - 101 ſeq.
Obſerv. de ſucco 31.
de Cephalalg - - - 89
de vulneratio 137
de doloreAur. 140.

de Vermibus 231
de Hydrope Tympanitide. 258
de melancholia Hypochondr. 262
de Tumoribus Scorbuticis 271
de langvore 169
de nimio fluxu menſium 310
de fluore albo 313
de falsâ ingravidatione 319
Oculorum Epiphora 135
Oleum ligni Juniperini 51
Oleum baccarum Juniperi & ejus Vires 63. 65.
Oleorum ſeparatio 64.
Oleum baccar. juniperi non tingitur & quare ? 67
Oleum Juniperinum coctum 70
expreſſum ibid.
ὀνοματολογία Juniperi 7
Oris Tortura 144.
fœtor 145
ex ventriculo 146
a dentibus ibid.
scorbuticus 147
orthopnoea 156
officium scorbutica 356
Dislocatio 357
scorbutica 356
ὀξυακανθα - 11
oxyacantha ibid.
oxycedrus ibid.
oximdes juniperin. 58
Pal-

qualitates 35
Decoctum 86
Infuſum ibid.
Oleum ibid.
HÆmoptyſis 226
Hæmorrhoidum Dolor 244
fluxus nimius 243
Obſtructio 244
Hæmorrhoid. an fœminæ obnoxiæ 242
Hepatis obſtructio & ejus remedia 245
Hydrops Aſcites 249
Anaſarca ibid.
Tympanites ibid.
Hydropicorum ſitis 258
Hypochondr. malum & ejus cura 260
ICterus ejusque cura 249
Impetigines 365
Infuſum ex gummi Juniperi vernix liquidus dicitur 86
Ingravidatio falſa 318
Iſchiadici doloris remedia 369
Iſchuria ibid
Juniperus unde d[ic]atur 7
perpetuo floret [illegible] 13
Illyrica 18
Germanica ibid
Major arbor ... ibid.
fruticoſa 22
Minor frutice ... 23
humi repens ibid
Auſtriaca Cluſii ibid
mas

Mas 212

Fœmina ibid

Juniperi Botrys 40. ſeqq

tempus 33

Vires 33

uſus œconomicus 377

Locus natalis 22

Junip. non viſa in montibus Hercyniæ 2

Kattich-Baum 11

LAngvor ejusque cura 166

Lati vermes 222

Lateris dolor à flatibus 165

Lentigines 366

Leporis marini antidotum juniperus 211

Lienis obſtructio 158

Ligni juniperini colligendi tempus 3

qualitates 34

Vires 3

Raſura & ejus uſus 4

Suffitus. 4

Decoctum 47

Infusum 4

Spiritus 49

oleum 50

Emplastrum 55

Mellago 55

Sal 54

Linguæ paralysis 100. ſeqq

Lypothymia 300 ſeqq

Loquelæ amissio in Apoplexia 99

Lochiorum retentio media 322

Lumbrici 212

Lu

PAlpebrarum παλμὸς 366
Paralyſis ejusque Cura 97. ſeqq.
à Variolis 101
Scorbutica 102. ſeqq.
Paralytica obſervatio 100
Partus difficilis remedia 325
Pedum Dolor 269
Peripneumoniæ remedia 160
Peſtis & medicamenta antipeſtilentialia 182. ſeqq.
Pieſteri Gentilium Deaſtri deſcript. 104
Plantæ incultæ cur felicius creſcant, quàm ſativæ 29
Plantis an conveniat ſexus ibid.
Pleuritidis remedia 162
Præfatio 1
Præparata ex ligno juniperino. 44. ſeqq.
ex Cortice & Fungo Juniperino 55
ex baccis juniperi 56
Pupillarum in oculo dilatatio 132
Pyxides odoriferæ ex ligno Juniperi 55
QUartana febris 180
Quotidiana febris 181
RAucedo & ejus cura. 162
Reſpirationis uſus & neceſſitas 155
Riſus Sardonius 144
Rob Juniperinum 77
purgans ibid.
Rotulæ præſervantes 76
SAlis laus 80
Sal ligni juniperini 54

baccar.

baccar. juniperi 82
ejus Vires 844
Salium purificatio 83
Sandaraca: ejus differentiæ 20
efficacia 44
Scabies ejusq́ue cura 34
Scrophulæ 36
Scorbutus ejusq́ue curatio 26
Secundinæ retentio ejusq; remedia 32
Serpentis venenum abigit juniper. 21
Signatura quid valeant 16
Signaturæ Juniperi Pleuritica 16
Singultus remedia 224
Soporoſi affectus 11
Spaſmus ejus Cura 10
Spaſmus Cynicus unde dictus 144
Spiritus ligni juniperini 41
baccar. juniperi 61
⊖is juniperini 85
Sterilitatis muliebris incommoda & cu-
ra 31
Strabismi cura 13
Stranguriæ remedia 28
Suffimigia ex ligno juniperi 50. ſeqq.
ex baccis juniperi 56
Suffocatio Uterina ejusq́ue oppoſita me-
dicamenta 29
Suffuſio ejusq́ue cura 134
Surditatis Curatio 140
Strumæ 36
Syncope ejusq́ue cura 171
ex menſium retentione 172

Συνο-

υνονυμία juniperi 11
yrupus Juniperinus ſimplex. 78
compoſitus 78. 79.
TArantularũ Veneni qualitas 213. ſeqq.
Tarantatos cur Muſica curet conjectura 216
axi antidotum Juniperus 211
inctura Juniperina ſimplex 73
compoſita ibid.
inea ejusque curatio 362
umor ſcirrhoſus vel cancroſus 367
umores Scorbutici 270
uſſim quæ curent 160
VEnenorum natura 199
qualitates 200
Vis in quo conſiſtat ibid.
enena ſuffocatione perimunt & quomodo? 203
enena coagulatione quomodo occidant? 204
enenorum eroſione, exulceratione & putrefactione necantium vis 206
enena mineralium fugat Juniper. 218
entriculi imbecillitas 219
ejusque Curatio ibid.
ernix 16. ſeqq.
ejus Vires ibid.
liquidus ibid.
ermium genera 229
ertigio & ejus Cura 90. ſeqq.
eſicæ Calculus 254
uſus 286

Vigiliæ

Vigiliæ nimiæ 111
Vinum Juniperinum 5
Viſus imbecillitas 111
ejus nomina ibid.
differentiæ ibid.
Vomitus remedia 211
in peſte & febribus malignis ibid.
ex hypercatharſi 212
Vulneraria medicamenta 344. ſeqq.
Ulcera narium 344
Ulcerum remedia ibid.
Ulcera à Veneficio orta quibus curanda ibid.
Uteri Doloris Curatio 29
ſuffocatio 29
ejus Cura. 297 ſeqq.
Wacholder unde dicatur
Wacholderbeer derivatio ibid.
Wacholder unde dictum ibid.
Weckholder unde derivetur ibid.